

www.vtpi.org

250-508-5150

Well Measured

Developing Indicators for Sustainable and Livable Transport Planning
7 February 2024





A world view taken in 1972 as Apollo 17 left Earth orbit for the Moon. (Courtesy of NASA).

Abstract

This report provides guidance on the use of indicators for sustainable and livable transportation planning. It defines *sustainability* and *livability*, discusses sustainable development and sustainable transport concepts, and how sustainability indicators can be applied in transport evaluation and planning. It describes factors to consider when selecting sustainable transportation indicators, identifies examples of indicators and indicator sets, and provides recommendations for selecting sustainable transport indicators for use in a particular situation.

A shorter version of this paper was published as, "Developing Indicators for Comprehensive and Sustainable Transport Planning," *Transportation Research Record 2017*, Transportation Research Board (www.trb.org), 2007, pp. 10-15 (https://doi.org/10.3141/2017-02).

Contents

Preface	2	
Executive Summary	3	
Introduction	6	
Defining Sustainability, Livability and Sustainable Transport	7	
Sustainability Planning Process	13	
Factors to Consider When Selecting Indicators	14	
Vehicle Travel As A Sustainability Indicator	17	
Trends Affecting Sustainability and Livability Planning	18	
Ecological Economics	19	
Indicators By Category Economic Indicators Social Indicators Environmental Indicators		. 23
Accounting Indicators	25	
Conventional Transport Indicators	26	
Sustainable Transportation Principles		
Examples of Sustainable Transportation Indicator Sets Sustainable Development Indicators (not specific to transportation) Sustainable Transportation Indicator Sets Sustainable Transportation Indicators Sustainable Infrastructure Transport Agency Sustainability Evaluation Incremental Improvements to Conventional Transport Evaluation Good Examples of Bad Indicator Sets		. 38 . 40 . 60 . 64 . 68
Livability Objectives and Indicators	81	
Best Practices	83	
Data Quality and Availability	86	
Examples	89	
Conclusions	95	
Acknolwedgments	97	
References and Resources	97	

Preface

Our family's house was built more than a century ago. On the walls hang photographs of our ancestors born more than 150 years ago. Our shelves contain books more than 200 years old. We've visited ancient cities, roads, structurs and artwork more than two thousand years old. Our religion celebrates events that occurred more than three thousand years ago. Many tools we use daily, such as knives, pottery and cloth, were invented tens of thousands of years old.

Looking backward in time, we are directly affected by decisions made centuries and millennia ago. Looking forward, our vision tends to be more limited. Households and communities generally only plan a few years or decades into the future; thirty or forty years is generally the limit.

Yet, most people share the desire to leave a positive legacy for future generations, without it we would not invest in education, durable infrastructure, or environmental quality. Described differently, most people desire economic, social and environmental sustainability.

This is an important new concept because only recently have people been burdened with uncertainty about society's long-term future. Although technological progress has improved our quality of life in many ways, it can also exacerbate many problems, including war, oppression, resource depletion, environmental damages, and social alienation, which threaten the quality and very existence of future generations (Litman 2021).

In the past, futurists debated whether the future would lead to *utopia* (an ideal world) or *dystopia* (a degraded world). Sustainable development reflects a more sophisticated understanding of our impacts: it recognizes that our future will result, in part, on our current decisions. We cannot simply predict the future, instead we create it.

Sustainability includes more than just long-term planning. If we are concerned with the quality of life and environment in distant *times*, we must also be concerned the quality of life in distant *places*, even if only because we care about our own descendants, since they will be affected by, and possibly descended from, people in other parts of the world.

Since economic, social and environmental activities interact in so many ways, most experts now agree that sustainability requires balancing these various realms. A basic principle of good planning is that individual, short-term decisions should reflect strategic, long-term objectives. Sustainability planning provides guidance to insure that individual decisions balance economic, social and environmental objectives, taking into account indirect, distant, and long-term impacts.

Sustainability and sustainable development are generally considered desirable, although some conditions should not be sustained, such as hate, poverty and ignorance, and these terms are sometimes used to promote a particular policy or project that may only vaguely reflect strategic planning objectives. As a result, there is potential for legitimate debate concerning what sustainability policies are truly desirable. None-the-less, sustainability principles properly applied can improve decision making, particularly for strategic policy making and planning.

Executive Summary

There is growing interest in the concepts of *sustainability, livability, sustainable development* and *sustainable transport*. *Sustainability* balances economic, social and environmental goals and objectives (*goals* are general desired outcomes, *objectives* are specific, measurable ways to achieve goals), including those that involve indirect and long-term impacts, as indicated in Table 1 and Figure 1. *Livability* refers to the subset of sustainability objectives that directly affect community members. They generally share the same objectives, but often with somewhat differing perspectives and priorities. For example, both justify efforts to reduce pollution, although sustainability often focuses on climate change emissions while livability focuses on local air and noise pollution.

Table ES-1 Sustainability Goals

Economic	Social	Environmental			
Economic productivity	Equity / Fairness Climate change prevention and m				
Local economic development	Safety and security	Air, noise and water pollution prevention			
Resource efficiency	Community development Non-Renewable Resource Conservation				
Affordability	Cultural heritage preservation	Openspace preservation			
Operational efficiency	efficiency Public fitness and health Biodiversity protection				
	Good Governance and Plar	nning			
li li	Integrated, comprehensive and inclusive planning				
	Efficient pricing				

Italics indicates livability objectives.

Figure ES-1 Sustainable Transport Goals



Sustainability emphasizes the integrated nature of human activities and therefore the need for coordinated planning among different sectors, groups and jurisdictions. It expands the objectives, impacts and options considered in a planning process. This helps insure that individual, short-term decisions are consistent with strategic, long-term goals.

Sustainable transport planning recognizes that transport decisions affect people in many ways, so a variety objectives and impacts should be considered in the planning process.

Various transport planning objectives support sustainability goals:

- *Transport system diversity*. Travelers can choose from various modes, location and pricing options, particularly ones that are affordable, healthy, efficient, and accommodate non-drivers.
- System integration. The various components of the transport system are well integrated, such as pedestrian and cycling access to transit, and integrated transport and land use planning.
- Affordability. Affordable transport options provide access to lower-income households.
- Resource (energy and land) efficiency. Policies encourage energy and land efficiency.
- Efficient pricing and prioritization. Road, parking, insurance and fuel are priced to encourage efficiency, and facilities are managed to favor higher value trips and more efficient modes.
- Land use accessibility (smart growth). Policies support compact, mixed, connected, multi-modal land use development in order to improve land use accessibility and transport options.
- Operational efficiency. Transport agencies, service providers and facilities are managed efficiently to minimize costs and maximize service quality.
- Comprehensive and inclusive planning. Planning is comprehensive (considers all significant objectives, impacts and options), integrated (decision-making is coordinated among different sectors, jurisdictions and agencies), and inclusive (all affected people are able to participate).

Table ES-2 indicates which objectives support which goals. Many help achieve multiple goals.

Table ES-2 Sustainable Transport Goals and Objectives

		Transport Planning Objectives						
Sustainability Goals	Transport Diversity	System Integration	Affordability	Resource (energy and land) Efficiency	Demand Management (efficient pricing & prioritization)	Land Use Accessibility (smart growth)	Cost Effective Operations	Comprehensive and Inclusive Planning
Economic productivity	✓	✓		✓	✓	✓	✓	
Economic development	✓	✓	✓	✓	✓	✓		✓
Energy efficiency	✓	✓		✓	✓	✓		
Affordability	√	✓	✓	✓	✓	✓		
Operational efficiency					✓		✓	✓
Equity / Fairness	✓	✓	✓		✓	✓		
Safety, security and health	✓	✓	✓	✓	✓	✓		✓
Community development	✓	✓	✓	✓	✓	✓		✓
Heritage protection	✓			✓	✓	✓		✓
Climate stability	✓	✓	✓	✓	✓	✓		
Air pollution prevention	✓	✓	✓	✓	✓	✓		
Noise prevention	✓			✓				
Water pollution	✓	✓	✓	✓	✓	✓		✓
Openspace preservation	✓	✓	✓		✓	✓		✓
Good planning								✓
Efficient Pricing				✓	✓		✓	

This table indicates which planning objectives support various sustainability goals.

Tue table below summarizes sustainable transport goals, objectives and performance indicators.

Table ES-3 Key Sustainable Transport Goals, Objectives and Indicators

Table ES-3 Key Signature Sustainability Goals	ustainable Transport Goals, Obje Objectives	Performance Indicators
Sastaniasinty Scale	I. Econom	
	I. Econom	
	Towns and south and official and	Per capita GDP and income.Portion of budgets devoted to transport.
	Transport system efficiency.	 Per capita congestion delay.
	Transport system integration.	 Efficient pricing (road, parking, insurance, fuel, etc).
Economic productivity	Maximize accessibility. Efficient pricing and incentives.	 Efficient prioritization of facilities (roads and parking).
Economic productivity	Efficient pricing and incentives.	
Economic dovolonment	Economic and business development	Access to education and employment opportunities.Support for local industries.
Economic development	Economic and business development	
F	Minimize energy costs, particularly	Per capita transport energy consumption
Energy efficiency	petroleum imports.	Per capita use of imported fuels.
		Availability and quality of affordable modes.
	All residents can afford access to basic	Portion of low-income households that spend more
Affordability	(essential) services and activities.	than 45% of budgets on housing and transport.
		Performance audit results.
Efficient transport	Efficient operations and asset management	Service delivery unit costs compared with peers.
operations	maximizes cost efficiency.	Service quality.
	II. Social	
	Transport system accommodates all users,	Transport system diversity.
	including those with disabilities, low	Portion of destinations accessible by people with
Equity / fairness	incomes, and other constraints.	disabilities and low incomes.
		Per capita traffic casualty (injury and death) rates.
		Traveler crime and assault rates.
	Minimize risk of crashes and assaults, and	Human exposure to harmful pollutants.
Safety, security and health	support physical fitness.	Portion of travel by walking and cycling.
	Help create inclusive and attractive	Land use mix.
	communities. Support community	Walkability and bikability
Community development	cohesion.	Quality of road and street environments.
Cultural heritage	Respect and protect cultural heritage.	 Preservation of cultural resources and traditions.
preservation	Support cultural activities.	Responsiveness to traditional communities.
	III. Environmen	tal
	Reduce global warming emissions	
Climate protectin	Mitigate climate change impacts	• Global air pollution emissions (CO ₂ , CFCs, CH ₄ , etc.).
	Reduce air pollution emissions	• Local air pollution emissons (PM, VOCs, NOx, CO, etc.).
Prevent air pollution	Reduce exposure to harmful pollutants.	Air quality standards and management plans.
Prevent noise pollution	Minimize traffic noise exposure	Traffic noise levels
Protect water quality and		Per capita fuel consumption.
minimize hydrological	Minimize water pollution.	 Management of used oil, leaks and stormwater.
damages	Minimize impervious surface area.	Per capita impervious surface area.
	Minimize transport facility land use.	Per capita land devoted to transport facilities.
Openspace and	Encourage compact development.	Support for smart growth development.
biodiversity protection	Preserve high quality habitat.	Policies to protect high value farmlands and habitat.
	IV. Governance and I	Planning
		Clearly defined goals, objectives and indicators.
	Planning process efficiency.	Availability of planning information and documents.
	Integrated and comprehensive analysis.	 Portion of population engaged in planning decisions.
	Strong citizen engagement.	 Range of objectives, impacts and options considered.
Integrated, comprehensive	Lease-cost planning (the most beneficial	Transport funds can be spent on alternative modes
and inclusive planning	projects are implemented).	and demand management if most beneficial overall.

This table summarizes sustainability goals, objectives and performance indicators.

Introduction

"Sustainability is the next great game in transportation. The game becomes serious when you keep score" - <u>Greenroads</u>

There is growing interest in the concepts of *sustainability, livability, sustainable development* and *sustainable transportation*. *Sustainability* generally refers to a balance of economic, social and environmental goals, including those that involve long-term, indirect and non-market impacts. *Livability* refers to the subset of sustainability goals that directly affect community members. Sustainability reflects the fundamental human desire to protect and improve our earth. It emphasizes the integrated nature of human activities and therefore the need for coordinated decisions among different sectors, groups and jurisdictions. Sustainability planning (also called *comprehensive planning*) expands the objectives, impacts and options considered in a planning process, which helps insure that individual, short-term decisions are consistent with strategic, long-term goals.

Sustainability and livability are generally evaluated using *indicators*, which are specific variables suitable for quantification (measurement). Such indicators are useful for identifying trends, predicting problems, setting targets, evaluating solutions and measuring progress. Which indicators are selected can significantly influence analysis results. A particular policy may seem beneficial and desirable if evaluated using one set of indicators but harmful and undesirable according to others. It is therefore important that people involved in sustainability planning understand the assumptions and perspectives of the performance indicators they apply.

This paper explores concepts related to the definition of sustainable and livable transportation and the selection of indicators suitable for policy analysis and planning. It discusses various definitions of sustainability, livability, and sustainable transport, describes the role of indicators for policy making and planning, discusses factors to consider when selecting indicators, identifies potential problems with conventional transport planning indicators, describes examples of indicators and indicator sets, and provides recommendations for selecting indicators for use in a particular situation.

Key Definitions (based on Gudmundsson 2001; Shaheen, et al. 2016; USEPA, 2008)

Baseline (or benchmark) – existing, projected or reference conditions if change is not implemented.

Goal – what you ultimately want to achieve.

Objective – actions that help achieve goals.

Target – A specific, realistic, measurable objective.

Indicator – a variable selected and defined to measure progress toward an objective.

Indicator data – values used in indicators.

Indicator framework – conceptual structure linking indicators to a theory, purpose or planning process.

Indicator set – a group of indicators selected to measure comprehensive progress toward goals.

Index – a group of indicators aggregated into a single value.

Indicator system – a process for defining indicators, collecting and analyzing data and applying results.

Defining Sustainability, Livability and Sustainable Transport

There are many definitions of sustainability, livability, sustainable development and sustainable transport (Beatley 1995; FHWA 2011; Kraus and Proff 2021; NARC 2012; Schilleman and Gough 2012). It is sometimes defined narrowly as simply *environmental sustainability*, concerned only with pollution reduction and habitat preservation, but is increasingly defined more broadly to include other goals. Below are examples of broad sustainability definitions:

- Sustainable development "meets the needs of the present without compromising the ability of future generations to meet their own needs." (WCED 1987)
- "Sustainability is equity and harmony extended into the future, a careful journey without an endpoint, a continuous striving for the harmonious co-evolution of environmental, economic and socio-cultural goals." (Mega and Pedersen 1998)
- "The common aim [of sustainable development] must be to expand resources and improve the quality of life for as many people as heedless population growth forces upon the Earth, and do it with minimal prosthetic dependence. (Wilson 1998)
- A sustainable transport system is one that is accessible, safe, environmentally-friendly, and affordable. (ECMT 2004)
- "...sustainability is not about threat analysis; sustainability is about systems analysis. Specifically, it is about how environmental, economic, and social systems interact to their mutual advantage or disadvantage at various space-based scales of operation." (TRB 1997)
- Sustainability is: "the capacity for continuance into the long term future. Anything that can go on being done on an indefinite basis is sustainable. Anything that cannot go on being done indefinitely is unsustainable." (Center for Sustainability 2004).
- Environmentally Sustainable Transportation (EST) is: Transportation that does not endanger public health or ecosystems and meets needs for access consistent with (a) use of renewable resources at below their rates of regeneration, and (b) use of non-renewable resources at below the rates of development of renewable substitutes. (OECD 1998)
- Concerns about sustainability and livability can be considered reaction to the tendency of decision-making to focus on easy-to-measure goals and impacts while undervaluing those that are more difficult to measure. Sustainable decision-making can therefore be described as planning that considers goals and impacts regardless of how difficult they are to measure.
- "A sustainable community is one that is economically, environmentally, and socially healthy and
 resilient. It meets challenges through integrated solutions rather than through fragmented
 approaches that meet one of those goals at the expense of the others. And it takes a long-term
 perspective— one that's focused on both the present and future, well beyond the next budget or
 election cycle." Institute for Sustainable Communities (ISC 1997)
- Although sustainability planning often focuses on environmental goals, such as emission reductions and habitat preservation, a municipal government survey found that their sustainability policies are also based on economic goals such as infrastructure cost savings and economic development (Binghamton University 2016).

A sustainable transportation system is one that (CST 2005):

- Allows the basic access needs of individuals and societies to be met safely and in a manner consistent with human and ecosystem health, and with equity within and between generations.
- Is affordable, operates efficiently, offers choice of transport mode, and supports a vibrant economy.
- Limits emissions and waste within the planet's ability to absorb them, minimizes consumption of nonrenewable resources, limits consumption of renewable resources to the sustainable yield level, reuses and recycles its components, and minimizes the use of land and the production of noise.

Many experts (including the Transportation Research Board's Sustainable Transportation Indicators Subcommittee, the European Council of Ministers of Transport, and the Centre for Sustainable Transportation) use this last definition because it is comprehensive and indicates that sustainable transport must balance economic, social and environmental goals, called a *triple bottom line*, as indicated in Table 1 and Figure 1. Although these imply that each goal fits into a specific category, they often overlap. For example, pollution is generally considered an environmental issue, but it also affects human health (a social issue), and fishing and tourism industries (economic issues).

Table 1 Sustainability Goals

Tubio i Guott	annability odalo				
Economic	Social	Environmental			
Economic productivity	Equity / Fairness	Climate change prevention and <i>mitigatio</i> n			
Local economic development	Safety and security	Air, noise and water pollution prevention			
Resource efficiency	Community development	Non-Renewable Resource Conservation			
Affordability	Cultural heritage preservation	Openspace preservation			
Operational efficiency	Public fitness and health	Biodiversity protection			
	Good Governance and Plan	nning			
	Integrated, comprehensive and inclusive planning				
Efficient pricing					

This table lists various sustainability goals. Italics indicates livability goals that directly affect residents in a community.

Livability refers to the subset of sustainability goals and impacts that directly affect community members, including local economic development and environmental quality, equity, affordability, basic mobility for non-drivers, public safety and health, and community cohesion. These mostly fall into the *social impacts* realm of sustainability (Shaheen, et al. 2016; Steuteville 2016).





This figure illustrates various sustainability goals. Sustainability includes economic, social and environmental goals, which are often called the "triple bottom line."

Livability reflects sustainability impacts that directly affect people in a community, such as local economic development, affordability, public health and safety, and local environmental impacts.

The U.S. *Interagency Partnership for Sustainable Communities* defines the following livability principles (HUD-DOT-EPA 2010; NARC 2012):

- Provide more transportation choices. Develop safe, reliable, and economical transportation choices to decrease household transportation costs, reduce our nation's dependence on foreign oil, improve air quality, reduce greenhouse gas emissions, and promote public health.
- Promote equitable, affordable housing. Expand location- and energy-efficient housing choices for people of all ages, incomes, races, and ethnicities to increase mobility and lower the combined cost of housing and transportation.
- Enhance economic competitiveness. Improve economic competitiveness through reliable and timely access to employment centers, educational opportunities, services and other basic needs by workers, as well as expanded business access to markets.
- Support existing communities. Target federal funding toward existing communities—through strategies like transit oriented, mixed-use development, and land recycling—to increase community revitalization and the efficiency of public works investments and safeguard rural landscapes.
- Coordinate and leverage federal policies and investment. Align federal policies and funding to remove barriers to collaboration, leverage funding, and increase the accountability and effectiveness of all levels of government to plan for future growth, including making smart energy choices such as locally generated renewable energy
- *Value communities and neighborhoods*. Enhance the unique characteristics of all communities by investing in healthy, safe, and walkable neighborhoods—rural, urban, or suburban.

These principles (general guidelines for decision making) and *goals* (what people ultimately want) help define *objectives* (specific ways to achieve goals) and *targets* (specific, realistic, measurable objectives to be achieved). Common sustainable transport objectives include:

- Improved transport system diversity. This generally means improving walking, cycling, ridesharing, public transit, carsharing, telework and local delivery services, and creating more walkable and transit-oriented communities.
- Smart growth land use development. This includes land use policies that create more compact, mixed, connected, multi-modal development, and provide more affordable housing in accessible, multi-modal locations.
- Energy conservation and emission reductions. This may include more fuel efficient vehicles, shifts
 to alternative fuels, and reductions in total motor vehicle travel. This includes improving the
 quality of energy efficient modes including walking, cycling, ridesharing, public transit and
 telework, and increase land use accessibility.
- Efficient transport pricing. This includes more cost-based pricing of roads, parking, insurance, fuel and vehicles.

Sustainability and livability generally support similar planning objectives, although often for somewhat different reasons. For example, both support energy efficiency, sustainability primarily for global and long-term goals such as climate protection and resource conservation, and so tends to emphasize incentives to use more fuel efficient vehicles, while livability is primarily concerned with local and short-term goals, such as reducing local air pollution and improving affordability, and so tends to place more emphasis on improving affordable and fuel efficient modes. Similarly, both sustainability and livability justify increased transport system diversity, smart growth, and affordable-accessible housing, although their justifications may differ somewhat: sustainability emphasizes overall economic development, resource conservation and emission reductions, while livability emphasizes reduced traffic impacts, consumer savings and affordability, improved accessibility for non-drivers.

The table below indicates the relationships between various sustainability and livability goals and planning objectives.

Table 2 Sustainability And Livability Goals and Objectives

Table 2 Sustains		Transport Planning Objectives						
Sustainability Goals	Transport Diversity	System Integration	Affordability	Resource (energy and land) Efficiency	Demand Management (efficient pricing & prioritization)	Land Use Accessibility (smart growth)	Cost Effective Operations	Comprehensive and Inclusive Planning
Economic productivity	✓	✓		✓	✓	✓	✓	
Economic development	✓	✓	✓	✓	✓	✓		✓
Energy efficiency	✓	✓		✓	✓	✓		
Affordability	✓	✓	✓	✓	✓	✓		
Operational efficiency					✓		✓	✓
Equity / Fairness	✓	✓	✓		✓	✓		
Safety, security and health	✓	✓	✓	✓	✓	✓		✓
Community development	✓	✓	✓	✓	✓	✓		✓
Heritage protection	✓			✓	✓	✓		✓
Climate stability	✓	✓	✓	✓	✓	✓		
Air pollution prevention	✓	✓	✓	✓	✓	✓		
Noise prevention	✓			✓				
Water pollution	✓	✓	✓	✓	✓	✓		✓
Openspace preservation	✓	✓	✓		✓	✓		✓
Good planning							_	✓
Efficient Pricing				✓	✓		✓	

This table indicates which planning objectives support various sustainability and livability goals.

Both sustainability and livability support more comprehensive and integrated planning, which considers a broad range of objectives, impacts and options, and shifts from *mobility-based* to *accessibility-based* transport planning (see box below). This type of planning tends to expand the range of solutions that can be applied to transport problems. For example, conventional, mobility-based planning, which evaluates transport system performance based roadway level of service and average travel speeds, generally considers traffic congestion the primary transport problem and roadway expansion the primary solution. Comprehensive, accessibility-based planning tends to consider additional planning objectives (improved mobility for non-drivers, energy conservation, improved safety, etc.) and additional solutions (improving alternative modes, more efficient pricing, more accessible land use development, etc.).

Mobility-based Versus Accessibility-based Transport Planning (Litman 2003)


Accessibility (or just access) refers to people's ability to reach desired goods, services, activities and destinations (together called *opportunities*). For example, a stepladder provides access to a high shelf, a store provides access to goods, and a library or computer provides access to information. Access is the ultimate goal of most transportation, excepting the small portion of travel in which movement is an end in itself, (e.g., cruising, historic train rides, jogging, etc.).

Many factors can affect accessibility, including *mobility* (physical movement), road and path *connectivity*, *land use patterns* (the location of activities), and *mobility substitutes* (telecommunications and delivery services). The affordability, information availability, and even the social acceptability of transport options, can also affect overall accessibility.

Conventional planning often evaluates transport system performance based primarily on mobility (using indicators such as traffic speed and vehicle operating costs), ignoring other accessibility factors and improvement options. For example, with mobility-based planning, the only practical solution to traffic congestion is to expand roadway capacity. Accessibility-based planning allows other solutions to be considered, including improvements to alternative modes, more accessible land use patterns, and improvement to mobility substitutes. Accessibility-based transport planning tends to support sustainability by expanding the scope of analysis and supporting more resource-efficient solutions. As a result, as much as possible, sustainable transportation indicators should reflect accessibility-based planning.

Sustainability Planning Process

A sustainability planning process must be comprehensive and integrated, considering all significant objectives, impacts and options. It should begin by defining *goals* (what we ultimately want to achieve), which help define planning *objectives* (way to achieve goals), *targets* (specific, reasonable, measurable objective that we want to achieve), and *outcomes* (ultimate changes in activities and impacts, such as travel activity, consumer costs, accidents, pollution emissions, etc.).



More comprehensive performance evaluation is an important component of sustainable transport planning (Strader 2012). Comprehensive sustainability analysis helps identify "win-win solutions," which are strategies that help achieve multiple objectives ("Win-Win Solutions," VTPI 2008). For example, comprehensive analysis allows planners to identify the congestion reduction strategies that also help achieve equity and environmental objectives. These integrated solutions can be considered the most sustainable. Narrowly-defined sustainability planning is a specialized activity, but broader analysis allows it to be incorporated into all planning activities (Nicolas, Pochet and Poimboeuf 2003).

Table 3 Comparing Benefits

Planning Objectives	Efficient Vehicles and Alt. Fuels	Alternative Modes	Pricing Reforms	Smart Growth Development
Vehicle travel impacts	Increased	Reduced	Reduced	Reduced
Energy conservation	✓	✓	✓	✓
Emission reductions	✓	√	✓	✓
Congestion reduction	×	√	✓	✓
Facility cost savings	×	√	✓	✓
Traffic safety	×	√	✓	✓
Consumer savings		√		
Improved mobility for non-drivers	×	√	✓	✓
Increased public fitness & health	×	√	✓	✓

More efficient and alternative fuel vehicles help conserve energy and reduce air pollution (\checkmark), but by increasing total vehicle travel contradict others (\ast). Vehicle travel reduction strategies help achieve more objectives and so can be considered more sustainable.

Factors to Consider When Selecting Indicators

Indicators are things that we measure to evaluate progress toward goals and objectives. Indicators should be carefully selected to provide useful information (Kraus and Proff 2021; USEPA 2008). In most situations, no single indicator is adequate, so an *index* (a set of indicators) that reflects various objectives and impacts should be used. Many commonly-used indicator sets are incomplete and biased in ways that reinforce existing stereotypes (Zhao, de Jong and Edelenbos 2023).

Indicators can be defined in terms of goals, objectives, targets and thresholds. For example, a planning process may involve establishing traffic congestion *indicators* (defining how congestion will be measured), *goals* (a desire for fast and efficient vehicle travel), *objectives* (changes in roadway supply or travel activity that reduces congestion) and *targets* (specific, feasible changes in congestion impacts or travel behavior that should be achieved), and *thresholds* (levels beyond which additional actions will be taken to reduce congestion).

Indicators can reflect various levels of analysis, as illustrated in Table 4. For example, indicators may reflect the decision-making process (quality of planning), responses (travel patterns), physical impacts (emission and crash rates), human and environmental effects (injuries and deaths, and ecological damages), and their economic impacts (costs of crash and environmental damages). It is important to avoid double-counting impacts. For example, reductions in vehicle-mile emission rates can reduce ambient pollutants and human health damages; it may be useful to track each of these factors, but it would be wrong to add them up as if they reflect different types of impacts.

Table 4 Levels of Analysis

Tuble 4 Levels of Allalysis			
Level	Examples		
External Trends U	Changes in population, income, economic activity, political pressures, etc.		
Decision-Making ↓	Planning process, pricing policies, stakeholder involvement, etc.		
Options and Incentives •	Facility design and operations, transport services, prices, user information, etc.		
Response (Physical Changes) •	Changes in mobility, mode choice, pollution emissions, crashes, land development patterns, etc.		
Cumulative Impacts ↓	Changes in ambient pollution, traffic risk levels, overall accessibility, transportation costs, etc.		
Human and Environmental Effects	Changes in pollution exposure, health, traffic injuries and fatalities, ecological productivity, etc.		
Economic Impacts	Property damages, medical expenses, productivity losses, mitigation and compensation costs.		
Performance Evaluation	Ability to achieve specified targets.		

This table shows how indicators can measure various levels of impacts, from the planning process to travel behavior, impacts on people and the environment, and economic effects.

Performance indicators can be categorized in the following way:

- *Process* the types of policies and planning activities, such as whether the organization has a process for collecting and publishing performance data, and public involvement.
- Inputs the resources that are invested in particular activities, such as the level of funding spent on various activities or modes.
- Outputs direct results, such as the miles of sidewalks, paths and roads, and the amount of public transit service provided.
- Outcomes ultimate results, such as the number of miles traveled and mode share, average travel speeds, congestion and crowding, number of accidents and casualties, energy consumption, pollution emissions, and user satisfaction.

It is often best to use some of each type of performance indicators. For example, when evaluating a government agency or jurisdiction it may be appropriate to develop an index that includes indicators of process, inputs, outputs and outcomes.

Quantitative data refers to easy-to-measure information. Qualitative data refers to other types of information. Qualitative data can be quantified using letter or number ratings such as Level-Of-Service (LOS). Various economic evaluation techniques can be used to quantify non-market values (Litman 2009). Quantitative data is easier to analyze and is often considered more objective than qualitative data, and so tends to receive more weight in a planning process (qualitative impacts are often dismissed as *intangibles*). For example, vehicle traffic speeds and delays are easy to measure, while walkability, equity, environmental impacts are more difficult to quantify, and so they tend to receive less consideration in conventional planning. Sustainability indicators therefore require quantifying impacts as much as possible.

Table 5 Quantitative and Qualitative Data

Quantitative Data	Qualitative Data			
Vehicle and person trips	Survey data			
Vehicle and person miles of travel	User preferences			
Traffic crashes and fatalities	Convenience and comfort			
Expenditures, revenues and costs	Community livability			
Property values	Aesthetic factors			

This table compares examples of quantitative and qualitative transportation data.

Many impacts are best evaluated using *relative* indicators, such as trends or comparisons with peers (similar communities or agencies). Equity can be evaluated options and impacts of various groups. *Reference units* (also called *ratio indicators*) are measurement units normalized to facilitate comparisons, such as per-year, per-capita, per-mile, per-trip, per-vehicle-year and per dollar (Litman 2003; GRI 2006). The selection of reference units can affect how problems are defined and solutions prioritized. For example, measuring impacts such as emissions, crashes and costs per *vehicle-mile* ignores the effects of changes in vehicle mileage. Measuring these impacts *per capita* does account for changes in vehicle travel.

Choosing indicators often involves tradeoffs. A smaller set of indicators using available data is more convenient to collect and analyze but may overlook important impacts. A larger set can be more comprehensive but have excessive data collection and analysis costs. By defining indicators early in a

planning process and working with other organizations it is often possible to minimize data collection costs. For example, travel surveys can be modified to collect demographic data (such as income, age, disability status, driving ability, etc.) for equity evaluation, and land use modeling can incorporate more multi-modal factors. It may be helpful to prioritize indicators and develop different sets for particular situations. For example, it can be useful to identify some indicators that should always be collected, others that are desirable if data collection is inexpensive, and some indicators to address specific planning objectives that may be important in certain cases, such as to address specific concerns about environmental or equity impacts.

Sustainability indicators can be integrated with other types of statistical analysis, such as financial accounting and performance evaluation, and existing data collection can be extended to support sustainability evaluation. Hart (1997) recommends asking the following questions about potential indicators:

- Is it relevant to the community's definition of sustainability? Sustainability in an urban or suburban area can be quite different from sustainability in a rural town. How well does the direction the indicator is pointing match the community's vision of sustainability?
- Is it understandable to the community at large? If it is understood only by experts, it will only be used by experts.
- Is it developed, accepted, and used by the community? How much do people really think about the indicator? We all know how much money we make every year. How many people really know how much water they use in a day?
- Does it provide a long-term view of the community? Is there information about where the community has been as well as where the community should be in 20, 30, or 50 years?
- Does it link the different areas of the community? The areas to link are: culture/social, economy, education, environment, health, housing, quality of life, politics, population, public safety, recreation, resource consumption/use, and transportation.
- Is it based on information that is reliable, accessible, timely and accurate?
- Does the indicator consider local impacts at the expense of global impacts, for example, by encouraging negative impacts to be shifted to other locations?

Indicators is just one component of the overall planning process which also includes consulting stakeholders, defining problems, identifying goals and objectives, identifying and evaluating options, developing policies and plans, implementing programs, establishing performance targets, and measuring impacts.

Vehicle Travel as a Sustainability Indicator

Motor vehicle travel (measured as *Vehicle Miles Traveled [VMT]* or *Vehicle Kilometers Traveled [VKT]*, and *Passenger Miles Traveled [PMT]* or *Passenger Kilometers Traveled [PKT]*) is sometimes used as a sustainability indicator, assuming that motorized travel is unsustainable because it is resource intensive and environmentally harmful, although this is controversial because motorized travel also provides economic and consumer benefits. Some people argue that high levels of motorized travel can be sustainable with technological improvements in vehicle and roadway designs (Dudson 1998).

However, there are several justifications for establishing vehicle travel reduction targets (Litman 2009): they help solve various problems and provide various benefits; they help insure that individual short-term planning decisions support strategic goals; they help prepare for future travel demands; and they help implement market reforms that create more efficient and equitable transport systems.

Current transport markets are distorted in ways that result in economically excessive motor vehicle travel, including various forms of road and parking underpricing, uncompensated environmental impacts, biased transport planning practices (e.g., dedicated highway funding, modeling that overlooks generated traffic effect, etc.), and land use planning practices that favor lower-density, automobile-oriented development (e.g., restrictions on density and multi-family housing, minimum parking supply, pricing that favors urban-fringe locations, etc.) ("Market Principles," VTPI 2008). Some analysis indicates that more than a third of all motor vehicle travel results from these distortions (Litman 2005b).

To the degree that market distortions increase vehicle travel beyond what is economically optimal (beyond what consumers would choose in an efficient market), the additional vehicle travel can be considered unsustainable and policies that correct these distortions increase sustainability. In this context, vehicle mileage and shifts to non-automobile modes can be considered sustainability indicators. This may not apply in some situations, such as in developing countries when vehicle ownership is growing from low to medium levels, and where transportation markets are efficient.


Specific planning decisions can be evaluated according to whether they increase or reduce market efficiency. For example, when evaluating potential congestion reduction strategies, those that increase automobile traffic and sprawl (e.g., roadway expansion) can be considered unsustainable, while those that correct underpricing (e.g. road and parking pricing), increase transport system diversity (e.g., walking, cycling, rideshare and transit improvements), and encourage more efficient travel behavior (e.g., commute trip reduction programs) can be considered to increase sustainability. In situations where a significant portion of vehicle travel is excessive (such as urban peak conditions) blunter incentives may be justified, such as regulations that limit automobile travel and favor alternative modes.

Trends Affecting Sustainability and Livability Planning

Several current trends tend to increase public support for more comprehensive and sustainable transport planning:

• The motor vehicle transportation system (including roads, parking facilities and support services) is now mature. It provides a high level of mobility for motorists under most conditions (excepting when roads are inadequately maintained or congested). The marginal benefits of roadway expansion and increased vehicle travel are declining, while marginal costs (traffic congestion, road and parking facility costs, consumer costs and inaffordability, accidents, sprawl, energy dependency, and pollution emissions) increase, as illustrated below. This suggests that transport planning must consider more impacts and options (in other words, it must become more comprehensive and multi-modal) in order to identify the optimal solution to transport problems.

Figure 2 Motor Vehicle Use Conflicting Cost Curves



Since most motor vehicle costs are fixed, marginal costs decline with increased annual mileage, giving vehicle owners an incentive to maximize driving. Facility development cost initially decline due to economies of scale, but once roads are congested costs increase. External costs, such as parking costs, fuel production subsidies, accident and pollution damages, increase with vehicle travel.

- Various economic and demographic trends are increasing demands for alternative modes and more accessible land use, including aging population, rising fuel prices, increased urbanization, increasing traffic congestion, changing consumer preferences, and rising health and environmental concerns.
- Conventional economic analysis tends to evaluate progress only in terms of material wealth, assuming that society's primary goal is to increase incomes and consumption. But as people become more affluent, the marginal benefit of increased consumption of material goods (more food, larger houses, more appliances, etc.) tends to decline, while the value of non-market goods (friendship, health, security, environmental quality, etc.) tends to increase.

Ecological Economics

Ecological economics (the discipline concerned with valuing ecological resources) defines sustainability in terms of *natural capital*, the value of natural systems to provide services such as clean air and water, and climatic stability (Jansson, et al. 1994). Ecological economics emphasizes the distinction between *growth* (increased quantity) and *development* (increased quality). It does not assume that material wealth necessarily reflects wellbeing (people's overall quality of life), and so attempts to measure social welfare outcomes rather than material wealth alone, and questions common economic indicators such as Gross Domestic Product (GDP), which measure the quantity but not the quality of market activities. It accounts for non-market costs of economic activities often ignored or even counted as positive outcomes by conventional economics (Daly and Cobb 1989). For example, GDP ignores the value of household gardening and fishing, but values food purchased to replace household production lost to environmental degradation.

Conventional economic analysis tends to equate material wealth with happiness, for example, evaluating policy decisions based on their economic productivity impacts. Sustainable economics recognizes that people have other values, such as dignity, generosity, equity, friendship, community, legacy (descendents and future reputation) and ecological integrity, and once peoples' basic physical needs are satisfied (they have adequate food, shelter and medical care) these non-market goods become increasingly important. Sustainable economics therefore strives for *sufficiency*, as opposed to conventional economics which generally assumes that continually increasing consumption is desirable.

Sustainability requires limiting resource consumption to ecological constraints (such as limiting land use to protect habitat and fossil fuel use to minimize climate change). Sustainability therefore supports a *conservation ethic*, which strives to maximize resource efficiency, in contrast to the conventional *consumption ethic*, which strives to maximize resource consumption, for example, by minimizing motor vehicle ownership and operating costs. Described differently, sustainability strives to maximize the amount of happiness people extract per unit of resource consumption, and sustainable transport strives to maximize the amount of happiness produced per unit of travel: more gladness per gallon and more smiles per mile.

Interest in sustainability originally reflected concerns about long-term risks of current resource consumption, reflecting the goals of *intergenerational equity* (being fair to future generations). But if *future* equity and environmental quality are concerns, it makes little sense to ignore equity and environmental impacts occurring during this generation. Thus, sustainability ultimately reflects the goals of equity, ecological integrity and human welfare regardless of time or location.

Indicators by Category

This section describes the selection of sustainable transportation indicators by category.

Economic Indicators

Economic development refers to a community's progress toward economic objectives such as increased income, wealth, employment, productivity and social welfare. The term *welfare* (as used by economists) refers to total human wellbeing and happiness. Economic policies are generally intended to maximize welfare, although this is difficult to measure directly, so indicators such as income, wealth and productivity (such as Gross Domestic Product [GDP]) are used. These indicators can be criticized on several grounds (Cobb, Halstead and Rowe 1999; Dixon 2004; Schepelmann, Goossens and Makipaa 2010).

- They only measure market goods and so overlook other factors that contribute to wellbeing such as health, friendship, community, pride, environmental quality, etc.
- These indicators give a positive value to destructive activities that reduce people's health and self-reliance, and therefore increase consumption of medical services, purchased rather than home-produced foods, and motorized transport.
- As they are typically used, these indicators do not reflect the distribution of wealth (although they can be used to compare wealth between different groups).

Two communities can have similar economic productivity, and two people can have similar wealth, yet have very different levels of welfare due to differences in how the wealth is created, distributed and used. Various economic traps can increase the material wealth needed to maintain a given level of welfare, for example, if productive activities cause pollution that makes people sick, wealth is unequally distributed or spent inefficiently, and if increased material wealth disrupts community cohesion, pride, freedom or other nonmarket goods. Described differently, most people have significant *nonmarket* wealth ignored by conventional economic indicators, such clean air and water, public resources, household productivity (gardening, home cooking, maintenance skills), and social networks that provide security, education and entertainment without payment. Market activities that degrade free and low-cost resources make people poorer, forcing them to earn and spend more money for commercial replacements. Conventional economic indicators treat these shifts as entirely positive. More accurate indicators account for both the losses and gains of such changes.

Material wealth tends to provide declining marginal benefits (each additional unit of wealth provides less benefit than the last), because consumers purchase the most rewarding goods first, so additional wealth allows increasing less rewarding expenditures (Gilbert 2006, p. 239). For example, if a person only earns \$10,000 annually, an additional \$10,000 makes them far better off. But the same \$10,000 increase provides less benefit to somebody earning \$50,000 annually, and still less to somebody earning \$100,000 or \$500,000. However, people seldom recognize these diminishing benefits because as wealth increases so do financial expectations. As consumers become wealthier an increasing portion of their expenditures reflect status (also called *prestige* or *positional*) goods. Although such expenditures provide perceived benefits to individuals, they provide little or no net benefit to society since as one consumer displays more wealth, others must match it to maintain status. As a result, increased income by wealthy households may provide little incease in welfare.

Transportation activities reflect these patterns. In communities with good walking, cycling and public transit, people's transport demands can be satisfied relatively cheaply, but if a community becomes

automobile dependent, transportation costs may increase with little or no net gain in accessibility or individual's social welfare. Similarly, under some circumstances, increased vehicle travel and associated costs may provide little economic development benefits; in fact, some research indicates that beyond an optimal level, increased automobile travel reduces economic productivity (Zheng, et al. 2011) and transportation demand management strategies that reduce vehicle travel tend to support economic development (Litman 2010).

Traffic crashes can be categorized as both an economic cost (since they consume resources and reduce productivity) and a social costs (since they harm people). Several organizations have crash data collection programs, such as the *International Transport Forum's Safer City Streets* project, which helps cities collaborate on road safety data collection and analysis. This program builds on experience acquired through the ITF's permanent road safety working group, the International Traffic Safety Data and Analysis Group (IRTAD). A detailed report, *Safer City Streets Methodology for Developing the Database and Network* (ITF 2016), includes general guidance on urban data collection methods, beyond just traffic safety data.

Sustainable transportation economic indicators should reflect both the benefits and costs of motor vehicle use, and the possibility that more motorized mobility reflects a reduction in overall accessibility and transport diversity, rather than a net gain in social welfare. Increased mobility that provides little or negative net benefits to society can be considered to reduce sustainability, while policies that increase the net benefits from each unit of mobility can be considered to increase sustainability.

Schepelmann, Goossens and Makipaa (2010) evaluate the problems with relying on GDP as an indicator of social welfare, and examine various alternatives. They conclude that the most realistic approach is to supplement GDP with additional environmental and/or social information. In order to make this kind of solution feasible the study recommends the establishment of an overarching and transparent indicator system for improving economic decision-making in support of sustainable development.

Zheng, et al. (2011) discuss ways to select economic indicators for sustainable performance evaluation. They recommend the following indicators:

- 1. Affordability Transportation is affordable to individuals.
- 2. *Mobility* Transportation provides efficient movement of people and goods for economic activity.
- 3. Finance equity Transportation is financed in an equitable manner.
- 4. Resilience Transportation is resilient to economic fluctuations.

Their analysis indicates that U.S. states that reflect these principles tend to have higher economic productivity (per capita GDP).

The table below lists possible economic indicators of sustainable transportation.

Table 6 Economic Indicators of Sustainable Transportation

I able 6 Indicator	Description	Direction	Data
maioator	Document	Birootion	Availability
User satisfaction	Overall transport system user satisfaction ratings.	More is better	3
Commute Time	Average door-to-door commute travel time.	Less is better	1
Employment	Number of job opportunities and commercial services within 30-	More is better	3
Accessibility	minute travel distance of residents.		
Land Use Mix	Average number of basic services (schools, shops and government offices) within walking distance of homes.	More is better	3
Electronic communication	Portion of population with Internet service.	More is better	2
Vehicle travel	Per capita motor vehicle-mileage, particularly in urban-peak conditions.	Less is better	1
Transport diversity	Variety and quality of transport options available in a community.	More is better	3
Mode share	Portion of travel made by efficient modes: walking, cycling, rideshare, public transit and telework.	More is better	2
Congestion delay	Per capita traffic congestion delay.	Less is better.	2
Affordability	Portion of household expenditures devoted to transport, particularly by lower-income households.	Less is better.	2
Cost efficiency	Transportation costs as a portion of total economic activity, and per unit of GDP	Less is better.	2
Facility costs	Per capita expenditures on roads, parking and traffic services.	Less is better	1
Cost Efficiency	Portion of road and parking costs borne directly by users.	More is better	2
Freight efficiency	Speed and affordability of freight and commercial transport.	More is better	3
Delivery services	Quantity and quality of delivery services (international/intercity courier, and stores that offer delivery).	More is better	2
Commercial transport	Quality of transport services for commercial users (businesses, public agencies, tourists, convention attendees).	Higher is better	3
Crash costs	Per capita crash costs	Less is better	2
Planning Quality	Comprehensiveness of the planning process: whether it considers all significant impacts and uses best current evaluation practices.	More is better	2
Mobility management	Implementation of mobility management programs to address problems and increase transport system efficiency.	More is better	2
Pricing reforms	Portion of transport costs (roads, parking, insurance, fuel, etc.) that are efficiently priced (charged directly to users).	More is better	2
Land use planning	Applies smart growth land use planning practices, resulting in more accessible, multi-modal communities.	More is better	2

Data availability: 1 = usually available in standardized form; 2 = often available but not standardized; 3 = limited, may require special data collection.

Social Indicators

Social impacts include equity, human health (Giles-Corti, et al. 2022), community livability (local environmental quality) and community cohesion (the quality of interactions among community members), historic and cultural resources (such as historic sites and traditional community activities), and aesthetics. Various methods can be used to quantify these impacts (Forkenbrock and Weisbrod 2001; Litman 2009; Mendes, Mochrie and Holden 2007), including:

- The United Nation Development Programme's Human Development Index (http://hdr.undp.org/en)
- Economist's Quality-of-Life Index (www.economist.com/media/pdf/QUALITY OF LIFE.pdf).
- USDOT *Transportation and Heath Indicators* (<u>www.transportation.gov/transportation-health-tool/indicators</u>).
- A special issue of *The Lancet* medical journal includes articles on healthly community planning indicators (www.thelancet.com/series/urban-design-2022).

Transportation equity can be evaluated by comparing transport options, service quality, impacts and between different groups, particularly on physically, economically and socially disadvantaged people (FHWA and FTA 2002; Litman 2022). Transportation health impacts include crash injuries, pollution exposure, and inadequate physical activity. Policies that increase nonmotorized travel improve mobility for disadvantaged people and increase public fitness. Community livability and cohesion (Litman 2006a) can be measured using surveys that evaluate community livability and interactions among neighbors, and how this affects property values and business activity. Historic and cultural resources can be evaluated using surveys which ascertain the value people place on them.

The table below lists examples of social indicators of sustainable transportation.

Table 7 Social Indicators of Sustainable Transportation

lu dinatan	Description	Discotion	Dete
Indicator	Description	Direction	Data Availability
User rating	Overall satisfaction of transport system by disadvantaged users.	More is better	3
Safety	Per capita crash disabilities and fatalities.	Less is better	1
	Portion of population that walks and cycles sufficient for fitness		
Fitness	and health (15 minutes or more daily).	More is better	3
Community	Degree to which transport activities support community livability		
livability	objectives (local environmental quality).	More is better	3
Cultural	Degree to which cultural and historic values are reflected and		
preservation	preserved in transport planning decisions.	More is better	3
Non-drivers	Quality of transport services and access for non-drivers.	More is better	3
	Portion of budgets spent on transport by lower income		
Affordability	households.	Less is better	2
Disabilities	Quality of transport facilities and services for disabled people.	More is better	2
NMT transport	Quality of walking and cycling conditions.	More is better.	3
	Portion of travel to school and other local destinations by walking		
Children's travel	and cycling.	More is better	2
Inclusive	Substantial involvement of affected people, with special efforts to		
planning	insure that disadvantaged and vulnerable groups are involved	More is better	2

Data availability: 1 = usually available in standardized form; 2 = often available but not standardized; 3 = limited, may require special data collection.

Environmental Indicators

Environmental impacts include various types of air pollution (including gases that contribute to climate change), noise, water pollution, depletion of nonrenewable resources, landscape degradation (including pavement or damage to ecologically productive lands, habitat fragmentation, hydrologic disruptions due to pavement), heat island effects (increased ambient temperature resulting from pavement), and wildlife deaths from collisions. Various methods can be used to measure these impacts and quantify their ecological and human costs (EEA 2001; Litman 2009; FHWA 2004; Joumard and Gudmundsson 2010).

There may be considerable uncertainty about some monetized values. There are various ways of dealing with such uncertainty, including improved analysis methodologies, use of cost ranges rather than point values, and establishment of reference standards (such as acceptable levels of ambient air pollution and noise levels). Many existing environmental cost studies are incomplete, for example, many air pollution costs studies only include a portion of the types of harmful motor vehicle emissions, and many only consider human health impacts, ignoring ecological, agricultural and aesthetic damages (Litman 2009).

The table below lists possible environmental indicators of sustainable transportation. Journal, Gudmundsson and Folkeson (2011) provided more extensive lists of environmental indicators.

Table 8 Environmental Indicators of Sustainable Transportation

Indicator	Description	Direction	Data Availability
Environment			,
Climate change emissions	Per capita fossil fuel consumption, and emissions of CO₂ and other climate change emissions.	Less is better	1
Other air pollution	Per capita emissions of "conventional" air pollutants (CO, VOC, NOx, particulates, etc.)	Less is better	2
Air pollution	Frequency of air pollution standard violations.	Less is better	1
Noise pollution	Portion of population exposed to high levels of traffic noise.	Less is better	2
Water pollution	Per capita vehicle fluid losses.	Less is better	3
Land use impacts	Per capita land devoted to transportation facilities.	Less is better	3
Habitat protection	Preservation of high-quality wildlife habitat (wetlands, old-growth forests, etc.)	More is better	3
Habitat fragmentation	Average size of roadless wildlife preserves.	More is better	3
Resource efficiency	Non-renewable resource consumption in the production and use of vehicles and transport facilities.	Less is better	2

Data availability: 1 = usually available in standardized form; 2 = often available but not standardized; 3 = limited, may require special data collection.

In practice, it is often infeasible to apply all the indicators described above, due to data collection and analysis costs. Later in this report these indicators are prioritized to indicate those that are most important and should usually be applied.

Accounting Indicators

Sustainable indicators can be incorporated into conventional statistics and accounting systems commonly used by public and private organizations to evaluate the value of assets and activities, such as censuses, national accounts and corporate reports, since they are based on similar principles and require similar data (Federal Statistical Office Germany 2005).

Integrating these different systems requires the following:

- Accountants and statisticians be consulted concerning the developing of sustainability indicators so that, as much as possible, indicators are consistent with standard accounting principles and practices. For example, resource consumption data, such as energy and water use, can be collected and incorporated into annual reports in order to indicate the resource efficiency of production (energy and water consumed per unit of output).
- As much as possible, nonmarket impacts (such as environmental assets and human health damages) be measured and monetized (measured in monetary units) so that they can be incorporated into standard accounts. For example, corporate accounts can include environmental accounting and environmental assets, which reflect, for example, value of pollution emissions (including climate change emissions) produced by industrial activities, the value of emission reductions that result from energy conservation and emission reduction programs, and the value of brownfield site reclamation.
- Sustainability indicators include special analysis of long-term asset valuation and profitability.
 For example, strategic plans can be evaluated in terms of their impacts on corporate value a decade in the future.

There is a danger that efforts to integrate economic and sustainability indicators will end up focusing on factors that are easier to measure (such as quantified economic impacts) and overlook factors that are more difficult to measure (such as qualitative environmental and social impacts) and so perpetuate current biases. It is therefore important to identify impacts that may be important but excluded from a particular accounting system.

Conventional Transport Indicators

Conventional transport indicators mostly consider motor vehicles traffic conditions. Below are examples (ITE 1999; Homberger et al. 2001).

- Roadway level-of-service (LOS), which is an indicator of vehicle traffic speeds and congestion delay at a particular stretch of roadway or intersection. A higher rating is considered better.
- Average traffic speeds. Assumes higher is better.
- Average congestion delay, measured annually per capita. Lower is considered better.
- Parking convenience and price. Increased convenience and lower price is generally considered better.
- Crash rates per vehicle-mile. Lower crash rates are considered better.

Because they focus on motor vehicle travel quality and ignore other impacts, these indicators tend to justify policies and projects that increase motorized travel. For example, they justify road and parking facility capacity expansion that tends to create more automobile-oriented transport and land use systems, increasing per capita vehicle travel and reducing the viability of walking, cycling and public transit. This tends to contradict sustainability objectives by increasing per capita resource consumption, traffic congestion, road and parking facility costs, traffic accidents, pollution emissions and land consumption, and reducing travel options for non-drivers, exacerbating inequity

By evaluating impacts per vehicle-mile rather than per capita, they do not consider increased vehicle mileage to be a risk factor and they ignore vehicle traffic reductions as possible solution to transport problems (Litman 2003). For example, from this perspective an increase in per capita vehicle crashes is not a problem provided that there is a comparable increase in vehicle mileage. Increased vehicle travel can even be considered a traffic safety strategy if it occurs under relatively safe conditions, because more safe miles reduce per-mile crash and casualty rates.

A variety of methods are now available for evaluating the quality of alternative transport mode (walking, cycling, public transit, etc.), but they require additional data collection and are not yet widely used (FDOT 2002; "Evaluating Transport Options," VTPI 2008).

Sustainable Transportation Principles

Principles are general organizing concepts which help define goals, objectives, practices and indicators. Below are examples of sustainable transport principles.

Sustainable Landscape: Guiding Principles of a Sustainable Site (ASLA 2009)

The American Society of Landscape Architects developed the following principles.

1. Do no harm

Make no changes to the site that will degrade the surrounding environment. Promote projects on sites where previous disturbance or development presents an opportunity to regenerate ecosystem services through sustainable design.

2. Precautionary principle

Be cautious in making decisions that could create risk to human and environmental health. Some actions can cause irreversible damage. Examine a full range of alternatives including no action and be open to contributions from all affected parties.

3. Design with nature and culture

Create and implement designs that are responsive to economic, environmental, and cultural conditions with respect to the local, regional, and global context.

- 4. Use a decision-making hierarchy of preservation, conservation, and regeneration

 Maximize and mimic the benefits of ecosystem services by preserving existing environmental features, conserving resources in a sustainable manner, and regenerating lost or damaged ecosystem services.
- 5. Provide regenerative systems as intergenerational equity
 Provide future generations with a sustainable environment supported by regenerative systems and endowed with regenerative resources.

6. Support a living process

Continuously re-evaluate assumptions and values and adapt to demographic and environmental change.

7. Use a systems thinking approach

Understand and value the relationships in an ecosystem and use an approach that reflects and sustains ecosystem services; re-establish the integral and essential relationship between natural processes and human activity.

8. Use a collaborative and ethical approach

Encourage direct and open communication among colleagues, clients, manufacturers, and users to link long-term sustainability with ethical responsibility.

9. Maintain integrity in leadership and research

Implement transparent and participatory leadership, develop research with technical rigor, and communicate new findings in a clear, consistent, and timely manner.

10. Foster environmental stewardship

In all aspects of land development and management, foster an ethic of environmental stewardship and understanding that responsible management of healthy ecosystems improves the quality of life for present and future generations.

National Round Table for Environment and Economy (NRTEE 1996)

Our aim is to develop transportation systems that maintain or improve human and ecosystem well-being together - not one at the expense of the other. Due to varying environmental, social and economic conditions between and within countries, there is no single best way to achieve sustainable transportation systems. A set of guiding principles can be described, however, upon which transition strategies should be built.

We recognize the fundamental importance of:

Access

Access to people, places, goods and services is important to the social and economic well being of communities. Transportation is a key means, but not the only means, through which access can be achieved.

Principle 1: Access

People are entitled to reasonable access to other people, places, goods and services.

People And Communities

Transportation systems are a critical element of a strong economy, but can also contribute directly to building community and enhancing quality of life.

Principle 2: Equity

Nation states and the transportation community must strive to ensure social, interregional and intergenerational equity, meeting the basic transportation-related needs of all people including women, the poor, the rural, and the disabled.

Principle 3: Health and Safety

Transportation systems should be designed and operated in a way that protects the health (physical, mental and social well-being) and safety of all people, and enhances the quality of life in communities.

Principle 4: Individual Responsibility

All individuals have a responsibility to act as stewards of the natural environment, undertaking to make sustainable choices with regard to personal movement and consumption.

Principle 5: Integrated Planning

Transportation decision makers have a responsibility to pursue more integrated approaches to planning.

Environmental Quality

Human activities can overload the environment's finite capacity to absorb waste, physically modify or destroy habitats, and use resources more rapidly than they can be regenerated or replaced. Efforts must be made to develop transportation systems that minimize physical and biological stress, staying within the assimilative and regenerative capacities of ecosystems, and respecting the habitat requirements of other species.

Principle 6: Pollution Prevention

Transportation needs must be met without generating emissions that threaten public health, global climate, biological diversity or the integrity of essential ecological processes.

Principle 7: Land and Resource Use

Transportation systems must make efficient use of land and other natural resources while ensuring the preservation of vital habitats and other requirements for maintaining biodiversity

Economic Viability

Sustainable transportation systems must be cost effective. If adjustment costs are incurred in the transition to more sustainable transportation systems they should be equitably shared, just as current costs should be more equitably shared.

Principle 8: Fuller Cost Accounting

Transportation decision makers must move as expeditiously as possible toward fuller cost accounting, reflecting the true social, economic and environmental costs, in order to ensure users pay an equitable share of costs.

Data, Information, Knowledge and Wisdom

The terms, data, information, knowledge and wisdom are sometimes used interchangeably, but they differ in their level of abstraction, and therefore their transferability and usefulness in decision-making.

- Data (also called *statistics* or *facts*) refers to specific, individual measurement results, such as the number of vehicle-miles-traveled (VMT), traffic speeds, and traffic fatalities.
- Information refers to data that is organized and integrated, and therefore suitable for research, such as analysis of the relationships between VMT, traffic speeds and traffic fatalities.
- Knowledge refers to information that organized, transferable and abstract, and therefore useful for decision-making, such as a model that can predict how specific transport policy and planning decisions will affect traffic accident risk.
- Wisdom is the most abstract level of understanding because it is comprehensive about context and
 values, such as a decision-makers ability to determine what transport policy and planning decisions
 are optimal, balancing traffic accident risk along with other planning objectives, and reflecting a
 community's needs and values.

These are connected and overlapping concepts. Wisdom requires knowledge, which requires information, which requires data.

Examples of Sustainable Transportation Indicator Sets

Below are examples of proposed or applied sustainability planning indicator sets. For more examples see FHWA (2011), Gudmundsson (2001), Jeon (2007), Mihyeon, Jeon and Amekudzi (2005), NAS 2016. For critical analysis of city rating systems see Zhao, de Jong and Edelenbos (2023).

Sustainable Development Indicators (not specific to transportation)

City Properity Initiative (www.unhabitat.org/tag/city-prosperity-intitiative)

UN-Habitat's *City Prosperity Initiative* (UN Habitat 2016) is an international program to collect standardized social, economic and environmental data, that has been implemented in more than 400 cities across the world, producing reliable, relevant and timely data for urban planning and research. These data cover the following themes:

- Legislation
- Land
- Governance
- Planning & Design
- Economy
- Water & Sanitation
- Energy
- Mobility
- Safety
- Housing, Slum Upgrading
- Reconstruction


- Resilience
- Climate Change
- Gender
- Youth
- Human Rights

Urban Sustainability Rating Tools (Criterion Planners 2014)

A report presented at the *Global Symposium on Urban Sustainability Rating Tools*, identified and categorized approximatey fifty existing tools for rating urban sustainability, as illustrated below.

Figure 3 Urban Sustainability Rating Tools

22 countries and 54 tools



USEPA Sustainability Concepts in Decision-Making (USEPA 2014)

The U.S. Environmental Protection Agency (EPA) report, Sustainability Concepts in Decision-Making: Tools and Approaches for the US Environmental Protection Agency, identifies various analytic tools that government agencies can use to evaluate progress toward sustainability. Although the EPA focuses on environmental sustainability, many of these tools also account for economic and social impacts, and so can help consider multiple impacts, for example, identifying pollution reduction strategies that also help achieve economic, health and social equity objectives. These tools include:

- Economic assessment and lifecycle cost analysis.
- Ecosystem services evaluation and valuation.
- Risk and exposure assessments, and uncertainty analysis.
- Environmental footprint analysis.
- Social impact assessments
- Design charettees

Genuine Progress Indicator

The *Genuine Progress Indicator* (GPI) adjusts Gross Domestic Product (GDP) to account for crime, environmental quality, leisure, income inequality, public infrastructure, volunteering and housework (Talberth, Cobb, and Slattery 2006). GPI indicators are summarized below.

Table 9 Sustainability Indicators (Pembina Institute 2001)

Table 9 Sustainability Indicators (Pembina Institute 2001)		
Economic	Social	Environmental
	Time Use	Energy
	Paid work	Oil and gas reserve life
Economy, GDP and Trade	Commuting time	
Economic growth (GDP)	Household work	Agriculture
Economic diversity	Parenting and eldercare	Agricultural sustainability
Trade	Free time	
	Volunteerism	Forests
Personal Consumption Expenditures,		Timber sustainability
Disposable Income and Savings	Human Health and Wellness	Forest fragmentation
Disposable income	Life expectancy	
Personal expenditures	Premature mortality	Parks and Wilderness
Taxes	Infant mortality	Parks and wilderness
Savings rate	Obesity	Wetlands and peatlands
Money, Debt, Assets & Net Worth	Suicide	Fish and Wildlife
Household Debt	Suicide	Fish and wildlife
Income Inequality, Wealth, Poverty	Alcohol, Drug and Tobacco Abuse	Water Resource and Quality
and Living Wages	Drug use (youth)	Water quality
Income distribution		, ,
Poverty	Auto Crashes and Injuries	Energy Use and Air Quality
•	Auto crashes	Energy use intensity
Public and Household Infrastructure		Air quality and GHG emissions
Public infrastructure	Family Breakdown and Crime	
Household infrastructure	Divorce	Carbon Budget
	Problem gambling	Carbon budget deficit
Employment	Crime	_
Weekly wage rate		Municipal and Hazardous Waste
Unemployment rate	Democracy	Hazardous waste
Underemployment	Voter participation	Landfill waste
Transportation	Intellectual & Knowledge Capital	Ecological Footprint
Transportation expenditures	Educational attainment	Ecological footprint

This table summarizes Genuine Progress Indicators used to evaluate sustainability.

Framework for Measuring Sustainable Regional Development (Kirk, et al., 2010)

A University of Minnesota study developed a framework for evaluating sustainable development in the Twin Cities metropolitan region. The proposed framework includes a set of six sustainability principles, and 38 indicators, each with specific definitions of how it can be measured and suitable data sources. Below are the six sustainability principles (similar to U.S. federal livability principles)

- Provide more transportation choices.
- Protect natural resources.
- Promote equitable, affordable housing.
- Value communities and neighborhoods.
- Enhance economic competitiveness and create positive fiscal impacts.
- Coordinate and leverage government policies and investment.


Below are the 38 indicators:

- Proximity of Affordable Housing to Public Services and Facilities
- 2. Job Accessibility
- 3. Accessibility to Non-Work Opportunities
- 4. Access to Transit
- 5. Jobs-Housing Balance and Spatial Mismatch
- 6. Early Childhood development program participation
- 7. Education and Labor Force Skill Mismatch
- 8. Green Jobs
- 9. Housing and Transportation Affordability
- 10. Housing Mix
- 11. Infrastructure Preservation
- 12. Land Consumption
- 13. Infill Development and Redevelopment
- 14. Land Use Mix
- 15. Walkability
- 16. Impervious Surface
- 17. Employment Density
- 18. Composite Sprawl Index
- 19. Vehicle Miles Traveled (VMT) per Capita

- 20. Transportation Reliability
- 21. Transportation Safety
- 22. Commute Mode Choice
- 23. Carbon Footprint
- 24. Urban Greenness
- 25. Protection of Significant Ecological Areas
- 26. Surface Water Quality Rivers
- 27. Surface Water Quality Lakes
- 28. Impaired Waters
- 29. Ground Water
- 30. Air Quality
- 31. Exposure to Pollutants from Major Roadways
- 32. Proximity to Contaminated Sites
- 33. Children's Lead Exposure
- 34. Asthma Prevalence
- 35. Diabetes Rate
- 36. Civic Engagement voting participation
- 37. Civic Engagement Community Vitality Index
- 38. Public Safety

Global Mobility Report

The <u>Global Mobility Report</u> (illustrated below) is produced by <u>Sustainable Mobility for All</u>, a coalition of international organizations, assesses the performance of major transport modes (road, air, waterborne, and rail), and the sector's progress toward the United Nation's Sustainable Development Goals (SDGs), organized into four categroies: Universal Access, Efficiency, Safety and Green Mobility. This project developed a comprehensive database of SDG indicators. Mobility snapshots for over 180 countries are now available on-line. The report will be updated semi-annually.



Key Findings:

Universal Access

- Many people continue to lack access to transport. In Africa, an estimated 450 million people—more than 70% of the region's rural population are still unable to reach jobs, education and healthcare services due to inadequate transport.
- Transitioning to sustainable mobility would allow Africa to become food self-sufficient and create a regional food market worth \$1 trillion by 2030.

Efficiency

- The main transport technologies in use today came out of the industrial revolution. The volume of car traffic has increased tenfold, while cycling and public transport have seen hardly any growth.
- When considering all transport costs—including vehicles, fuel, operational expenses, and losses due to congestion—the move toward sustainable mobility can deliver savings of \$70 trillion by 2050.

Safety


- Road transport causes the bulk of fatalities worldwide: 97% of the deaths and 93% of the costs.
- Aviation has seen a continuous reduction in the number of fatalities and fatal crashes over recent years. Some regions have even begun to experience zero fatalities.

Green Mobility

- The transport sector contributes 23% of global energy-related greenhouse gas emissions and 18% of all man-made emissions.
- Increased cycling and e-bike use could save a cumulative \$24 trillion between 2015 and 2050.

Mobility Performance Evaluation Tool (www.sum4all.org/online-tool)

The <u>Sustainable Mobility Online Tool</u> uses the *Transport Global Tracking Framework* (GTF) to evaluate countries according to four sustainable transportation policy goals: universal access, efficiency, safety, and green mobility. The GTF is a catalogue of more than 100 country-level transport-related indicators to measure performances of the transport sector and track progress towards sustainable mobility. The GTF provides the international community a global dashboard to register progress on universal access, efficiency, safety and green mobility globally. It covers all modes of transport, including road, air, waterborne, and rail.



Green Community Checklist

The Environmental Protection Agency (EPA 2003) proposes that *green* communities strive to:

Environment

- Comply with environmental regulations.
- Practice waste minimization and pollution prevention.
- Conserve natural resources through sustainable land use.

Economic

- Promote diverse, locally-owned and operated sustainable businesses.
- Provide adequate affordable housing.
- Promote mixed-use residential areas which provide for open space.
- Promote economic equity.

Social

- Actively involve citizens from all sectors of the community through open, inclusive public outreach.
- Ensure that public actions are sustainable, while incorporating local values and historical and cultural considerations.
- Create and maintain safe, clean neighborhoods and recreational facilities for all.
- Provide adequate and efficient infrastructure (water, sewer, etc.) that minimizes human health
 and environmental harm, and transportation systems that accommodate broad public access,
 bike and pedestrian paths.
- Ensure equitable and effective educational and health-care systems.

Ecological Footprint (www.footprintnetwork.org)

The *Ecological Footprint* measures the estimated land and water area required to produce the resources consumed and absorb wastes produced by a person, group or activity. This includes, for example, the amount of farmland needed to provide food and fibers, forests needed to provide wood and paper, watershed area needed to provide fresh water, land needed to produce energy, and land needed to absorb wastewater on a sustainable basis. Current consumption rates are estimated to exceed the Earth's long-term regeneration capacity, so the current consumption consumes ecological capital.

Neighborhood Sustainability

Bourdic, Salat and Nowacki (2012) developed a set of urban sustainability 60 indicators, with quantification methods, suitable for evaluing the energy, social and environmental consequences of different urban forms, and therefore policies and projects that affect urban development patterns. Some of these indicators have been quantified for real cities.

Happy Planet Index (www.happyplanetindex.org)

The Happy Plant Index (HPI) developed by the *New Economics Foundation* (www.neweconomics.org) is calculated by multiplying indicators of *Life Satisfaction* times *Life Expectancy*, and dividing the result by *Ecological Footprint* (resource consumption), which recognizes the value of longer, satisfying, resource efficient living (NEF 2009). Developing nations tend to rate relatively high by this index because they require fewer resources to achieve a given level of happiness, indicating greater ecological efficiency.

USDOT Environmental Performance Measures

The US Departement of Transportation uses the following environmental performance indicators (FHWA 2002).

- Emissions Tons of mobile source emissions from on-road motor vehicles
- Greenhouse Gas Emissions Tonnes of carbon equivalent emissions from transport sources.
- Energy Transportation-related petroleum consumption per gross domestic product.
- Wetlands Protection Acres of wetlands replaced for every acre affected by Federal-aid Highway projects.
- Livable Communities/Transit Service Percent urban population living within 1-mile of transit stop with service of 15 mintues or less.
- Airport Noise Exposure Number of people in US exposed to significant aircraft noise levels.
- Maritime Oil Spills Gallons of oil spilled per million gallons shipped by maratime sources.
- Fisheries Protection Compliance with Federal fisheries regulations.
- Toxic Materials Tonns of hazardous liquid materials spilled per millon ton-miles shipped; and gallons of hazardous liquid spilled per serious transportation incident.
- Hazardous Waste Percent DOT facilities categorized as No Further Remedial Action Planned under Superfund Act.
- Environmental Justice Environmental justice cases that remain unresolved over one year.

Vehicle Emission Analysis Data Requirments

An Asian Development Bank study identified the data required for evaluating transport climate change emission trends and management options, including information on vehicles, vehicle use, fuel type, and vehicle fuel intensity (Schipper, Fabian and Leather 2009).

Global City Indicators (www.cityindicators.org)

The *Global City Indicators* provides an established set of city indicators with a globally standardized methodology that allows for global comparability of city performance and knowledge sharing. Transportation indicators include:

Km of high capacity public transit system per 100,000 population

Number of two-wheel motorized vehicles per capita

Km of light passenger transit system per 100,000 population

Commercial Air Connectivity (number of nonstop commercial air destinations)

Number of personal automobiles per capita

Transportation fatalities per 100,000 population

Annual number of public transit trips per capita

Global Reporting Initiative (www.globalreporting.org)

The Global Reporting Initiative provides guidance for disclosure about their sustainability performance using a universally-applicable *Sustainability Reporting Framework* that allows consistent, understandable and comparable results. This effort supports a variety of reporting and accounting programs, including the UN Global Compact (UNGC) and ISO 14000.

SustainLane City Rankings (www.sustainlane.com)

SustainLane is a participatory, Internet-based guide to sustainable living. Its annual sustainability report rates and ranks the 50 largest U.S. cities based on these indicators:

Air & Water Quality

Ambient air quality (based on government data)

Tap water quality (based on government data)

Transportation

Commute mode share (portion of commuters who walk, bicycle or ride public transit)

<u>Traffic congestion (based on Texas Transportation Institute reports)</u>

Transit ridership (transit passenger-miles per square mile)

Built Environment

Green building (LEED certified buildings per capita)

Planning / Land use (portion of land devoted to parks, and a sprawl rating)

City Programs

City innovation (various special sustainability programs)

Energy / Climate change (support for energy conservation and emission reductions)

Knowledge / Communications (various indicators of municipal support for sustainability)

Green Biz & Economy

Green economy (various indicators of local efforts to promote green businesses)

Housing affordability (average housing prices relative to average local wages)

Local food / Agriculture (indicators of farmers markets and community gardens per capita)

Natural Disaster Risk

Natural disaster risk

Waste Management

Waste management (portion of waste diverted from landfills by recycling and composting)

Water Supply

Water supply (proximity and size of water supply, and per capita water consumption)

Critique

Some indicators overlap or duplicate. For example, farmers markets are counted in both "Green Economy" and "Local Food." LEED buildings are counted in both "Green Economy" and "Green Buildings." Transit ridership is counted in both "City Commuting" and "Transit Ridership." Although it claims to reflect community livability there are no indicators of community cohesion or social capital. The only equity indicator is "Housing Affordability." There are no service quality indicators, such as walking, cycling and public transit service quality, or home weatherization program effectiveness. Several indicators depend on special sustainability programs or incentives with no evaluation of their appropriateness or effectiveness, which may encourage cities to promote visible but ineffective initiatives.

Sustainable Transportation Indicator Sets

The following are indicator sets specific to sustainable transportation.

Current Transportation Performance Indicators

Planners use various performance indicators for evaluating transportation conditions, prioritizing improvements, and day-to-day operations. Meyers (2005) describes and compares various transport system performance indicators used in three countries. These include indicators related to roadway conditions (congestion, travel times, crashes), freight transport efficiency, pollution emissions, quality of various modes (including walking, cycling and public transit) and user satisfaction.

Sustainable Urban Mobility Indicators (SUMI)

The European Commission's *Sustainable Urban Mobility Indicators* (EC 2020), is a a comprehensive set of practical and reliable indicators that allow cities to evaluate their mobility system and to measure improvements that result from new mobility practices or policies.

Table 10 Sustainable Urban Mobility Indicators

Iabie	Sustainable Orbait Wobility Indicators			
	Core Indicators	Non-Core Indicators		
1.	Affordability of public transport for the			
	poorest group indicator			
2.	Accessibility of public transport for mobility-			
	impaired groups indicator			
3.	Air pollutant emissions indicator			
4.	Noise hindrance indicator			
5.	Road deaths indicator			
6.	Access to mobility services indicator			
7.	Greenhouse gas emissions indicator			
8.	Congestion and delays indicator			
9.	Energy efficiency indicator	14. Quality of public spaces indicator		
10.	Opportunity for Active Mobility indicator	15. <u>Urban functional diversity indicator</u>		
11.	Multimodal integration indicator	16. Commuting travel time indicator		
12.	Satisfaction with public transport indicator	17. Mobility space usage indicator		
13.	Traffic safety active modes indicator	18. <u>Security indicator</u>		

Sustainable Urban Mobility (SiMPlify)

The World Business Council for Sustainable Development's <u>Sustainable Urban Mobility Indicators</u> and an <u>Online Mobility Tool</u> help cities identify and address mobility challenges, with a specific focus on improving commuters' quality of life, limiting environmental impact and reducing air pollution (WBCSD 2020). These include:

Emissions of greenhouse gases (GHG)	Comfort and pleasure
Net public finance	Accessibility for mobility-impaired groups
Congestion and delays	Affordability of public transport for the poorest group
Economic opportunity	Security
Commuting travel time	Functional diversity
Mobility space usage	Intermodal connectivity
Quality of public area	Intermodal integration
Access to mobility services	Resilience to disaster and ecological/social disruptions
Traffic safety	Occupancy rate
Noise hindrance	Opportunity for active mobility
Air polluting emissions	Energy efficiency

Mobility For People With Special Needs and Disadvantages

Special consideration should be given to evaluating the ability of a transportation system to serve people who face the greatest mobility constraints, such as wheelchair users and people with very low incomes (Litman and Richert 2005; Litman 2022). Special effort may be made to identify these users in transportation surveys and ridership profiles, evaluation of transportation system features in terms of their ability to accommodate people with disabilities. The following are possible performance indicators.

- 1. Surveys of disadvantaged people to determine the degree to which they are constrained in meeting their basic mobility needs (travel to medical services, school, work, basic shopping, etc.) due to inadequate facilities and services.
- 2. Travel surveys that identify the degree of mobility by disadvantaged people, and how this compares with the mobility of able-bodied and higher-income people.
- 3. Degree to which various transport modes and services accommodate disadvantaged people, including the ability of walking facilities and transit vehicles to accommodate wheelchair users and users with other disabilities, and transportation service discounts and subsidies for people with low incomes.
- 4. Degree to which disadvantaged people are considered in transport planning through the involvement of individuals and advocates in the planning process and special data collection.
- 5. The portion of pedestrian facilities that accommodate wheelchair users, and the number of barriers within the system.
- 6. The frequency of failures, such as excessive waiting times, inaccurate user information and passups of disadvantaged people by transportation services.
- 7. User surveys to determine the problems, barriers and costs disadvantaged people face using transportation services.
- 8. The portion of time and financial budgets devoted to transportation by disadvantaged people.
- 9. Indicators of the physical risks facing people with disabilities using the transport system, such as the number of pedestrians with disabilities who are injured or killed by motor vehicles, and the frequency of assault on transit users, particularly those with disabilities and lower incomes (who may be forced to use transit services in less secure times and locations).

Sustainable Transportation Indicators

Sustainable Transportation Performance Indicators

The Sustainable Transportation Performance Indicators (STPI) project by the Centre for Sustainable Transportation produced the indicators summarized below.

Table 11 Sustainable Transportation Performance Indicators (Gilbert, et al. 2003)

	bustainable Transportation i	1	·
Framework	Initial STPI	Short-term Additions	Long-Term Additions
	Total transport fossil fuel use. Greenhouse gas emissions for all transport.	Air quality. Waste from road transport.	
1. Environmental and Health Consequences of transport.	Index of emissions of air pollutants from road transport. Index of incidence of road injuries and fatalities.	Discharges into water. Land use for transport. Proximity to sensitive areas and ecosystem fragmentation.	Noise Effects on human health. Effects on ecosystem health.
2. Transport activity	Total motorized people movement. Total motorized freight movement. Share of passenger travel <i>not</i> by land-based public transport. Movement of light-duty passenger vehicles.	Utilization of passenger vehicles. Urban automobile vehicle-kilometers. Travel by non-motorized modes in urban areas. Journey-to-work mode shares.	Urban and intercity person-kilometers. Freight modal participation. Utilization of freight vehicles.
3. Land use, urban		Urban land use by class size and zone. Employment density by urban size, class and zone. Mixed use (percent walking to	Share of urban population and employment served by transit. Share of population and employment growth on already urbanized lands.
form and accessibility	Urban land use per capita.	work, ratio of jobs to employed labour force.	Travel and modal share by urban zone.
4. Fransport infrastructure and	Longth of payed roads	Length of sustainable infrastructure.	Congestion index
5. Transport expenditures and pricing.	Length of paved roads. Index of relative household transport costs. Index of relative cost of urban transport.	Percent of net government transport expenditures spent on ground-based public transport.	Congestion index. Transport related user charges. Expenditures by businesses on transportation.
6. Technology	Index of energy intensity of cars and trucks.	Descent of alternative fuel vehicles	Percent of passenger-kms and tonne-kms fuelled by renewable energy.
adoption.	Index of emissions intensity of the road-vehicle fleet.	Percent of alternative fuel vehicles in the fleet.	Percent of labour force regularly telecommuting.
7. Implementation		Number of sustainable transport indicators regularly updated and widely reported. Public support for initiatives to	Number of urban regions where planning and delivery of transport and related land use
and monitoring.		achieve sustainable transport.	matters have a single authority.

Environmentally Sustainable Transport

The Organization for Economic Cooperation and Development (OECD 2001) developed the following indicators of Environementally Sustainable Transport (EST).

- CO₂ Climate change is prevented by avoiding increased per-capita carbon-dioxide emissions.
- NO_X Ambient NO_2 , ozone levels and nitrogen deposition is greatly reduced.
- *VOC* Damage from carcinogenic VOCs and ozone is greatly reduced.
- *Particulates* Harmful ambient air levels are avoided by reducing emissions of fine particulates (particularly those less than 10 microns in size).
- Noise Ambient noise levels that present a health concern or serious nuisance (maximum 55-70 decibels during the day and 45 decibels at night and indoors).
- Land use Transport facility land consumption is reduced to the extent that local and regional objectives for ecosystem protection are met.

The OECD concludes that environmentally sustainable transport will require:

- Significant reduction in car ownership and use, and shifts to more efficient vehicles.
- Reduced long-distance passenger and freight travel, particularly air travel, and increased nonmotorized short-distance travel.
- Energy-efficient, electric powered, high-speed rail.
- Energy-efficient, less polluting shipping.
- More accessible development patterns.
- Increased use of telecommunications to substitute for physical travel.
- More efficient production to reduce long-distance freight transport.

Sustainable Infrastructure (www.asce.org/Sustainability/ISI-Rating-System)

The American Society of Civil Engineers (ASCE), the American Public Works Association (APWA) and the American Council of Engineering Companies (ACEC) established an Institute for Sustainable Infrastructure which is developing a sustainable infrastructure project rating system. The goal is to enhance the sustainability of the nation's civil infrastructure, excluding occupied buildings. This rating system evaluates a project's *Pathway Contribution* ("Doing the right thing" for a community) and *Performance Contribution* ("Doing things right" to produce high-performing projects).


California Livability, Accessibility & Prosperity Indicators (Shaheen, et al. 2016)

A major study by the UC Berkeley Transportation Sustainability Research Center, for the California Department of Transportation investigated performance indicators and evaluation methods for incorporating prosperity, accessibility and livability into transportation planning decisions. Prosperity focuses on economic indicators such as income, business, and property values. Accessibility metrics reflect the ability for transportation systems to provide people with access to opportunities. Metrics reflect travel time and length, land use, mobility, and the availability of public transit. Livability focuses on quality of life at the local level. Metrics reflect affordability, public health, quality of accessibility, environment, aesthetics, and public participation.

Sustainable Low Carbon Transportation (SLOCAT)

The report, An Urgent Call for Radical Transport Climate Action to Accelerate Implementation of Sustainable Development Goal 13 (SLOCAT 2021), identifies positive interactions between sustainable, low carbon transport and mobility and the United Nation's 2030 Agenda. It identifies four cross-cutting themes — Equitable, Healthy, Green and Resilient — to present these interactions. Under each theme, fundamental notions related to socio-economic and environmental systems on which sustainable, low carbon transport can affect positive change are highlighted.

Based on this perspective the report applies the Avoid-Shift-Improve (A-S-I) framework, as illustrated below. This follows an implicit hierarchy, with appropriate and context-sensitive. It prioritizes *Avoiding* unnecessary motorised trips based on proximity and accessibility; *Shifting* to less carbon-intensive modes – that is, from private vehicles to public transport, shared mobility, walking and cycling, water-based freight, electrified road-rail freight, and cargo bikes for last-mile deliveries, among others; and *Improving* vehicle design, energy efficiency and clean energy sources for different types of freight and passenger vehicles. This prioritisation can help reduce environmental impact, improve access to socio-economic opportunities, increase logistics efficiency, reduce congestion, improve air quality and increase road safety.



The report's analysis indicates that Avoid and Shift strategies can account for 40-60% of transport emission reductions, at lower costs than Improve strategies. Avoid and Shift measures (for example, allocating road space for dedicated bus lanes) may be far less costly for improving transport access than many Improve measures, particularly in rapidly urbanising developing countries. However, more research is needed to assess the long-term cost effectiveness. The narrative of sustainable mobility has evolved over the decade since the creation of the A-S-I concept; in response, a number of stakeholders are engaging in a process to refocus the framework, integrating decades of experience and harnessing momentum on green, equitable pandemic recovery and an unprecedented disbursement of funds through recovery packages. A renewed focus on the framework presents an opportunity to optimise A-S-I strategies through novel lenses, including gender and geographic equity; freight transport; and renewable energy.

World Business Council Sustainable Mobility Indicators

The table below summarizes sustainable mobility indicators developed for the World Business Council's Sustainable Mobility project.

Table 12 Sustainable Mobility Indicators (Eads 2001)

User Concerns	Societal Concerns	Business Concerns
	Environmental impacts and on public health and safety	
	Greenhouse gas emissions (CO ₂ equivalent)	Profitability (ability to earn at least a competitive return on
	"Conventional" emissions – NOx, CO, SO ₂ , VOC, particulates	investment)
		Total market size
Ease of access to means of	Safety	Conditions determining market
mobility	Security	acceptance
Financial outlay required of	Noise	Required competences
user	Land use	Private investment required
Average door-to-door time required	Resource use (including recycling)	Necessity/possibility of "launching aid" and payback conditions
Reliability, measured as	Impacts on public revenues and expenditures	Investment net of publicly-
variability in average door-to-	·	provided infrastructure
door time	"Launching aid"	Cash flow generation
Safety (chance of death or	Publicly-provided infrastructure	Potential cash flow from
serious injury befalling the user)	Required operating subsidies	operations
Security (chance of the user	Potential for reducing public expenditures	Gap between likely actual and
being subjected to robbery, assault, etc.)	Potential for generating government revenues	required cash flow; potential for public subsidies
	Equity impacts	Policy barriers/incentives

Eliminating overlaps resulted in the following set

- Ease of accessibility to means of mobility.
- Financial outlay required.
- Average required door-to-door time.
- Reliability (variability in required average door-to-door time).
- Safety (risk of death or serious injury befalling the user).
- Security (risk of the user being subjected to robbery, assault, etc.).
- Transport-related GHG emissions.
- Impact on environment, public health and safety (with associated sub-indicators).
- Impact on public revenues and expenditures (with associated sub-indicators).
- Equity implications (with associated sub-indicators).
- Prospective rate of return (with associated sub-indicators).

TERM

The European Union's *Transport and Environment Reporting Mechanism* (TERM) identifies the sustainable transportation indicators summarized in Table 12.

Table 13 Proposed TERM Indicator List (EEA 2002)

Table 13 F	Proposed TERM Indicator List (EEA 2	002)		
Group	Indicators			
Transport and Environment Performance				
	Transport final energy consumption and primary energy consumption, and share in total (fossil,			
Environmental	nuclear, renewable) by mode.			
consequences of	Transport emissions and share in total emission	ons for CO ₂ , NO _x , NM, VOCs, PM ₁₀ , SO _x , by mode.		
transport	Exceedances of air quality objectives.			
	Exposure to and annoyance by traffic noise.			
	Infrastructure influence on ecosystems and ha	bitats ("fragmentation") and proximity of transport		
	infrastructure to designated sites.			
	Land take by transport infrastructures.			
	Number of transport accidents, fatalities, inju	red, polluting accidents (land, air and maritime).		
	Passenger transport (by mode and purpose):	Freight transport (by mode and group of goods):		
Transport	total passengers	total tonnes		
volume and	total passenger-kilometers	total tonne-kilometers		
intensity	passenger-kilometers per capita	tonne-kilometers per capita		
	passenger-kilometers per GDP	tonne-kilometers per GDP		
	Determinants of the Transport/e			
Constitution and a second		er mode, purpose (commuting, shopping, leisure)		
Spatial planning	and territory (urban/rural).			
and Accessibility	Access to transport services e.g.: motor vehicles per household, portion of households located			
	within 500m of public transport.	by menden and by there of infrastructure (a.e.		
Transport supply	Capacity of transport infrastructure networks, by mode and by type of infrastructure (e.g.			
Transport supply	motorway, national road, municipal road etc.).			
	Investments in transport infrastructure/capita and by mode.			
	Real passenger and freight transport price by	noue.		
Price signals	Fuel price.			
Trice signals	Taxes.			
	Subsidies.			
	Expenditure for personal mobility per person by income group.			
	Proportion of infrastructure and environmental costs (including congestion costs) covered by			
	price.			
	Energy efficiency for passenger and freight transport (per pass-km and per tonne-km and by mode).			
Technology and	· · · · · · · · · · · · · · · · · · ·	ne-km for CO ₂ , NO _x , NM, VOCs, PM ₁₀ , SO _x by mode.		
utilization	_	ie-kiii loi CO_2 , NO_X , $NIVI$, $VOCS$, $FIVI_{10}$, SO_X by finde.		
efficiency	Occupancy rates of passenger vehicles.			
oorooy	Load factors for road freight transport (LDV, HDV).			
	Uptake of cleaner (unleaded petrol, electric, alternative fuels) and alternative fuelled vehicles. Vehicle fleet size and average age.			
	Proportion of vehicle fleet meeting certain air and noise emission standards (by mode).			
Management	Number of Member States that implement an integrated transport strategy. Number of Member States with national transport and environment monitoring system.			
integration				
	Uptake of strategic environmental assessment in the transport sector.			
	Uptake of environmental management systems by transport companies.			
	Public awareness and behaviour.			

This table summarizes indicators used to evaluate transport sustainability in the TERM project.

Aviation Sustainability Indicators

Aviation presents unique sustainable transportation challenges (Upham and Mills 2003; Grimley 2006). Table 13 illustrates indicators for evaluating airport environmental and operational sustainability. This is an example of sustainability indicators developed for a particular transport sector or facility. Such indicators can be converted into reference values, such as impacts per passenger-trip (arrivals and departures), for tracking performance over time, and comparing performance with peers and other modes.

Table 14 Indicators Of Airport Sustainability (Upham and Mills 2003)

Table 14 Indicators Of Airport Sustainability (Upham and Mills 2003)			
Indicators	Absolute Measures	Threshold-Related Measures	
1. Number of surface access vehicles: cars, light goods vehicles, heavy goods vehicles, buses, motorcycles, rail.	Number arriving at airport boundary (monthly, annually) Number departing airport boundary (monthly, annually)	Movement number relative to hourly maxima	
2. Aircraft Movements	Arrivals (hourly, monthly, yearly). Departures (hourly, monthly, yearly).	Movement number relative to hourly maximum	
3. Static power consumption	Fossil-fuelled electricity consumption. Fossil-fuelled gas consumption. Wind, solar or bio-generated electricity consumption.	Consumption relative to any relevant hourly maxima	
4. Gaseous pollutant emissions (from surface vehicles, static power, aircraft)	NOx, CO2, N_2O , CO ₂ , CO, NMVOC, and PM_{10} (g) per source. Ambient concentrations.	Ambient concentrations relative to statutory EU limits	
5. Aircraft noise emissions	Day, evening and night LAeq (dB) and LA max (A-weighted long-term average and peak sound level)	Land area and people within noise contours (LAeq 50 and upward increments) relative to limits.	
6. Terminal passengers	Number arriving at gates (Number departing gates)	Arrivals and departures relative to hourly maxima.	
7. Surface access passengers	Number arriving at airport boundary. Number departing airport boundary.	Arrivals and departures relative to hourly maxima.	
8. Water consumption & waste water emission	Monthly volume consumed. Effluent pollutant concentrations. Ambient pollutant concentrations.	Volume relative to maximum. Concentrations (effluent and ambient) relative to limits.	
9. Solid waste	Monthly volume arising. Monthly volume recycled or re-used. Monthly volume of hazardous waste.	Set targets for absolute volumes and relate performance to these.	
10. Land take & biodiversity	Paved area (square meters, within airport boundary and ownership, includes building footprints). Area of high and medium biodiversity (square meters, within airport boundary and ownership).	Set target for absolute areas and relate performance to these.	

This table summarizes airport sustainability indicators. Threshold indicators indicate performance relative to standards and stated limits.

Public Transit Social and Economic Sustainability Performance Measures (Unger, et al. 2019)

The report, Social and Economic Sustainability Performance Measures for Public Transportation provides practical guidance to help transit agencies of all sizes develop and use social and economic sustainability performance measures to plan, evaluate, and report on social and economic sustainability. This Report is intended to complement the American Public Transportation Association's Recommended Practice for Social and Economic Sustainability for Transit Agencies.

The research team tried to identify the highest-priority performance measures through a survey format considering the following evaluation criteria:

- 1. Measures's Applicability: How applicable is the measure to transit agency operations?
- 2. *Universal Applicability*: Is the measure expected to be universally applicable to all types and sizes of transit agencies?
- 3. *Realistic and Attainable*: Is the level of effort to collect and maintain the data to support this measure reasonable considering transit agencies resources?
- 4. *Monitoring/Implementation*: Is the measure reasonable to track over time and use as a continuous process improvement benchmark?
- 5. *Well Understood*: Is the measure understandable by transit agency stakeholders and/or by standard setting organizations?

A total of fifty-seven measures were identified as highest priority. Based on feedback gathered through the literature review and interviews the research team also developed guidance to fully incorporate sustainability into a performance-based planning and programming approach. The research team recommends operationalizing performance measures in five broad steps:

- Step 1. Set goals by either incorporating social and economic sustainability goals as a subset of all goals or incorporating social and economic sustainability into existing goals.
- Step 2. Determine social and economic sustainability objectives by identifying the specific actions that transit agencies can take to meaningfully contribute to each goal.
- Step 3. Establish social and economic sustainability measures to measure progress. The social and economic sustainability performance measure database provides a list of 606 measures for transit agencies to reference, including a list of top measures.
- Step 4. Implement and evaluate to ensure that the transit agency continues to reflect positive progress on each measure.
- Step 5. Report out the transit agency's progress toward supporting economic and social outcomes.

Sustainability also informs the way the process is conducted, indicated by the foundational 'sustainability principles' underlying all other steps. The first time the cycle is conducted, sustainability is likely to be a stand-alone exercise, isolated to a subset of goals and measures within a larger performance management system. In later iterations of the performance management cycle, sustainability may be used to inform all aspects of performance management and be a consideration in developing all performance measures and reporting documents. The five steps should be repeated as necessary to drive continuous improvement.

Non-Motorized Transport Performance Indicators (Roughton, et al. 2012)

The report, *Creating Walkable and Bikeable Communities: A User Guide to Developing Pedestrian and Bicycle Master Plans*, identifies the following non-motorized transport performance indicators.

Infrastructure

- Total miles of bikeways
- Miles of bikeways catering to each type of bicyclist (i.e. Strong and Fearless, Enthusiastic and Confident, and Interested but Concerned)
- Percent of households within one quarter mile of a bicycle facility
- Percent of buses equipped with bicycle racks
- Percent of transit stops with bicycle parking or secure bicycle parking
- Percent of new developments that include secure bicycle parking or other end-of-trip facilities
- Number of bicycle parking spaces
- Percent of roadways with sidewalks
- Number of miles of sidewalk infill per year
- Percent of intersections up to current ADA standards
- Number of transit stops with pedestrian amenities
- Percent of new developments meeting pedestrian standards
- Number of bridges with dedicated bicycle and pedestrian facilities
- Number of miles of trails/multi-use paths

Programs

- Percent of schools served by Safe Routes to Schools program
- Number of safety trainings offered per year
- Number of enforcement efforts per year
- Attendance at Ciclovia or Open Streets events
- Number of households participating in individualized marketing programs
- Mode shift resulting from individualized marketing programs

Use and Safety

- Mode share for work trips
- Mode share for all trips
- Number of walking and bicycling trips per day along key corridors
- Bicycle and pedestrian crash rates
- Percent of bicyclists that are women, youth or seniors
- Average trip distance across all modes
- Number of trips made by bike share

Public Opinion

- Percent of residents satisfied with the safety and comfort of existing bicycle and/or pedestrian facilities
- Percent of residents interested in walking and bicycling more frequently

GPI Sustainable Transportation Objectives and Indicators (GPI 2008)

The *GPI Transportation Accounts: Sustainable Transportation in Halifax Regional Municipality* (HRM) are intended to provide transportation indicators and full cost accounting of passenger transportation for assessing the current transportation system and monitoring its progress towards sustainability. A data set and baseline estimate was constructed using the best data presently available for measuring regional passenger road transportation. Table 14 summarizes the objectives and indicators chosen. This study also developed estimates of the full economic costs of road passenger travel, based on previous research that quantifies and monetizes transportation costs.

Table 15 GPI Sustainable Transportation Objectives and Indicators (GPI 2008)

Objective	Indicator
Transport Activity	
1. Decrease economically excessive	1. Motorized movement of people:
motor vehicle transport, and	- Vehicle-km
increase use of more sustainable	- Passenger-km
modes	- Vehicle-km per capita
2. Decrease energy consumption	2. Transport-related energy consumption
	- Total and per capita energy consumption devoted to transportation,
	by mode and fuel
Decrease greenhouse gas (GHG) emissions	Transport-related GHG emissions by mode and per capita
Decrease emissions of air pollutants	Total transport emissions of air pollutants by mode and per capita
5. Decrease space taken by	Land Use
transport facilities	- Distribution of population and dwellings in HRM
	- Total land area consumed by cars and per capita
Social	
Increase access to basic services	Access to basic services
	- Percentage of population commuting to work, by mode
	- Trip origin and destination
7. Increase access to public	Access to public transit
transportation	- Percentage of population who live within 500m of transit station
	- Percentage of population living within Metro Transit's service area
	- Number of Metro Transit passengers on ferries and conventional
	buses
Economic	
8. Decrease cost of household	Expenditure on personal mobility
transportation expenditure	- Percentage of household expenditures dedicated to transportation

This table summarizes the objectives and indicators used to evaluate transportation system performance in the Halifax region.

PacScore Local Accessibility Indicator (Dock, Greenberg and Yamarone 2012)

The city of Pasadena, California developed the *PacScore* metric which evaluates local transport system performance based on accessibility, sustainability, livability and user experience. It uses geographic information systems to quantify walkability (the number of destinations accessible within a quarter-mile walk), multi-modal level of service indicators (the convenience and speed of walking, cycling, public transport and automobile travel), and per capita vehicle-travel.

Strategic Urban Transport Assessment

In the article, "New Approaches to Strategic Urban Transport Assessment," Hale (2011) argues that conventional transport project assessment primarily reflects the incremental impacts of individual projects, and so fails to account for broader, strategic planning objectives and long-term impacts. He argues that more comprehensive impact analysis is particularly important for evaluating walking, cycling and public transit project benefits. He emphasizes the need for a broader indictor set for more comprehensive evaluation of metropolitan region transport outcomes related to society, environment and economy, as summarized below.

Table 16 Comprehensive Evaluation Metrics for Consideration (Hale 2011)

Category	Performance Indicators		
	Mode share	Trip generation rates	
1. Metropolitan	Sustainable mode use (walking, cycling	Transport capital investment	
multimodal travel and	and public transport)	Per capita vehicle ownership	
transport characteristics	Vehicle km per capita	Fuel and annual car ownership taxes	
	Household transport expenditures	Average travel speeds by mode	
	Daily commute time	(transit/car)	
	Mode share shares for journey types	Length dedicated protected bike paths	
	Operating ratio (expenses to revenues)	Annual capital investment	
	System capacity	Cost per passenger km	
2. Mass transit system	System patronage	Standard service frequencies	
indicators and metrics	Rail system length	Operating hours/span	
	System networking	Annual maintenance expenditure	
	Peak/off-peak ratio	Provision of real time information	
	Cost per passenger served	Fleet maturity	
	Average peak period passenger loadings	Provision of regional smart card	
	Rail station access mode shares		
	Urban density	Location efficiency	
3. Land use	Regional population	Housing stress (proportion of	
	Portion of population within 800m of	households with housing costs that	
	transit	exceed 30% of household budgets).	
	Suburbanisation	Transit real estate strategy	
4. Transit accessibility to	CBD access	Public health access	
key amenities	Higher Education access		
	Multi-destination network?	Number of proposed TOD locations	
5. Qualitatively-oriented	Transit investment linked to local land use	Travel Demand Management (TDM)	
review categories	planning changes?	Bike and pedestrian network quality	
	Fully-developed TOD policy framework?		
	Transit service-levels	Jobs/housing balance	
6. Analyses particular to	Transit usage	Residents/jobs within station catchment	
the corridor, sub-	Pedestrian and cycling infrastructure	Project and precinct-level densities	
regional and precinct	Walking and cycling performance	Car ownership	
scales	Station access mode shares	Multi-modality	
7. Transit project and	BCR (benefit cost ratio)	Full identification and monetisation of	
investment economics	Net Present Value (NPV)	sustainable transport benefits	

Hale (2011) proposed these regional tranpsort performance indicators.

STAR Community Index

STAR Community Index (www.icleiusa.org/sustainability/star-community-index) is a strategic planning and performance management system that offers local governments guidance for improving community sustainability. The table below summarizes their list of community sustainability goals.

Table 17 STAR Community Goals

Table 17 STAR Commun	Inty Godie	Г
Environment		
Natural Systems	Planning and Design	Energy & Climate
	Comprehensive Planning	
	Excellence in Design	
	Interconnected Land Use	
Natural Resource Planning &	Compact & Complete Communities	
Inventory	Design for People	
Green Infrastructure	Housing	Greenhouse Gas Mitigation
Land Use in Watersheds	Public Spaces	Climate Adaptation
Water Quality & Supply	Transportation & Mobility	Energy Supply
Agriculture & Aquaculture	Land Conservation	Energy Use
Resource Lands	Historic Preservation & Cultural	Resource Efficient Buildings
Biodiversity & Invasive Species	Heritage	Alternative Fuels & Infrastructure
Ambient Noise & Light	Code Barriers	Industrial Sector Energy Use
Waste Minimization		Agricultural Climate Impacts
	Public Engagement & Participation	Agricultural climate impacts
Economy	Employment & Workforce Training	
Economic Prosperity	Employment & Workforce Training	
Enterprise Support	Employment Opportunity	
Industry Sector Development &	Employment Benefits	
Revitalization	Labor Rights	
Market Development	Living Wages	
Community-Based Economic	Supportive Workplaces	
Development	Workplace Learning & Career Paths	
Economic Localization	Workforce Development	
Land Redevelopment &	Comprehensive Plan	
Revitalization	Workforce Training	
Food System	Resources for Success	
Society		
Education, Arts & Community	Health & Safety	Affordability & Social Equity
		Government Transparency
		Revenue Generation
		Public Expenditures & Financial
	Health System	Investment
	Health & Safety Literacy	Infrastructure Investment
Education Opportunities	Workplace Health & Safety	Social Cohesion
Education Environments	Food Access & Nutrition	Human Services
School-Community Engagement	Drinking Water Quality	Poverty Prevention & Alleviation
Ecological Literacy	Outdoor Air Quality	Civil & Human Rights
Arts & Culture	Indoor Air Quality	Cultural Practices
Arts & Cultural Civic Support	Toxics Reduction	Environmental Justice
Social & Cultural Diversity	Natural & Human Hazards	Equity Literacy
Neighborhood Vitality	Emergency Prevention & Response	Adjudication & Restorative Justice
Civic Literacy + Engagement	Safe Communities	Community Empowerment
Financial Literacy	Active Living & Recreation	Equity Assessment & Planning

Lyons Regional Indicators

Nicolas, Pochet and Poimboeuf (2003) describe how local travel survey data and other available information are used to evaluate transport system sustainability in Lyons, France. This region has 1.2 million inhabitants with a relatively centralized, urban development pattern.

Indicators were organized to reflect economic, social and environmental impacts. Economic indicators reflect transport cost-efficiency, that is, the economic costs per unit of travel, including costs to residents, businesses, and governments. Social indicators reflect the relative mobility and transportation cost burdens for people in different income classes. Environmental indicators reflect various transport pollution emissions and land requirements. These impacts were disaggregated by mode (automobile, public transit, walking), geographic location (central, middle and outer urban areas) and household demographics. The table below summarizes these indicators

Table 18 Lyons Indicators (Nicolas, Pochet and Poimboeuf 2003)

Dimension	Indicator	Level of Analysis
Mobility		
	Daily number of trips	
	Trip purposes	
Service provided	Average daily travel time	Overall and by geographic location
	Mode share	
Organization of urban	Daily average distance traveled	
mobility	Average travel speed	Overall and by travel mode
Economic		
	Annual transportation costs (total, per	
	resident and per passenger-km)	
	Households	
	Businesses	
Cost for the community	Local government	Overall and per mode
Social		
	Household vehicle ownership	
	Personal travel distance	
	Household transportation expenditures	Overall, by income and geographic
	(total and as a portion of income)	location
Environmental		
	Annual energy consumption and CO2	Overall, by mode, by location of
Air pollution - global	emissions (total and per resident)	emission, and location of resident.
	CO, NOx, hydrocarbons and particulates	Overall, by mode, by location of
Air pollution - local	(total and per resident)	emission, and location of resident.
	Daily individual consumption of public	
	space for transport and parking.	
	Space required for transport	Overall, by mode and place of
Space consumption	infrastructure.	residence.
	Noise	Overall, by mode and place of
Other	Accident risk	residence.

This table summarizes sustainable transportation indicators used in Lyons.

Sustainable Assessment Indicators

Jeon, Amekudzi and Guensler (2008) developed a multiple sustainability dimensional indexes to evaluate transportation planning options in a multicriteria environment, using the performance indicators in the following table. These performance measures are quantified and the resulting values used to calculate a Composite Sustainability Index (CSI) for specific project scenarios. This methodology is applied to Atlanta-area transportation projects.

Table 19 Sustainability Assessment Indicators (Jeon, Amekudzi and Guensler 2008)

Sustainability Dimension	Goals and Objectives	Performance Measures
Transportation System Effectiveness	A1. Improve Mobility	A11. Freeway/arterial congestion
	A2. Improve System	A21. Total vehicle-miles traveled
	Performance	A22. Freight ton-miles
		A23. Transit passenger miles traveled
		A24. Public transit share
Environmental	B1. Minimize Greenhouse	B11. CO ₂ emissions
Sustainability	Effect	B12. Ozone emissions
	B2. Minimize Air Pollution	B21. VOC emissions
		B22. CO emissions
		B23. NOx emissions
	B3. Minimize Noise Pollution	B31. Traffic noise level
	B4. Minimize Resource Use	B41. Fuel consumption
		B42. Land consumption
Economic Sustainability	C1. Maximize Economic	C11. User welfare changes
	efficiency	C12. Total time spent in traffic
	C2. Maximize Affordability	C21. Point-to-point travel cost
	C3. Promote Economic	C31. Improved accessibility
	development	C32. Increased employment
		C33. Land consumed by retail/service
Social	D1. Maximize Equity	D11. Equity of welfare changes
Sustainability		D12. Equity of exposure to emissions
		D13. Equity of exposure to noise
	D2. Improve Public Health	D21. Exposure to emissions
		D22. Exposure to noise
	D3. Increase Safety and	D31. Accidents per VMT
	Security	D32. Crash disabilities
		D33. Crash fatalities
	D4. Increase Accessibility	D41. Access to activity centers
		D42. Access to major services
		D43. Access to open space

These performance measures are quantified and used to calculate a Composite Sustainability Index.

Table 18 summarizes performance measures (PMs) used by U.S. states to evaluate the quality of transportation and land use planning coordination, based on a literature review and survey of 25 states. These are consistent with many sustainable transportation planning indicators.

Table 20 State DOT Land Use Performance Indicators (Miller 2008)

Goal	nd Use Performance Indicators (Miller 2008) Performance Measures
Increased transportation options	Percentage of commuters driving alone to work
	Number of spaces used at park and ride facilities
	Vehicle miles traveled per capita
	Travel time and distance to work
	Ability to get from one destination to another readily, where destinations
Increased transportation options	include jobs, retail and tourist stops, and transit services
	Percentage of housing units built by location type (e.g., rural growth center,
	developing area, remaining rural area, or developed area)
	Percentage jobs/population located close to transit or other efficient modes
	Miles of bike/ped facilities constructed
	Number of routes designated as bicycle facilities
	Number of attractions within a threshold travel time
	Ratio of non-auto to auto travel costs, including travel time and money
	Access to centers
	Ratio of jobs to housing
Improved quality of existing	
transport options	Satisfaction with transportation options
	Person-hours of delay
	Average delay per trip; percentage of person-miles by LOS; real intercity
	travel time minus (straight-line distance divided by the speed limit).
Improved public services or	
economic growth	Response time for fire, police, and rescue and travel time for Schools
	Cost of above municipal services (fire, police, rescue, and schools)
	Reduction in consumer costs attributable to better transport
	Ratio of actual corridor travel time to free flow travel time
	Number of jurisdictions that protect land adjacent to airports from
Protects or manages corridors	development
	Miles of roadway with agreements between state DOT and local government
	Alignment of strategic highway corridors and land use overlay
	Arterials where an access management plan has been established.
	Percent interregional corridor miles with corridor management/land use
	plans
	Agreements between state and local plans
Aligns state and local efforts	Locations where state and integrated transportation studies are undertaken
7 mg. 10 state and 10 car circi to	Jurisdictions with current active local plans
	Customer satisfaction with coordination
	Customer/Stakeholder satisfaction rating
	Transportation projects are listed in the regional transportation plan
Reduced land consumption (and	Transportation projects are instead in the regional transportation plan
other environmental measures)	Percent of jobs or population in urban centers
other environmental measures)	Population density
	Geographical expansion of the urbanized area
	Conversion of undeveloped land
	Loss of farmland, open space, habitat, forest land acreage or loss of historic
	resources or of specified/designated visual assets.
	Loss of wetlands
	Measured O3, NOx, CO and estimated (or measured) CO2

These performance measures are used by U.S. states to evaluate transport and land use coordination.

Health Indictors

The table below summarizes urban design and transport health Indicators published in a special issue of the *Lancet Journal*.

Table 21 Urban Design and Transport Health Indicators (Giles-Corti, et al. 2022)

Table 21 Urban Design and Transport Health Indicators (Giles-Corti, et al. 2022)			
Policy Indicators			
Integrated transport and urban planning	National and state transport and urban planning legislation requires integrated transport and urban planning actions to create healthy and sustainable cities and regular review of progress.		
Air pollution	National and state air pollution legislation seeks to protect and improve air quality.		
Destination accessibility	National and state transport and urban planning legislation requires coordinated planning of transport, employment, land use, and infrastructure that ensures access by public transport.		
Employment distribution	Urban planning and design codes require a balanced ratio of jobs to housing (eg, from 1:0·8 to 1:1·2)		
Demand management	Urban planning, building codes, and local government policies limit car parking and price parking appropriately for context		
Design	Urban design codes create pedestrian-friendly and cycling-friendly neighbourhoods, requiring highly connected street networks, pedestrian and cycling infrastructure, and public open space; lot layouts maximise natural surveillance		
Density	Urban design codes require minimum and maximum context-specific housing densities, including higher-density development around activity centres and transport hubs		
Distance to public transport	Urban design codes require frequent service public transport to be within 400–800 m of residential walkable catchments		
Diversity	Urban design codes require a diverse mix of housing types and local destinations needed for daily living		
Desirability	Urban design codes incorporate crime prevention through urban design principles, manage traffic exposure, and establish urban greening provisions		
Government transport inv	estment		
Transport infrastructure investment by mode	Percentage of total government transport expenditure in a given financial year spent on pedestrian infrastructure, cycling infrastructure, public transport, and road infrastructure		
Urban Design and Transpo	rt Features		
Public transport access	Percentage of population living within 400–800 m of high-frequency public transport		
Employment	Percentage of population with employment within 30 min of their home by walking, cycling, or public transport		
Distribution of employment	Urban planning and design codes require a balanced ratio of jobs to housing (eg, from 1:0·8 to 1:1·2)		
Transport infrastructure	Ratio of roads (km) to footpaths (km) and designated cycle lanes (km)		
Design	Street connectivity (eg, ≥0·6 within 0·8–1·2 km) of desintations.		
Density	Dwellings per area within 1·2 km of activity centres and public transport hubs.		
Distance to transit	Percentage of population living within 400 m of a bus stop and 800 m of a rail stop		
Destinations	Percentage of (urban) land area allocated to destinations required for daily living. percentage of population living within 500 m of a fresh food market, a convenience store, and public transport		
Open or green space	Percentage of (urban) land area allocated to open or green space. Percentage of population living within 500 m of a public open space.		
Walkability	Combined population density, street intersection density, and daily living destinations in local neighbourhood.		
Transport Outcomes			
Trip mode share	Proportion of total and commuting trips by walking, cycling, public transport, and private vehicle.		

This table summarizes urban planning health indicators.

Multi-Criteria Evaluation

Sambert, Bassok and Holman (2011) advocate using multi-criteria evaluation (MCE) to evaluate the sustainability of transport projects and programs. This approach uses a scoring system to rate the project according to various criteria (they identify 49), which allows consideration of both quantitative and qualitative factors.

Comprehensive Highway Capacity Project Evaluation

The study, A Systems-Based Performance Measurement Framework for Highway Capacity Decision Making (Cambridge Sysemtatics 2009) developed a state-of-the-art performance measurement framework that individual transportation agencies and other public agencies can adapt for evaluating major transportation capacity projects.

Table 22 Transport Capacity Performance Factors (Cambridge Systematics 2009)

Transportation	Environment	Economics	Community	Costs
Mobility Reliability Accessibility Safety	Ecosystems, Habitat, and Biodiversity Water Quality Wetlands Air Quality Climate Change Environmental Health	Economic Impact Economic Development	Land Use Archaeological and Cultural Resources Social Environmental Justice	Cost Cost-Effectiveness

This table indicates major factors that should be considered transporat system capacity evaluation, such as highway expansion projects.

The report provides more detailed definitions and information about these performance indicators. It makes the following recommendations for selecting performance indicators:

- Performance measures should be driven by strategically aligned goals and objectives.
- Input, output, and outcome measures should all be included in performance measurement.
- Performance measurement efforts should concentrate on the "vital few."
- Early attempts at performance measurement should emphasize process as well as results.
- Performance measurement programs are most effective when integrated throughout an organization.
- Performance measurement reporting should be appropriately tailored to intended audiences.
- Successful performance measurement programs require high-level buy-in.
- Practitioners should strive for consistency of performance measurement terms and definitions.

Regional Sustainable Transporation Principles and Indicators (York Region 2009)

The York, Ontario region's <u>Transportation Master Plan</u> is based on eleven sustainability principles, their goals and performance indicators, summarized below.

Table 23 Transport System Indicators (York Region 2009)

	t System Indicators (York Region 20	
Sustainability	Goals	Key Performance Indicators
Principles		
I. Healthy Comm	unities	
Put pedestrians and transit first	Recognizes that every trip begins and ends with pedestrian links. Design transport systems to promote and active living and community wellbeing.	 Mode share (portion of trips by each mode) Pedestrian mode share compared with peer communities. Jobs within walking distance of homes (jobs/housing balance)
Provide access and mobility for everyone	Ensure that all residents (especially those with lower incomes, disabilities, recent immigrants, youth and the elderly) have barrier-free, reliable and affordable access.	 Change in per capita transit ridership Per capita transit trips by income, disability, immigrant status, age, etc.
Integrate transportation and land use planning Encourage communication, consultation and public	Integrate transport planning with other urban development practices to create an urban form that is compact, mixed and supports a sense of community. Transport decision-making is open, transparent and accountable, based on strong consultation, citizen engagement	 Self-containment (portion of trips that start and end within the region). Mean auto and transit trip length. Mean auto and transit trips travel times. N/A – this principle is unsuited for
engagement	and communication.	measurement.
II. Sustainable Natural Envi		cusu.ci.ici
Protect and enhance our environment and cultural heritage	Protect, restore and enhance the natural environment through integrated planning and advanced construction and operations practices. Respect and protect cultural heritage.	 Vehicle air pollution emissions (including greenhouse gases). Protection of openspace.
Energy efficiency	Design a transport system that is energy efficient and responds to climate change	Auto vehicle-kilometers of travel. Total GHG emissions.
Implement and support transportation demand management initiatives	Improve the convenience and reliability of alternative modes to encourage their use and reduce single-occupant vehicle travel.	Average vehicle occupancy (a proxy for use of high-occupancy vehicles).
III. Economic Vitality		I
Support economic wellbeing	Ensure that the transport system supports economic development	Roadway congestion.Jobs accessible by public transit.
Ensure fiscal sustainability and equitable funding	Provide full cost accounting for all transport projects and services.	Compare total costs to society of alternatives, including road expansion, alternative mode improvements, pricing reforms, smart growth policies, etc.
Implement and support transportation supply management initiatives	Mange transport system in an efficient and cost-effective, socially and environmentally responsible manner.	 Transit service costs per capita Transit service cost recovery. New roadway required per additional resident.
Conduct performance evaluation	Monitor and report sustainable transport performance indicators	N/A – this principle is unsuited for measurement.

Summarizes sustainability principles, goals and performance indicators were developed by York Region.

Transport For Sustainable Development In The European Region (ENECE 2011)

The United Nations Economic Commission for Europe (UNECE) report, *Transport For Sustainable Development In The ECE Region*, describes ways that the UNECE is working to help acheive various sustainability objectives including basic mobility, cost efficiency, traffic safety, environmental sustainability, and sustainable development. Includes definitions and indicatores of sustainable development and sustainable transportation, and applies these to evaluate current conditions and trends. The following tables summarize the UNECE's sustainable development approach.

Table 24 Three Pillars of Sustainable Development (ENECE 2011)

Table 2	Social	Economic	Environmental
Accessibility	Social inclusion through access to social services.	Competitiveness through access to markets.	Congestion in urban areas and border crossing inefficiencies has negative environmental consequences.
Affordability	Social inclusion through affordable mobility.	Social affordability of infrastructure and transportation. Ensuring a competitive business environment	Maintenance backlogs reduce the environmental efficiency of the transport system.
Safety	Safe transport ensures that mobility is not a health risk.	Cost for the society for a loss of human life and crashes.	Safe transport of dangerous goods.
Security	A secure transport system ensures that individuals can travel without risk of terrorist attacks or other criminal offences.	Cost for the society of loss of goods, infrastructure and especially human life.	Secure transport of dangerous goods.
Environmental	Minimise local air pollution and noise from transport which is a risk for human health.	The impact of transport on the environment has economic costs.	Minimize impact of transport on natural capital by reducing negative impact on biodiversity, natural habitat, air pollution, greenhouse gas emission, generation of waste and noise.

This table links the UNECE's five working areas to the three dimensions of sustainability.

Table 25 Indicator Set: Transport For Sustainable Development (ENECE 2011)

Table 25	Indicator Set: Transport For Sustainable Development (ENECE 2011)				
	Access	Affordability	Safety	Security	Environment
Impact on Capital	Economic capital Access to markets and employment Social capital Access to basic social services	Economic capital Affordable access to education and employment opportunities. Long-term sustainable economically Investment. Social capital Affordable access to basic services.	Economic capital Safe transport to avoid costs of traffic crashes. Social capital Safe transport to avoid individual tragedies and loss of human and cultural capital.	Economic capital Secure transport to avoid loss of infrastructure, goods and human lives. Social capital Secure transport to avoid individual tragedies and loss of human and cultural capital.	Natural capital Transport that is sustainable with respect to energy use, emissions and land use to maintain the natural capital of the world.
Indicators	Indicator 1 Infrastructure density Indicator 2 Infrastructure quality Indicator 3 International transport Indicator 4 Burden of border crossings	Indicator 1 Household spending on transport. Indicator 2 Price of transport Indicator 3 Public investment in transport Indicator 4 Private investment in transport	Indicator 1 Road fatalities Indicator 2 Seatbelt use, impaired driving and speeding Indicator 3 Active level crossings	Indicator 1 Terror threats Indicator 2 Criminal activities	Indicator 1 Energy consumption in transport Indicator 2 Emissions of greenhouse gases and local pollutants Indicator 3 Local pollutants from transport Indicator 4 Noise pollution
Sustainability Targets	Infrastructure density is linked to social development perforamance. Minimize share of population without access to all-wealther road or rail. Strategic international links, particularly for landlocked countries. Efficient border crossings	Affordable transport independent of income. Long-term investment plans. Thorought preinvestment analysis	Minimize road fatalities and injuries. Minimize rail and IWT fatalities and injuries. Minimize accidents involving dangerous goods	Prevent terrorist threats and attacks. Prevent criminal activities.	Reduce dependence on non-renewable energy sources in transport. Minimize emissions of greenhouse gases and local pollutants. Minimize noise impacts from transport. Minimzie waste from transport and improve degree of recycling.

This table provides an overview of the working areas of the UNECE Transport Division with respect to sustainable development.

Key Performance Indicators for Smart Sustainable Cities (UNECE 2016)

The United Nations has established *Sustainable Development Goals*; the UN Habitat program has established the *City Prosperity Index*; the ITU and UNECE launched a *Smart Sustainable Cities* program; and the International Standards Organization has established *Indicators for City Services and Quality of Life*. In order to help operationalize these goals and programs, these organizations established a *Focus Group on Smart sustainable Cities* to develop key performance indicators (KPIs) that can help stakeholders measure the performance of various smart sustainable city ventures once they are initiated.

This program produced a series of *Technical Specifications and Reports* on SSC KPIs:

- Technical Specifications On Overview Of Key Performance Indicators In Smart Sustainable Cities, October 2014.
- Technical Specifications On KPIs Related To The Use Of Information And Communication Technology In Smart Sustainable Cities, March 2015.
- Technical Specifications On Key Performance Indicators Related To The Sustainability Impacts Of Information And Communication Technology In Smart Sustainable Cities, March 2015.
- Technical Report On Key Performance Indicators Definitions For Smart Sustainable Cities, March 2015.
- Key Performance Indicators For Smart Sustainable Cities To Assess The Achievement Of Sustainable Development Goals (UNECE 2016).

Sustainable Transportation Performance Measures (USEPA 2011)

The U.S. Environmental Protection Agency's *Guide To Sustainable Transportation Performance Measures* describes sustainable transportation performance measures (indicators) suitable for local, regional and state planning. It discusses the application of sustainability indicators in transportation decision-making, and provides specific examples of how metropolitan planning organizations have used such indicators for various types of strategic and project planning, investment decisions, and performance evaluation.

It identifies twelve suitable indicators. For each, the guidebook presents possible metrics, summarizes the relevant analytical methods and data sources, and illustrates the use of each measure by one or more transportation agencies.

The profiled measures are:

- Transit accessibility
- Bicycle and pedestrian mode share
- Vehicle miles traveled per capita
- Carbon intensity
- Mixed land uses
- Transportation affordability

- Distribution of benefits by income group
- Land consumption
- Bicycle and pedestrian activity and safety
- Bicycle and pedestrian level of service
- Average vehicle occupancy
- Transit productivity

Sustainable Infrastructure

Some indicators rate the sustainability of infrastructure, including roadways.

Envision (http://terralogicss.com/ blog/Sustainable Transportation/post/The New Sustainability-Based Rating System for Infrastructure Projects Called Envision)

Envision is a sustainability rating system developed by the *Institute for a Sustainable Infrastructure* (www.sustainableinfrastructure.org) with support of the American Society of Civil Engineers (ASCE), American Council of Engineering Consultants (ACEC) and the American Public Water Association (APWA) to evaluate infrastructure projects including roads, bridges, pipelines, railways, airports, dams, levees, landfills, water treatment systems and other civil works. It is intended to evaluate, grade and give recognition to infrastructure projects that make exemplary contributions to a more sustainable future. Projects are graded not only on individual performance, but also on their contribution to the performance and long-term sustainability of the community they serve. It stretches traditional design boundaries to include infrasture durability, flexibility and utility.

Greenroads (www.greenroads.org)

Greenroads is a sustainability rating system for roadway design and construction, suitable new, reconstruction and rehabilitation and bridge projects. It is a collection of sustainability best practices, called *credits*. Achieving credits earns points toward an overall project score that indicates the roadway's sustainability. It was developed by the University of Washington's *Transportation Northwest* institutue, with support from a coalition of state and federal agencies.

Sustainable Highways (www.sustainablehighways.org)

The U.S. Federal Highway Administration's *Sustainable Highways Self-Evaluation Tool* identifies sustainable highways characteristics, and provides procedures and techniques to help organizations apply sustainability best practices to roadway programs and projects. Table 24 lists the credits and their default wegiths used in this tool.

Table 26 Proposed TERM Indicator List (EEA 2002)

Credits	Points		
System Planning & Processes			
SP-1 Comprehensive and Integrated Planning			
Incorporate environmental, economic, and social sustainability goals into long-range transport plans.			
SP-2 Environmental Management System			
Improve environmental stewardship by having an environmental management system.	10		
SP-3 Context Sensitive Solutions			
Ensure that a system-wide context sensitive solutions (CSS) approach is integrated.	10		
SP-4 Equity Analysis			
Provide a transportation system that fairly benefits affected geographic or demographic groups.	10		
SP-5 Land Use Planning Integration			
Ensure integration of transportation system plan with local and/or regional land use planning.	10		
SP-6 Multimodal Transportation - INTERIM			
Agency has a plan for meeting ser needs for access and mobility through convenient choices.	10		
SP-7 Professional Development			
Educate personnel to identify environmental issues, minimize impacts and apply sustainable solutions.	10		
SP-8 Travel Demand Management			
Reduce travel demand or redistribute demand in space and time.	10		
SP-9 Safety Management - INTERIM			
Agency has a data-driven Strategic Highway Safety Plan (SHSP).	10		
SP-10 Air Quality			
Ensure air quality issues are addressed in transportation system plan.	10		
SP-11 Greenhouse Gas Emissions			
Integrate climate change mitigation considerations into the transportation planning process.	10		
SP-12 Climate Change Effects			
Long Range Transportation Plan (statewide or metropolitan) considers potential climate change impacts.			
SP-13 Noise Reduction Management Plan			
Protect human health by reducing overall highway traffic noise.	10		
SP-14 Financial Sustainability	10		
Finance plan provides a tool for prioritizing, planning and programming sustainability investments.			
Project Development			
PD-1 Cost Benefit Analysis			
Using the principles of cost benefit analysis, ensure that users benefit.	1		
PD-2 Highway and Traffic Safety - INTERIM			
Improve human health by implementing projects that reduce serious injuries and fatalities.	10		
PD-3 Context Sensitive Solutions	_		
Deliver projects that synthesize transportation requirements and community values.	5		
PD-4 Lifecycle Assessment	2		
Incorporate energy and emissions information into the decision-making process.			
PD-5 Lifecycle Cost Analysis Determine the project lifecycle sect to aid in project desicion making			
Determine the project lifecycle cost to aid in project decision-making.			
PD-6 Freight Mobility			
Increase freight mobility and decrease freight environmental impact.	5		
PD-7 Educational Outreach	2		
Increase public, agency and stakeholder awareness of roadway sustainability activities.	2		

Offset that destruction and deterioration of natural habitat caused by road construction. Po-9 Runoff Flow Control	Credits	Points
PO-9 Runoff Flow Control Mimic predevelopment hydrological conditions in the right of way (ROW). 3 PO-10 Runoff Quality Improve water quality of stormwater runoff leaving the roadway Right-of-Way (ROW) 3 PO-11 Ecological Connectivity Provide wildlife access across roadway facility boundaries and reduce vehicle-wildlife collisions. 3 PO-12 Low Impact Development See decentralized stormwater management controls to preserve, emulate, and improve hydrologic flow. 3 PO-13 Recycled Materials Reduce lifecycle impacts from extraction and production of virgin materials. 5 PO-14 Renewable Energy Offset total operational energy use through autonomous renewable energy sources. 5 PO-15 Repetation Po-15 Size Vegetation Po-15 Size Vegetation Po-16 Pedestrian Access Promote sustainable size vegetation that does not require irrigation. 2 PD-15 Size Vegetation Promote sustainable size vegetation that does not require irrigation. 2 PD-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. 2 PD-18 Transit and HOV Access Promote was of public transit and carpools in communities by providing new transit and HOV facilities. PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Antural, or Recreational Qualities PD-20 Scenic, Antural, or Recreational Qualities PD-20 Scenic, Antural, or Recreational Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Antural, or Recreational Qualities PD-20 Scenic, Antural, or Recreational Qualities PD-21 Transiting Materials PD-22 Transiting Materials PD-23 Transiting Anterials PD-24 Transiting Anterials PD-25 Transiting Pawement and Structure Reuse PD-26 Stormwater Cost Analysis PD-26 Stormwater Cost Analysis PD-26 Stormwater Pollutio	PD-8 Habitat Restoration	
Mimic predevelopment hydrological conditions in the right of way (ROW). PD-10 Runoff Quality Improve water quality of stormwater runoff leaving the roadway Right-of-Way (ROW) 3 PD-11 Ecological Connectivity Provide wildlife access across roadway facility boundaries and reduce vehicle-wildlife collisions. 3 PD-12 Low Impact Development Use decentralized stormwater management controls to preserve, emulate, and improve hydrologic flow. 3 PD-13 Recycled Materials Reduce lifecycle impacts from extraction and production of virgin materials. 5 PD-14 Renewable Energy Olfset total operational energy use through autonomous renewable energy sources. 5 PD-15 Recycled impacts from extraction and production of virgin materials. 7 PD-16 Pedestrian Access Promote Sustainable site vegetation that does not require irrigation. 2 PD-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. PD-17 Bircycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PD-18 Transit and HOV Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PD-18 Intransit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Reature National Scenic Byways Program scenic, natural, or recreational Intrinsic qualities in a roadway. PD-21 Iow-Emitting Materials Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-22 Foreign Efficiency Reduce Intrinsing Application of Separations associated with best management structures. 5 PD-25 Forement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Contractor Warranty Incorporate construction quality into th	Offset the destruction and deterioration of natural habitat caused by road construction.	3
PP-10 Runoff Quality Improve water quality of stormwater runoff leaving the roadway Right-of-Way (ROW) 3 PP-11 Ecological Connectivity Provide wildlife access across roadway facility boundaries and reduce vehicle-wildlife collisions. 3 PP-12 Love Impact Development See decentralized stormwater management controls to preserve, emulate, and improve hydrologic flow. 3 PP-13 Recycled Materials PP-13 Recycled Materials PP-14 Recycled Materials PP-15 Recycled Materials PP-15 Recycled Materials PP-15 Recycled Materials PP-15 Fire Vegetation PP-16 Pedestrian Access PP-17 PP-18 Transit and HOV Access PP-19 Historical, Archaeological, and Cultural Preservation Providing new transit and HOV facilities. Pp-19 Historical, Archaeological, and Cultural Preservation PR-19 Historical, Archaeological, and Cultural Preservation PP-20 Fire Providing Seenic Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). PP-20 Low-Emitting Materials PP-21 Low-Emitting Materials PP-22 Low-Emittin	PD-9 Runoff Flow Control	
Improve water quality of stormwater runoff leaving the roadway Right-of-Way (ROW) PD-11 Ecological Connectivity Provide wildlife access across roadway facility boundaries and reduce vehicle-wildlife collisions. 3 PD-12 Low Impact Development Use decentralized stormwater management controls to preserve, emulate, and improve hydrologic flow. 3 PD-13 Recycled Materials Reduce lifecycle impacts from extraction and production of virgin materials. 5 PD-14 Renewable Energy Offset total operational energy use through autonomous renewable energy sources. 5 PD-15 Size Vegetation PD-15 Pedestrian Access Promote sustainable site vegetation that does not require irrigation. 2 PD-16 Pedestrian Access Promote usualinable is vegetation that does not require irrigation. 2 PD-17 Bicycle Access Promote bicycling in communities by providing sidewalk facilities within the roadway Right-of-Way. PD-18 Troist and HOV Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. PD-18 Itronist and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PD-19 Historical, Archaeological, and Cultural Preservotion Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PD-21 Iow-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-22 Four-Emitting Materials Reduce construction and social needs and improve mobility without adding capacity. PD-25 Four-man and Scructure Reuse Reuse existing pavement and structural materials. PD-26 Four-man and Scructure Reuse Reuse existing pavement and structural materials. PD-27 Four-man Povement Use pavement thermal prop	Mimic predevelopment hydrological conditions in the right of way (ROW).	3
PD-12 Low limited access across roadway facility boundaries and reduce vehicle-wildlife collisions. 3 PP-12 Low limpact Development Use decentralized stornwater management controls to preserve, emulate, and improve hydrologic flow. PP-13 Recycled Materials Reduce lifecycle impacts from extraction and production of virgin materials. 5 PP-14 Renewable Energy Offset total operational energy use through autonomous renewable energy sources. 5 PP-15 Site Vegetation Promote sustainable site vegetation that does not require irrigation. PP-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. PP-17 Bicycle Access Promote beycling in communities by providing dedicated cycling facilities within project right of way. PP-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. PP-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). PP-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PP-21 Environal Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PP-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. PP-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. PP-24 Foorgy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. PP-25 Powement and Structure Reuse Reuse existing pavement and structural materials. PP-26 Tormater Cost Analysis Determine lifecycle costs by promoting design of long-lasting pavement structures for stormwater. 1 PP-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PP-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the	PD-10 Runoff Quality	
Provide wildlife access across roadway facility boundaries and reduce vehicle-wildlife collisions. 3 PD-12 Low Impact Development 12 Low Impact Development 13 Reduce Ilfecycle impacts from extraction and production of virgin materials. 15 PD-13 Recycled Materials 16 Reduce Ilfecycle impacts from extraction and production of virgin materials. 17 PD-14 Renewable Energy 18 OFFILE Vegetation 19 PD-15 Site Vegetation 19 PD-15 Site Vegetation 19 PD-16 Pedestrian Access 19 PD-16 Pedestrian Access 19 PD-16 Pedestrian Access 19 PD-17 Bicycle Access 19 PD-17 Bicycle Access 19 PD-17 Bicycle Access 19 PD-18 Transit and HOV Access 19 PD-19 International in communities by providing sidewalk facilities within the roadway Right-of-Way. 20 PD-18 Transit and HOV Access 21 PD-19 International of public transit and carpools in communities by providing new transit and HOV facilities. 21 PD-19 Instance, Archaeological, and Cultural Preservation 22 Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 23 PD-20 Scenic, Natural, or Recreational Qualities 24 PD-21 Low-Emitting Materials 25 Reduce human exposure to hazardous airborne compounds from construction materials. 26 PD-22 Inow-Emitting Materials 27 PD-22 Tenery Efficiency 28 Reduce human exposure to hazardous airborne compounds from construction materials. 28 PD-23 Traffic Systems, Management and Operations 19 Meet economic and social needs and improve mobility without adding capacity. 29 PD-24 Long-Life Pavement 20 Minimize life cycle costs by promoting design of long-lasting pavement structures. 39 PD-25 Stormwater Cost Analysis 50 Determine lifecycle costs by promoting design of long-lasting pavement particles for stormwater. 10 PD-27 Thermal Pavement 20 Secondary and Structure Reuse 21 Reuse existing pavement and structural materials. 22 PD-25 Stormwater Cost Analysis 23 Determine lifecycle costs and savings associated with best management practices for stormwater. 24 PD-27 Thermal Pavemen	Improve water quality of stormwater runoff leaving the roadway Right-of-Way (ROW)	3
PD-12 Low impact Development Use decentralized stornwater management controls to preserve, emulate, and improve hydrologic flow. PD-13 Recycled Materials Reduce lifecycle impacts from extraction and production of virgin materials. 5 PD-14 Renewable Energy Offset total operational energy use through autonomous renewable energy sources. 5 PD-15 Site Vegetation Promote sustainable site vegetation that does not require irrigation. 2 PD-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. 2 PD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PD-18 Transit and HOV Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-25 Povement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-25 Povement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Traffic Systems, Management and Structural materials. 5 PD-27 Thermal Pavament Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stornwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 9	PD-11 Ecological Connectivity	
Use decentralized stormwater management controls to preserve, emulate, and improve hydrologic flow. **PD-13 Recycled Materials** **Reduce lifecycle impacts from extraction and production of virgin materials.* **S PD-14 Renewable Energy** Offset total operational energy use through autonomous renewable energy sources.* **PD-15 Site Vegetation** Promote valuable site vegetation that does not require irrigation.* **PD-16 Pedestrian Access** Promote valuable communities by providing sidewalk facilities within the roadway Right-of-Way.* **PD-17 Bicycle Access** Promote bicycling in communities by providing dedicated cycling facilities within project right of way.* **PD-18 Transit and HOV Access** Promote use of public transit and carpools in communities by providing new transit and HOV facilities.* **PD-19 Historical, Archaeological, and Cultural Preservation** Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP).* **PD-20 Scenic, Natural, or Recreational Qualities** **Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway.* **PD-21 Low-Entiting Materials** Reduce human exposure to hazardous airborne compounds from construction materials.* **PD-22 Tenery Efficiency** **Reduce lifetime energy consumption of lighting systems for roadways.* **PD-23 Traffic Systems, Management and Operations** Meet economic and social needs and improve mobility without adding capacity.* **PD-24 Loug-Life Pavement** Minimize life cycle costs by promoting design of long-lasting pavement structures.* **PD-25 Rovement and Structure Reuse** **Reuse existing pavement and structural materials.* **PD-26 Stormwater Cost Analysis** Determine lifecycle costs and savings associated with best management practices for stormwater.* **PD-27 Thermal Pavement** Use pavement thermal properties to enhance sustainability.* **PD-29 Stormwater Pollution Prevention Plan** Reduce construction quality into the public low-bid process t	Provide wildlife access across roadway facility boundaries and reduce vehicle-wildlife collisions.	3
PD-13 Recycled Materials Reduce lifecycle impacts from extraction and production of virgin materials. 5 PD-14 Renewable Energy Offset total operational energy use through autonomous renewable energy sources. 5 PD-15 Site Vegetation Promote sustainable site vegetation that does not require irrigation. 2 PD-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. PD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. PD-18 Transit and HOV Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Tranfic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Povement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Thermal Pavement Use pavement thermal properties to enhance sustainability. 5 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 7 Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 9 PD-30 Forwinametal Training Provide construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32	PD-12 Low Impact Development	
Reduce lifecycle impacts from extraction and production of virgin materials. 5 PD-14 Renewable Energy Offset total operational energy use through autonomous renewable energy sources. 5 PD-15 Site Vegetation Promote sustainable site vegetation that does not require irrigation. 2 PD-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. 2 PD-18 Picycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PD-21 Low-Emitting Materials Reduce Infetime energy consumption of lighting systems for roadways. 5 PD-23 Farry Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-24 Long-Life Povement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Povement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-27 Themal Povement Use pavement thermal properties to enhance sustainability. 5 PD-27 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Top-27 Themal Povement Use pavement thermal properties to enhance sustainability. 3 PD-29 Stormwater Pollution Prevention Plan Reduce construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Use decentralized stormwater management controls to preserve, emulate, and improve hydrologic flow.	3
PD-14 Renewable Energy Offset total operational energy use through autonomous renewable energy sources. 5 DP-15 Site Vegetation Promote sustainable site vegetation that does not require irrigation. Promote sustainable site vegetation that does not require irrigation. Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. PD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. PD-18 Transit and HOV Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. PD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. PD-25 Powement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 app-29 Stormwater Pollution Prevention Plan Reduce construction quality into the public low-bid process through the use of warranties. 3 app-29 Stormwater Pollution Prevention Plan Reduce construction equipment emissions by enc	PD-13 Recycled Materials	
Offset total operational energy use through autonomous renewable energy sources. 5 PD-15 Site Vegetation Promote sustainable site vegetation that does not require irrigation. 2 PP-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. 2 PP-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PP-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PP-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PP-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PPD-22 Tenergy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PPD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PPD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PPD-25 Powement and Structure Reuse Reuse existing pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PPD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PPD-27 Thermal Povement Use pavement thermal properties to enhance sustainability. PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PPD-29 Stormwater Pollution Prevention Plan Reduce oplitution and associated effects from construction activities. 4 PPD-30 Environmental Training Provide construction equipment emissions by encouraging application of EPA Tier 4 sta	Reduce lifecycle impacts from extraction and production of virgin materials.	5
PD-15 Site Vegetation Promote sustainable site vegetation that does not require irrigation. Promote sustainable site vegetation that does not require irrigation. PD-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. PD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. PD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-25 Powement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Powement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Favironmental Training Provide construction equipment emissions	PD-14 Renewable Energy	
Promote sustainable site vegetation that does not require irrigation. 2 PPD-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. 2 PPD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PPD-18 Transit and HOV Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PPD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PPD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PPD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PPD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PPD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PPD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PPD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PPD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PPD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PPD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PPD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PPD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PPD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging applicati	Offset total operational energy use through autonomous renewable energy sources.	5
PD-16 Pedestrian Access Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. 2 PPD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-15 Site Vegetation	
Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way. PD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. PD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Povement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Promote sustainable site vegetation that does not require irrigation.	2
PPD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PPD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PPD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PPD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PPD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PPD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PPD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PPD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PPD-25 Pavement and Structure Reuse Reuse existing pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PPD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PPD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PPD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PPD-29 Stormwater Pollution and associated effects from construction activities. 3 PPD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PPD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PPD-32 Fossil Fuel Reduction	PD-16 Pedestrian Access	
PPD-17 Bicycle Access Promote bicycling in communities by providing dedicated cycling facilities within project right of way. 2 PPD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PPD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PPD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PPD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PPD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PPD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PPD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PPD-25 Pavement and Structure Reuse Reuse existing pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PPD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PPD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PPD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PPD-29 Stormwater Pollution and associated effects from construction activities. 3 PPD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PPD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PPD-32 Fossil Fuel Reduction	Promote walkable communities by providing sidewalk facilities within the roadway Right-of-Way.	2
PD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction equipment Emissions Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-31 Equipment Emission Reduction	PD-17 Bicycle Access	
PD-18 Transit and HOV Access Promote use of public transit and carpools in communities by providing new transit and HOV facilities. 5 PD-19 Historical, Archaeological, and Cultural Preservation Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction equipment Emissions Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-31 Equipment Emission Reduction	Promote bicycling in communities by providing dedicated cycling facilities within project right of way.	2
Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-18 Transit and HOV Access	
Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). 2 PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. 2 PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Promote use of public transit and carpools in communities by providing new transit and HOV facilities.	5
Respect and preserve cultural and historic assets, and feature National Scenic Byways Program (NSBP). PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 9 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-31 Faulpment Emission Reduction		
PD-20 Scenic, Natural, or Recreational Qualities Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	=	2
Feature National Scenic Byways Program scenic, natural, or recreational intrinsic qualities in a roadway. PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction		
PD-21 Low-Emitting Materials Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction		2
Reduce human exposure to hazardous airborne compounds from construction materials. 2 PD-22 Energy Efficiency Reduce lifetime energy consumption of lighting systems for roadways. 5 PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 7 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction		
Reduce lifetime energy consumption of lighting systems for roadways. PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction		2
Reduce lifetime energy consumption of lighting systems for roadways. PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-22 Energy Efficiency	
PD-23 Traffic Systems, Management and Operations Meet economic and social needs and improve mobility without adding capacity. 5 PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction		5
Meet economic and social needs and improve mobility without adding capacity. PD-24 Long-Life Pavement Minimize life cycle costs by promoting design of long-lasting pavement structures. 5 PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. 5 PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction		
Minimize life cycle costs by promoting design of long-lasting pavement structures. PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Meet economic and social needs and improve mobility without adding capacity.	5
Minimize life cycle costs by promoting design of long-lasting pavement structures. PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-24 Long-Life Pavement	
PD-25 Pavement and Structure Reuse Reuse existing pavement and structural materials. PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. 1 PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction		5
PD-26 Stormwater Cost Analysis Determine lifecycle costs and savings associated with best management practices for stormwater. PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-25 Pavement and Structure Reuse	
Determine lifecycle costs and savings associated with best management practices for stormwater. PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. 3 PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Reuse existing pavement and structural materials.	5
PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-26 Stormwater Cost Analysis	
PD-27 Thermal Pavement Use pavement thermal properties to enhance sustainability. PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Determine lifecycle costs and savings associated with best management practices for stormwater.	1
PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-27 Thermal Pavement	
PD-28 Contractor Warranty Incorporate construction quality into the public low-bid process through the use of warranties. 3 PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Use pavement thermal properties to enhance sustainability.	3
Incorporate construction quality into the public low-bid process through the use of warranties. PD-29 Stormwater Pollution Prevention Plan Reduce pollution and associated effects from construction activities. 3 PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-28 Contractor Warranty	
Reduce pollution and associated effects from construction activities. PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Incorporate construction quality into the public low-bid process through the use of warranties.	3
PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-29 Stormwater Pollution Prevention Plan	
PD-30 Environmental Training Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Reduce pollution and associated effects from construction activities.	3
Provide construction personnel with the knowledge to identify environmental issues and best practices. 1 PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-30 Environmental Training	
PD-31 Equipment Emission Reduction Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	Provide construction personnel with the knowledge to identify environmental issues and best practices.	1
Reduce construction equipment emissions by encouraging application of EPA Tier 4 standard. 2 PD-32 Fossil Fuel Reduction	PD-31 Equipment Emission Reduction	
PD-32 Fossil Fuel Reduction		2
Paduce the overall consumption of fossil fuels by nonroad construction againment	PD-32 Fossil Fuel Reduction	
neduce the overall consumption of lossifiaets by nomoad construction equipment.	Reduce the overall consumption of fossil fuels by nonroad construction equipment.	2

PD-33 Construction Noise Mitigation Reduce or eliminate disturbance from road construction noise and improve human.		
Reduce or eliminate disturbance from road construction noise and improve human.		
	1	
PD-34 Quality Control Plan		
The contractor will establish, implement, and maintain a construction Quality Control Plan (QCP).	5	
PD-35 Reduced Energy Materials		
Reduce fossil fuels use and emissions at the hot mix asphalt or cement plants.	3	
PD-36 Waste Management		
Utilize a management plan for to minimize the amount of construction-related waste.	1	
PD-37 Earthwork Balance		
Reduce need for transport of earthen materials by balancing cut and fill quantities.	3	
PD-38 Environmental Management System		
Long Range Transportation Plan (statewide or metropolitan) considers potential climate change effects.	3	
PD-39 Tracking Environmental Commitments		
Assure that environmental obligations are identified, communicated, completed, and documented.	3	
Transportation Systems Management, Operations & Maintenance		
OM-1 Pollution Prevention Plan		
Reduce water pollution produced during operation and maintenance activities within the right of way.	10	
OM-2 Pavement Management System		
Make pavements last longer and perform better by preserving and maintaining them.	10	
OM-3 Bridge Management System		
Make bridges last longer and perform better by preserving and maintaining them.	10	
OM-4 Paved Surfaces Management System		
Increase paved surfaces durability and performance with maintenance and preservation activities.	10	
OM-5 Traffic Control Infrastructure Maintenance		
Increase safety and operational efficiency by maintaining roadway traffic controls.		
OM-6 Cleaning and Litter		
Prevent pollution and maintain aesthetic quality through roadway cleaning and litter removal.		
OM-7 Roadside Infrastructure Maintenance		
Maintain road functionality through upkeep of supporting infrastructure and operations.	10	
OM-8 Snow and Ice Control		
Reduce environmental impacts of snow and ice control methods and materials.	10	
OM-9 Mobility		
Maximize the utility of the existing roadway network through use of technology and management.	10	
OM-10 Safety - INTERIM		
Maximize the safety of the existing roadway network through use of technology and management.	10	
OM-11 Renewable Energy Use		
Reduce the consumption of fossil fuels during operation and maintenance of facilities.	10	
OM-12 Sustainable Purchasing		
Address resource and energy use, pollution generation, climate change.	10	
OM-13 Alternative Fuel Fleet		
Reduce fossil fuel use and emissions in vehicles used for operations and maintenance.	10	
OM-14 Recycle and Re-use		
Create and pursue a formal recycling and reuse plan for maintenance and operations activities.	10	
OM-15 Ecological Connectivity		
Improve wildlife access across roadway facility boundaries and reduce vehicle-wildlife collisions.	10	

This table summarizes credits and weights used in the Sustainable Highways Evaluation Tool.

Transport Agency Sustainability Evaluation

Some sustainability evaluation processes are designed for use by transportation agencies.

National Cooperative Highway Research Program Project 08-74, Sustainability Performance Measures for State Departments of Transportation and Other Transportation Agencies (Zietsman and Ramani 2011; Ramani, et al. 2011) developed a sustainability performance measurement framework, suitable for transport agency planning, programming, project development, construction, maintenance and systems operations. The framework includes guiding principles, goals relevant to transportation agencies' functions, guidance for applying sustainability performance evaluation. They also developed a spreadsheet to facilitate this analysis. The framework is based on the following recommended goals.

- 1. Safety—Provide a safe transportation system for users and the general public.
- 2. Basic accessibility—Provide a transportation system that offers accessibility that allows people to fulfill at least their basic needs.
- 3. *Equity/equal mobility*—Provide options that allow affordable and equitable transportation opportunities for all sections of society.
- 4. *System efficiency*—Ensure the transportation system's functionality and efficiency are maintained and enhanced.
- 5. Security—Ensure the transportation system is secure from, ready for, and resilient to threats from all hazards.
- 6. *Prosperity*—Ensure the transportation system's development and operation support economic development and prosperity.
- 7. Economic viability—Ensure the economic feasibility of transportation investments over time.
- 8. *Ecosystems*—Protect and enhance environmental and ecological systems while developing and operating transportation systems.
- 9. Waste generation—Reduce waste generated by transportation-related activities.
- 10. *Resource consumption*—Reduce the use of non-renewable resources and promote the use of renewable replacements.
- 11. *Emissions and air quality*—Reduce transportation-related emissions of air pollutants and greenhouse gases.

Fabish and Haas (2011) recommend the following livability program performance indicators:

- Program commitment delivery (did the program accomplish what was intended?)
- Portion of regional development in targeted areas (did the program encourage developed where desired?)
- Leveraged funding (did the program close the financing gap?)
- Transportation targets (did it increase transit ridership, improve pedestrian and bicycle access, achieve intended cost efficiencies, etc.).

Transport Impacts on Wellbeing and Liveability (Rees, Masari and Appleton-Dyer 2020)

In 2019 the New Zealand Government produced its first *Wellbeing Budget* which is designed to achieve broad national wellbeing goals. The New Zealand Transport Agency's report, *Transport Impacts on Wellbeing and Liveability*, provides guidance for developing a transport system that improves wellbeing and liveability.

A challenge in this study is that the concept of wellbeing is multifaceted and takes on different meanings depending on context. It is also a concept that includes subjective components, so if you are designing initiatives to improve wellbeing, it is important to work closely with those whose wellbeing you are trying to improve. Below are definitions used in New Zealand's Wellbeing Budget:

Wellbeing is when people are able to lead fulfilling lives with purpose, balance and meaning to them. Giving more New Zealanders capabilities to enjoy good wellbeing requires tackling the long-term challenges we face as a country, like the mental health crisis, child poverty and domestic violence. It means improving the state of our environment, the strength of our communities and the performance of our economy.

Liveability refers to the environmental and social quality of an area as perceived by residents, employees, customers and visitors. This includes safety and health (traffic safety, personal security and public health), local environmental conditions (cleanliness, noise and air quality), the quality of social interactions (neighbourliness, fairness, respect, community identity and pride), opportunities for recreation and entertainment, aesthetics and existence of unique cultural and environmental resources (eg historic structures, mature trees and traditional architectural styles).

The report investigates the following questions:

- 1. How does transport affect individual or family wellbeing, and the liveability of different communities?
- 2. Are initiatives to encourage mode shift, reduce car dependence and reduce environmental impacts of transport likely to increase wellbeing (and for whom) or reduce wellbeing (and for whom)?
- 3. If changes in transport arrangements reduce health and other costs from accidents or from the use of cars for transport, how should those savings be attributed to the transport sector (apart from specific projects)?
- 4. What are the most important transport variables to include in measures of liveability for New Zealand?
- 5. What transport changes provide the greatest improvement in wellbeing and liveability?
- 6. How should new policies or programmes address the link between transport interventions and wellbeing or liveability outcomes in their intervention logic?

The report also includes analysis of how transportation affect *Hauora*, a Māori view of health which covers the physical, mental, social and spiritual wellbeing.

The report concludes that transport has a significant effect on wellbeing, particularly local transport initiatives that affect how people move around in their local community. However, these relationships are not always straightforward. For example, car travel is a key facilitator of their mobility and independence, but require enormous infrastructure which can literally divide communities, with transport corridors making connecting with each other and the community at

large more difficult. Car travel therefore facilitates some types of connections, but constrains others. Cars also have major negative effects in terms of safety and pollution.

The benefits of walking and active transport are well documented, and designing communities to facilitate movement using active transport modes has major benefits for wellbeing. This is not just in terms of physical health, but also in terms of the increased connectedness between people in communities facilitated by active transport modes. Where active transport modes are more available, there are more interactions between those living in that community. However, these issues are complex. For example, some people, such as poor single mothers, are forced to walk more than they want. For them, walking to the shops, doctors, or local playground, often with one or more children, is stressful and not conducive to improved hauora.

The concept of livability highlights that the design of the community spaces has a significant impact on transport modes and the transport corridors that the transport options utilize. Understanding these links is important if the benefits that can come from shifts in transport utilization are to be achieved.

The study recommends replacing conventional transportation project economic analysis with *contribution analysis*, which analyzes the many impacts resulting from a policy or project. The report explores how transport agencies can apply this approach to evaluating policies and programmes, and the data needed to apply such analysis.

Livability for Montana State Transport Planning (WTI 2012)

The report, <u>Livability for Montana Transportation</u> investigates the meaning of livability for use by the Montana Department of Transportation. Based on research and community outreach it developed the following definition: "Provide a transportation system that emphasizes a safe, maintained road network; allows for multimodal transportation opportunities; and considers local community values." Although the research found that *livability* definitions vary, it identified several common themes related to transport:

- Transportation systems should include all modes (air, automobile, public transit, bicycle, pedestrian, and other local modes).
- Land use and transportation clearly influence each other. Transportation plans and projects should result in a transportation system that integrates with and supports local land use plans, affordable housing projects, and similar efforts that encourage a livable community structure.
- Transportation systems in dense and developing areas should be highly connected. Cul-de-sacs and streets designed around specific land development limit connectivity. A well-designed grid system promotes connectivity.
- Transportation projects should incorporate local values in the planning/design process. Such values may include aesthetically pleasing transportation corridors and pedestrian safety.
- Safety and capacity for the automobile mode should not be ignored.
- Transportation systems should seek to reduce fossil fuel use and greenhouse gases.
- Transportation systems should provide access to jobs, education, health care, and services.
- Transportation projects should be coordinated with other projects to leverage funding and accomplish livability goals.

Cross-Country Review of Transport Agency Indicators (Karlaftis and Kepaptsoglou 2012)

A study for the International Transport Forum analyzed the performance indicators used by transport agencies in various countries. They find that most agencies use indicators that reflect infrastructure quality and preservation, mobility and accessibility, support for economic development, safety and security, environmental sustainability. Few indicators are multi-modal (for example, there is little consideration of non-motorized transport), and few indicators reflect social equity objectives such as improved accessibility for non-drives or accommodation of people with disabilities. They conclude that standardizing performance indicators and targets among different agencies worldwide would be difficult but useful for benchmarking and resource allocation.

•

Incremental Improvements to Conventional Transport Evaluation

There are sometimes opportunities to incrementally improve conventional transport planning practices to better evaluate sustainability goals (FDOT 2012). Examples are described below.

Shifting from Level of Service (LOS) to Vehicle-Miles Travelled (VMT) Targets

Sustainable transportation requires reducing the amount of vehicle travel required to access services and activities. To do this many jurisdictions have established vehicle travel reduction targets, and are replacing LOS (maximizing roadway level of service) with VMT (minimizing vehicle miles travelled) performance indicators (ITE 2023; Litman 2023). This helps align individual planning decisions with strategic goals to create more diverse, efficient and sustainable transportation systems.

Transport Model Performance Evaluation (Rodier and Spiller 2012)

The report, *Model-based Transportation Performance: A Comparative Framework and Literature Synthesis*, incorporates various performance indicators into transport modeling to evaluate the effectiveness of various land-use, transit, and automobile pricing policies. The results indicate the direction and relative magnitude of change resulting from these policies, as well as potential biases that result in analyses that overlook some of these impacts. The table below summarizes these indicators.

Table 27 Performance Indicator Framework (Rodier and Spiller 2012)

I able 27	Performance Indicator Framework (Rodier and Spiller 2012)		
	Performance Indicator	Required Model Data	
Travel	Access	Travel time/cost by origin/destination, mode, area (corridor, subarea, region), time of day (peak and off-peak), and activity type (work, school, shop)	
	Proximity	Quantity of land consumed; redevelopment and/or infill by type, area, and/or location; total jobs by total households by area	
	Choice	Transit, pedestrian, and bicycle mode share by area	
	Congestion	Vehicle speed/distance by mode (including trucks), activity type, area (key corridors or economic destinations)	
Equity	Access	Access by socioeconomic group and location	
	Spatial	Clustering of socioeconomic groups by location	
	Housing	Home location change attributed to rent increase by socioeconomic group	
	Housing	Supply and cost (rent/own) by type and location	
Economic	Financial/land use	Built-form input to service cost, tax, and/or infrastructure cost model	
	Financial/transport	Use and revenue relative to capital and operation and maintenance costs	
	Surplus	Spatial economic effects (producer and consumer surplus)	
Environmental	Energy/climate/air	Vehicle activity in fuel use, climate change, and emissions models	
	Noise	Residential location and vehicle facilities in noise models	
	Habitat/ecosystem/ water	Land consumed by type and location input to habitat, ecosystem, and water models	

This table summarizes performance indicators incorporated in transport models for more comprehensive analysis of impacts of various policy and planning options.

Measuring Transportation Investments: The Road To Results (PCT 2011)

The report, *Measuring Transportation Investments: The Road To Results*, evaluates how well U.S. states consider various performance goals in transport investment planning. It examines these six policy areas:

- 1. *Safety.* The ability of the transportation system to allow people and goods to move freely without harm. Performance measures include fatalities and injuries for all modes.
- 2. *Jobs and commerce.* How well the transportation system facilitates or supports business development and employment. Performance measures include job creation, the movement of freight and estimates of the economic return from policies and investments.
- 3. *Mobility.* The efficient movement of people between destinations by automobile, pedestrian, bicycle and transit modes. Performance measures include congestion levels, travel times, travel speed and volume, time lost to traffic delays and on-time transit performance.
- 4. Access. The ability of the transportation system to connect people to desired goods, services and activities, and to meet the needs of different populations. Performance measures include availability and use of multimodal transport options—including walking, cycling, public and private transport—for the general public and people with special needs (disabled and low-income).
- 5. *Environmental stewardship.* The effect of the transportation system on energy use and the natural environment. Performance measures include fuel usage, transportation-related emissions, climate change indicators, and preservation of and impact on ecological systems.
- 6. *Infrastructure preservation.* The condition of the transport system's assets. Performance measures include the physical condition of roads, bridges, pavements, signs, culverts and rail systems

The analysis rates weather each state considers these goals but does not evaluate how well this is done or the degree it affects investment decisions. The report recommends federal, state and local policy reforms to improve government agency's ability to evaluate investments and incorporate this information into transport planning and investment decisions.

UK Transport Analysis Guidance – WebTAG (www.dft.gov.uk/webtag)

The Department for Transport's WebTAG website provides comprehensive guidance on the conduct of transport studies, inlcuding guidance on how to:

- Set objectives and identify problems.
- Develop potential solutions.
- Create a transport model for the appraisal of the alternative solutions.
- Conduct an appraisal which meets the Department's requirements.

This is a guide to best practices and a requirement for all projects/studies that require government approval. It includes specific instuctions and detailed documents for evaluating accessibility (i.e. overall transport system effectiveness), safety, environmental and economic development impacts, plus the integration among different types of transort, transport and land use development, transport and the environment, and between various planning objectives.

Multi-Modal Level-Of-Service Indicators

The 2010 Highway Capacity Manual (TRB 2010) includes multi-modal performance indicators based on an extensive research program that developed Level-of-Service (LOS) ratings which measure how various facility design factors affects walking, cycling, automobile and public transit travel (Dowling Associates 2008). These include:

- Cycling LOS takes into account the availability of parallel bicycle paths, the number of unsignalized intersections and driveways (because they create conflicts between cyclists and other vehicles), width of outside through lane or bicycle lane (the degree of separation between bicyclists and motor vehicle traffic), motor vehicle traffic volumes and speeds, portion of heavy vehicles (large trucks and buses), the presences of parallel parked cars, grades (hills), and special conflicts such as freeway off-ramps.
- Pedestrian LOS takes into account pedestrian facility crowding, the presence of sidewalks and
 paths, vehicle traffic speeds and volumes, perceived separation between pedestrians and motor
 vehicle traffic (including barriers such as parked cars and trees), street crossing widths, extra
 walking required to reach crosswalks, average pedestrian crossing delay (time needed to wait for
 a gap in traffic or a crosswalk signal), and special conflicts such as multiple free right-turn lanes
 (which tend to be difficult for pedestrians to cross).

Sustainable Transportation Economic Evaluation (www.transpotohealthlink.com/index.html)

The HDR Sustainable Return on Investment (SROI) process assesses the economic, social and envioronmental benefits of a transportation infrastructure project. It includes four phases:

- I. Development of a structured and logical plan (assessment of "how" all the variables and assumptions interact to determine the impact of a project).
- II. Quantifying the input data and assumptions (statistical probability/uncertainty analysis of the project elements).
- III. Risk assessment session with stakeholders (step 2 elements).
- IV. Model Simulation and forecasting results (data modeling of various project scenarios and statistically based probability distributions).

The SROI model promotes transparency, accountability, and efficient use of all social resources necessary to maximize the "triple bottom line" of economic, social and environmental value. In addition, the SROI methodology builds on best practices in Cost-Benefit Analysis and Financial Analysis methodologies, complemented by state-of-the-art Risk Analysis and Stakeholder Elicitation techniques. The SROI process identifies the significant impacts of a project and values these impacts in monetary terms, while accounting for non-monetary benefits and external costs and benefits. The SROI is essentially a feasibility study in conjunction with the monetized value of non-cash costs of environment, community variables and external benefits.

SROI originated from a Commitment to Action to develop a new generation of public decision support metrics for the Clinton Global Initiative (CGI). SROI was developed with, and peer-reviewed, by Columbia University's Graduate School of International Public Affairs and launched at the 2009 CGI annual meeting. The SROI process has been used by HDR to evaluate the monetary value of sustainability programs and projects valued at over \$10 Billion.

Korean Green Growth Index (KOTI 2011)

The *Green Growth Index* is designed to evaluate sustainable development. In includes three transport sector indices, including low-carbon ecofriendliness, energy efficiency and economic activity. These include:

Low Carbon Eco-Friendliness

- Climate change emission rates (per person, vehicle-km, GDP)
- Air pollution emission rates (per person, vehicle-km, GDP, by mode)
- Traffic safety (accident and fatality rates per capita and vehicle)
- Number of people exposed to traffic noise.
- Amount of land devoted to tranpsort facilities (total and per capita)
- Environmental-related law suits.

Energy Efficiency Index

- Total energy consumption rates (total, per capita, by mode and travel activity)
- Fossil fuel consumption rates (total, per capita, by mode and travel activity)
- Renewable fuel consumption (total, per capita, by mode and travel activity)
- Non-motorized travel (per capita and commute mode share)

Economic Activity Index

- Travel activity (person and tonne-kilometers per capita and per GDP)
- Vehicle travel activity (person and tonne-kilometers per capita and per GDP)
- Public transport (seat-kms and passenger-kms)
- Commute duration and distance.
- Average travel speed (by mode and location)
- Average total weekly travel distance (activity range)/person and household
- Congestion delay
- Mode share
- Transport expenses (portion of household budgets and GDP)
- Percentage of household expenditures on road use, parking, transport services, etc.
- GDP/passenger-km, ton-km
- Expenses spent on non-business activities a week per household
- Expenses per non-mandatory activity (won/activity)
- Expenses per trip by transport mode (nonbusiness)
- Change in expenses spent on non-business activities per unit travel distance increase

Index values were calculated for seven Korean cities and ten OECD countries. The summary results rate Sweden top, the U.S. lowest, and Korea eighth. In addition to these current indicators, KOTI is considering additional indicators, including public investments in research and resource-efficient modes and transport safety programs, total social costs of transport, length of road and railroads, number of intermodal terminals, land use accessibility (number of jobs, services and recreational facilities within 30 minutes travel time, and portion of people and jobs within 500 meters of transit stations).

Sustainable and Inclusive Transport: Assessment of Urban Transport Systems (ESCAP 2017)

The Economic and Social Commission for Asia and the Pacific (ESCAP) developed the *Sustainable Urban Transport Index* (SUTI), a tool that can be used for assessment and evaluation of sustainable urban transport systems. The Index is based on a detailed review of existing indicators by the Expert Group Meeting on Planning and Development of Sustainable Urban Transportation Systems held in Kathmandu in 2016, which led to a consolidated concise list of ten indicators that reflect the UN Sustainable Development Goals. These indicators are described in detail with regards to relevance, definitions, measurement units, range of empirical values for normalization, and data sources. The index is calculated and illustrated using data for eight hypothetical cities.

Table 28 Indicators for SUTI (ESCAP 2017)

No	Indicators	Measurement	Weight	Range	
NU	mulcators	units	weight	Min.	Max.
	The extent to which transport plans cover public transport, intermodal facilities and infrastructure				
1	for active modes	0 - 16 scale	0.1	0	16
2	Modal share of active and public transport in commuting	Trips/mode share	0.1	10	90
3	Convenient access to public transport service	Perecentage of population	0.1	20	100
4	Public transport quality and reliability	Percentage satisfied	0.1	30	95
5	Traffic fatalities per 100,000 inhabitants	Number of fatalities	0.1	10	0
6	Affordability – travel costs as part of income	Per cent of income	0.1	35	3.5
7	Operational costs of the public transport system	Cost recovery ratio	0.1	22	100
8	Investment in public transportation systems	Percentage of total investment	0.1	0	50
9	Air quality (PM10)	μg/m3	0.1	150	10
10	Greenhouse gas emissions from transport	CO2 Eq. Tons/capita/year	0.1	2.75	0
	Total		1.00		

Multi-Modal Urban Transportation Performance Indicators (Wilbur Smith 2008)

The study, *Traffic & Transportation Policies and Strategies in Urban Areas in India* developed a *Transport Performance Index* for evaluating urban transport systems and prioritizing improvements in Indian cities. It consists of the following factors:

- Public Transport Accessibility Index (the inverse of the average distance (in km) to the nearest bus stop/railway station (suburban/metro).
- Service Accessibility Index (% of Work trips accessible in 15 minutes time).
- Congestion Index (average peak-period journey speed relative to a target journey speed).
- Walkability Index (quantity and quality of walkways relative to roadway lengths).
- City Bus Transport Supply Index (bus service supply per capita).
- Para-Transit Supply Index (para-transit vehicle supply per capita).
- Safety Index (1/traffic fatalities per 100,000 residents).
- Slow Vehicle (Cycling) Index (availability of cycling facilities and cycling mode share).
- On-street Parking Interference Index (1/(portion of major road length used for on-street parking + on-street parking demand).

Good Examples of Bad Indicator Sets

Sustainability performance indicators may fail in several ways.

- Narrow scope fails to reflect true sustainability. For example, they may measure only fossil fuel
 consumption and climate change emissions, without considering other economic, social and
 environmental impacts.¹
- Inadequate indicators to reflect intended goals. For example, availability of public transit service is just one indicator of the quality of accessibility for disadvantaged populations; others include the quality of walking and cycling conditions, the affordability of bus fares and housing in areas serviced by public transit, and the availability of internet and delivery services to lower-income households.
- Lack a logical structure. For example, some indicator sets include both policies (incentives to choose fuel efficient vehicles) and outcomes (increased fleet fuel efficiency, reduced per capita energy consumption and pollution emissions). Although this may sometimes be appropriate, it is important that the indicator structure recognize these differences and avoid double-counting impacts.
- Considers intermediate objectives rather than outcomes. For example, "miles of bikeways" is
 an intermediary indicator which may fail to achieve the ultimate goal of increasing
 nonmotorized transport activity, since it may result in bikepaths and lanes constructed where
 they are cheapest to build rather than where they would provide the greatest benefits, and it
 overlooks the importance of other strategies that may do more to increase walking and
 cycling activity, such as more accessible land use development, school transport management
 programs, and more efficient transport pricing.
- Based on inappropriate reference units. For example, measuring impacts per vehicle-mile or lane-mile can justify increased vehicle travel or road construction, increasing total transportation problems.
- Fail to clearly define how the indicators are to be interpreted. For example, increased transit ridership may be good if it results from improved service and efficient pricing, but is not necessarily good if it reflects poverty.
- Fail to reflect total and lifecycle impacts. For example, some biofuels increase total climate
 change emissions (depending on feedstocks), and efforts to reduce traffic congestion by
 expanding highway capacity may reduce delays and emissions in the short-run but by
 stimulating sprawl may increase total vehicle travel and emissions over the long-run.

¹ For example, sustainability indicators that focus only on fossil fuel consumption and climate change emissions implies that the transportation system becomes sustainable if motorists shift to biofuels or nuclear-powered electric cars, although this fails to achieve other sustainability objectives such as reduced congestion, accidents and land use sprawl, or improved opportunity for disadvantaged people.

National Academy of Sciences Report

A report, by the U.S. National Academy of Sciences' Committee on Pathways to Urban Sustainability, *Challenges and Opportunities* (NAS 2016) discusses urban sustainability principles, indicators and metrics, evaluates nine cities, and provides a vision for more urban sustainability.

Critique

The table below critiques the report's 14 key indicators. They are incomplete, and some are biased or have little relationship to sustainability performance. For example, there are no indictors of mode share, transport energy consumption, housing affordability, or public health outcomes such as infant death or obesity rates. Annual precipitation, and percent minority populations, provide no useful information for evaluating a city's progress toward sustainability. Distance-based crash indicators ignore the additional crashes caused by increased vehicle travel and the safety benefits of vehicle travel reduction strategies. Some indicators may encourage unsustainable policies. For example, higher electricity prices encourage energy conservation, and home renting is associated with compact development (particularly multi-family housing); if these indicators encourage policy makers to minimize electricity prices or favor single-family housing, they will reduce sustainability.

Table 29 City Indicators (NAS 2016)

Sustainabilty Indicator	Critique
Average Annual Precipitation (inches/year)	Indicates nothing about sustainability and provides no useful information for comparision. Implies that cities located in wetter climates are more sustainable.
Existing Tree Canopy (% of land cover)	A limited indicator. It does not reflect overall impervious surface, and favors older cities in wetter climates.
Roadway Fatalities (per 100 million annual VMT)	Distance-based crash indicators fail to reflect the additional risks resulting from increased vehicle travel and the safety benefits of vehicle travel reductions.
Particulate Matter 2.5 (ppm)	A useful but incomplete pollution indicator.
Residential Carbon Footprint (metric tons of CO2 per capita from residential energy consumption)	Fails to account for non-residential emissions, particularly from transport.
City bond ratings	A poor indicator of overall economic success.
Average Residential Electricity Rate (cents/kWh)	A misguided indicator since energy efficiency generally requires higher energy prices.
Black or African American Hispanic or Latino Asian	It is unclear how this information can be used for sustainable urban planning.
Home Ownership (2009-2013)	A misguided indicator, since compact housing is associated with renting rather than ownership.
High School Graduate (25 or older, 2009-2013)	A useful indicator.
Below Poverty Level	A useful indicator.
Violent Crimes (per 100,000 people)	A useful indicator.

This table critiques the key sustainability indicators used in the NAS study.

An Enviornmental Organization

An unnamed environmental organization proposed the following sustainable transport indicators:

- 1. Air quality index ratings and frequency of air pollution standard violations.
- 2. Number of asthma cases.
- 3. Number of privately owned hybrid and Alterative Fuel Vehicles (AFVs).
- 4. City vehicles that are hybrid or AFV.
- 5. Number of hybrids or AFV taxis.
- 6. Policies to promote purchase and use of hybrid and AFVs, such as parking incentives, tax incentives or permission to use HOV lanes.
- 7. Number of public transit users.
- 8. Trips by foot or bicycle per capita.
- 9. Number of conventional vehicles.
- 10. Carpooling/car sharing program in the city.
- 11. High Occupancy Vehicle (HOV) lanes: percentage of road network.
- 12. Subway or trolley lines or streetcars.
- 13. Per capita vehicle fuel consumption.
- 14. Availability of alternative fuel in the city.
- 15. Availability of transportation to assist disabled people (handydarts etc.)
- 16. Ratio of annual investment in public transport versus private transport infrastructure.
- 17. Ratio of public versus private transport energy use per passenger kilometer.
- 18. Number of school buses.

Critique

Some of these indicators are appropriate but others may promote unsustainable policies. For example, allowing hybrids to use HOV lanes can cause those lanes to become congested so they no longer encourage transit and rideshare use, increasing total energy consumption, pollution emissions, and other transportation problems. Similarly, "Number of school buses" assumes that busing is desirable; while school busing may be better than parents chauffeuring children individually, walking and biking to school is more sustainable overall. High rates of school busing may be an indication of poor land use planning and bad walking and cycling conditions, both of which are unsustainable.

Texas Department of Transportation

The Texas Department of Transportation developed a set of sustainable transportation performance measures for evaluating transportation projects (Zietsman, et al., 2008). But the resulting performance measures, summarized in the following table, reflect a narrow, highway agency perspective. For example, the Travel Rate Index implies that congestion declines if off-peak vehicle mileage increases. Similarly, safety and pollution impacts are based on rates per lane-mile, rather than total or per capita, which implies that crash and pollution problems decline if total lane-miles increase. The goal of expanding economic opportunity only reflects highway project funding and local commercial and industrial land development, it does not reflect broader community economic development objectives such as improving economic opportunity for disadvantaged groups, increased energy efficiency, or more efficient land use development. Although these may be appropriate highway agency performance measures, they fail to reflect the broader perspective and scope required to develop a truly sustainable transportation system.

Table 30 TxDOT Sustainable Transport Performance Measures (Zietsman, et al. 2008)

Goal	Performance Measures
Reduce Congestion	Travel rate index; Buffer index
Enhance Safety	Annual number of crashes per lane mile; Percentage of lane-miles under
	Traffic Management Center (TMC) surveillance
Expand Economic	Percentage of project funding from alternative sources; Percentage of land
Opportunity	within ½-mile of corridor that is zoned as commercial or industrial
Improve Air Quality	Daily oxides of nitrogen (NOx), carbon monoxide (CO), and volatile organic
	compounds (VOC) emissions in grams per lane mile
Increase Value of	TxDOT's Pavement Condition Rating (on scale of 1-100); Percentage of lane-
Transportation Assets	miles that can be added in median; Whether toll-eligible project is being tolled

The Texas DOT' sustainable transportation performance measures reflect a narrow perspective and scope.

Consumer-Based Indicators

Various commercial organizatins such as the Economist Intelligence Unit and international consulting firms rate city livability and affordability to help globally mobile professionals choose where to live, and employers determine fair compensation rates, taking into account costs of living. However, the methods they use are biased because they reflect preferences and consumption practices of higher-income households. For example, international affordability indicators often assume that all households own private automobiles and so ignore the savings provided by multimodal cities where residents reduce their vehicle ownership and expenses. This kind of ranking inevitably privileges the perspectives of certain urban occupants and workers over others (Dasgupta and Prins 2023)

National Transportation Performance Evaluation (Litman 2008)

Hartgen, Chadwick and Field's 2008 report, *Transportation Performance of the Canadian Provinces*, by uses the unique set of 21 indicators shown in the following table to evaluate and compare Canadian provinces' transport system performance. Although some are appropriate and commonly used, others are ambiguous, and a few are illogical (Litman, 2008). For example, their safety (*fatality rate per billion vehicle km*) and congestion indicators (*annual hours of delay per capita*) are widely used, but their roadway indicator (*vehicle kilometers of travel per two-lane kilometer of road*) is ambiguous (a higher value could indicate cost efficiency or inadequate roadway supply and congestion) and inherently favors more urbanized provinces over more rural provinces.

Their highway cost efficiency indicator (provincial expenditures per kilometer of major road) favors provinces with relatively inexpensive, low-quality, low-volume roads, although the results would be reversed if the study used a more logical indicator, provincial expenditures per vehicle-kilometer, which would recognize that the economic value of roads results from their use. Aviation performance indicators (passengers and tonnes of cargo per flight) favor provinces with major airports over those with smaller airports. The road freight efficiency indicator (Total employment per truck border crossing) is ambiguous and rail and marine indicators (Origin tonnes per km of first line track, and Port operator expenditures per tonne handled) ignore differences in the costs of handling different types of freight. For example, it implies that a province that ships more bulk goods (such as aggregates and potash) has a more productive transport system than one that ships higher value manufactured goods.

Table 31 Performance Indicators (Hartgen, Chadwick and Fields 2008)

Mode	Dimension	Measure	Measure weight	Modal weight (trips or tonnes)	Grand weight (trips & tonnes)
Passeng	er				90%
	Traffic Vehicle	km of travel per two-lane km of road	1/8	96.50%	
	Cost	Provincial expenditures per km, major road	1/8		
Highway	Condition	Percent of major roads in fair or poor condition	1/8		
	Access	Travel time to Ottawa	1/8		
	Access	Travel time to US border	1/8		
	Safety	Fatality rate per billion veh-km	1/8		
	Congestion	Annual hours of delay per capita	1/8		
	Access	Avg. round trip commute time	1/8		
Transit	Traffic	Ridership per capita served	1/2	3.24%	
	Cost	Operating cost per trip	1/2		
	Traffic	Passengers per flight	1/2	0.17%	
Air	Safety	Accidents per million passengers	1/2		
Rail		Not evaluated		0.01%	
	Traffic	Government operating cost per	1/2	0.08%	
		passenger			
Marine	Safety	Accidents per million passengers	1/2		400/
Freight	T		T .	l	10%
	Traffic	Tonnes of truck traffic per km of road	1/3	23.80%	
Highway	Safety	Fatal collisions per million tonnes	1/3		
	Trade	Total employment per truck border crossing	1/3		
Air	Traffic	Tonne of cargo per flight	1.0	0.10%	
	Traffic	Origin tonnes per km of first line track	1/2	27.20%	
Rail	Safety	Rail accidents per million originating tonnes			
	Traffic	Port operator expenditures per tonne handled	1/3	48.90	
Marine	Safety	Port expense/revenue ratio	1/3		
	Trade	Shipping accidents per mill. tonnes	1/3		

This table summarizes the performance indicators used by Hartgen, Chadwick and Fields.

The table below critiques these indicators. Their results are useless for planning and management. They imply that increasing motor vehicle travel and freight transport volumes are inherently beneficial in terms of transport system effectiveness and productivity. If applied they would bias decisions to favor mobility over accessibility and automobile travel over other modes. They provide no guidance on public transit service quality, nonmotorized transportation, or factors such as fuel efficiency.

Table 32 Performance Indicator Critique (Litman 2008)

Indicator	Critique (Litman)	Direction of Bias	Grade
Kilometers of vehicle travel	Ambiguous. Could indicate	Favors urban conditions and	D
per two-lane km of road	inadequate road supply.	increased vehicle traffic.	
Provincial expenditures per	Inappropriate. Ignores cost	Favors rural conditions, and	С
major road kilometer	differences due to geographic	cheap, inferior roads.	
	factors and traffic volumes.		
Percent of major roads in fair	Appropriate		Α
or poor condition			
Roadway travel time to	Inappropriate. Miss-represents	Favors central provinces,	F
Ottawa	the concept of access.	particularly Ontario and Quebec.	
Roadway travel time to US	Inappropriate. Miss-represents	Favors southern provinces.	F
border	the concept of access.		
Traffic fatality rate per billion	Mobility-based.	Favors increased motor vehicle	С
vehicle-kms		travel.	
Annual hours of congestion	Appropriate, but data are limited	Favors provinces with few large	В
delay per capita	to a few cities.	cities.	
Average round trip	Inappropriate as a road indicator;	Favors smaller cities and rural	В
commuting time	should apply to all modes.	areas.	
Transit ridership per capita	Appropriate if one of several	Favors larger cities.	В
served	transit quality indicators.	l avois larger cities.	
Transit operating cost per trip	Appropriate.	Favors larger cities.	В
Aviation passengers per flight	Inappropriate. Miss-represents	Favors cities with major airports.	D
	the concept of load factor.		_
Aviation accidents per million	Appropriate.		Α
passengers			_
Government operating cost	Inappropriate. Ignores	Provinces with shorter and	D
per ferry passenger	differences in costs.	cheaper ferry services.	
Accidents per million ferry	Appropriate.		Α
passengers			
Tonnes of truck traffic per km	Ambiguous. Could indicate	Favors urban conditions and	D
of road	inadequate roads.	increased truck shipping volumes.	
Fatal collisions per million	Mobility-based.	Favors increased motor vehicle	В
tonnes		travel.	
Total employment per truck	Inappropriate. Provides	Favors provinces with fewer	F
border crossing	meaningless information.	border crossings.	
Tonne of cargo per flight	Inappropriate. Miss-represents	Favors cities with major airports.	D
	the concept of load factor.		
Origin tonnes per km of first	Ambiguous. Indicates little about	Favors provinces that generate	С
line track	true cost efficiency.	high rail freight volumes.	
Rail accidents per million	Appropriate.		Α
originating tonnes	/ ippropriate:		, ,
Port operator expenditures	Ambiguous. Indicates little about	Favors provinces with cheaper to	D
per tonne handled	true cost efficiency.	handle marine freight.	
Port expense/revenue ratio	Appropriate, but fails to account	Favors provinces that are not	В
For expense/revenue rado	for factors such as investment.		P
Chinning agaidents as a million		currently improving facilities.	
Shipping accidents per million	Fails to account for different	Favors provinces with safer to	В
tonnes	types of freight	handle marine freight.	

This table critiques performance indicators used by Hartgen, Chadwick and Fields. Some are appropriate and commonly used, others are ambiguous, and a few are illogical.

Smarter Cities and Flawed Rankings

Alex Steffen, World Changing, July 16, 2009 (www.worldchanging.com/archives/010154.html)

Smarter Cities is an NRDC project designed to support urban sustainability. It's a good project:

"When thinking about the urban environment, more often than not problems come first to mind. Less commonly thought about is the potential presented by cities, potential to rethink and reshape their environments responsibly. Today urban leaders — mayors, businesses and community organizations — are in the environmental vanguard, making upgrades to transportation infrastructure, zoning, building codes, and waste management programs as well as improving access to open space, green jobs, affordable efficient housing and more. If they succeed in making their cities more efficient, responsible and sustainable, what will result will be smarter places for business and healthier places to live."

The project <u>ranks cities</u> based on criteria such as green buildings, green space and recycling rates. But there's a problem: what's measured tends not to be a good set of indicators of whether these cities are actually improving in any meaningful way. Smarter Cities in particular seems to have gotten the wires crossed between its excellent mission and its flawed measurements.

Seattle, for instance, ranks #1. Living in Seattle, I feel no qualms about probing into how a city with profound sustainability problems managed to make it to the top of a "smart cities" ranking. I can tell you it ain't pretty. Though sustainability itself is a somewhat slippery concept, there are absolutely standards by which we can judge progress, as they mean the same things everywhere, and are pretty good measurements of overall impact. What, for instance, are a city's per capita greenhouse emissions? How many miles do citizens drive? How much water do they use? How much energy? How much waste do they generate? These sorts of numbers actually tell us something about how the people live and their overall impact.

But Smarter Cities counts more easily-measured, but sort of pointless data. For instance, the green building ranking rated the number of Energy Star and LEED buildings in a city, rather than quality of the general building code: so a city like Seattle, where building codes are far behind those of the U.K and Northern Europe, still comes off looking good because it has a few more individual green buildings than other cities. Similarly, "energy production and conservation" was rated by solely by the percentage of green power sources for its electricity, not total direct energy usage (much less total embedded energy usage). This means that a city like Seattle looks great, because of the region's abundance of hydropower, while in fact not being particularly ahead of the curve in any other way.

Or take transportation, which the rankings defined by the percentage of people who use public transport and the number of transportation choices available to the average citizen. Better would have been to compare vehicle miles traveled per capita, which actually measures what's most important, which is how many trips people take in their cars (which drops rapidly with density). The bizarre ranking criteria produced the effect of having Los Angeles come in as greener than New York City, despite the fact that New Yorkers drive far less and produce fewer transportation-related emissions.

For "standard of living," they employ in part the National Association of Home Builders *Housing Opportunity Index*, a flat measurement of the cost of housing compared to wages -- a figure often use to argue for sprawl -- rather than incorporating better understandings of the true cost of living in given communities, such as the Housing and Transportation Affordability Index. Cheap homes don't necessarily mean affordable lives.

The point here is not to pick on Smarter Cities (or Seattle). The point here is that unless we start defining real success (and measuring our progress in light of it), comparative measurements are worse than useless: they can even become a form of greenwashing. I look forward to a city ranking that makes it easier for individuals to measure their own efforts, easier for citizens to judge progress, and easier for cities to set goals that might in fact make them truly bright green place to live.

Livability Objectives and Indicators

Livability refers to the subset of sustainability goals, objectives and impacts that directly affect community members. The table below defines various livability goals and objectives, describes their relationships to livability, and indicates data needs and documents that provide guidance for evaluating them on the *Victoria Transport Policy Institute* website. The Online TDM Encyclopedia has additional information for evaluating and implementing livability objectives and strategies.

Table 33 Livability Objectives and Indicators

Table 33 Livability Objectives and Indicators						
Goal or Objective	Relationship To Livability	Data Needs	Documents			
Accessibility – people's overall ability to access desired goods, services and activities.	Can help achieve economic development and equity goals.	Quality of travel options and accessibility.	Evaluating Accessibility for Transportation Planning			
Active transport – the quality of walking and cycling conditions and the amount of nonmotorized travel activity.	Can help achieve affordability, equity, public fitness and health, and community cohesion goals.	Quality of walking and bicycling conditions.	Evaluating Nonmotorized Transport, (Online TDM Encyclopaedia chapter)			
Affordability –transport and housing expenses as a portion of household budgets.	Can help achieve economic development and equity goals.	Transport costs relative to incomes.	Evaluating Transportation Affordability			
Affordable-accessible housing - lower-priced housing located in accessible areas.	Can help achieve economic development and equity goals.	Availability of affordable housing in accessible areas.	Affordable-Accessible Housing In A Dynamic City			
Community cohesion – the quantity of positive interactions among people in a community	Can help achieve quality of life and public safety goals.	Quality of friendly interactions in a community.	Community Cohesion As A Transport Planning Objective			
Environmental quality – local air, noise and water pollution	Can help achieve local quality of life and public health goals.	Air, noise and water pollution.	Transportation Cost and Benefit Analysis			
Equity –benefits and costs are distributed fairly.	A livability goal.	Various social equity indictors.	Evaluating Transportation Equity			
Local economic development – progress toward a community's economic goals.	A livability goal.	Employment, incomes, business activity and productivity in an area.	Evaluating Transportation Economic Development Impacts			
Public health and safety	A livability goal.	Various health and safety indictors.	If Health Matters			
Smart growth – compact, mixed, multi-modal land use development	Can help achieve equity, economic development, health and environmental quality goals.	Land use development patterns: urban density, mix, expansion, openspace.	Evaluating Transportation Land Use Impacts			
Transport diversity – the quantity and quality of transport options.	Can help achieve economic development and equity goals.	Quality of transport options suitable for various trips and users.	You CAN Get There From Here; Evaluating Transportation Diversity			

This table lists various livability goals and objectives, describes how they relate to livability, and identifies VTPI documents that provide guidance for evaluating them.

The report, *Places in the Making: How Placemaking Builds Places and Communities* identifies various indicators that can be used to evaluate community livability and the success of placemaking efforts, as summarized below.

 Table 34
 Placemaking Indicators (Silberberg, et al. 2013)

Use and Activity	aking Indicators (Silbe Economic Impacts	Public Health and	Social Capital
		Healthy Living	
	Employment rate / gross		Social network mapping
	jobs		Rates of volunteerism
	Indicator businesses (e.g.		Number of community
	concentrations of		meetings related to
Mixed-use index	consumption/socializing-		placemaking project
Daytime use	oriented businesses such as		Number and diversity of community partners
Evening use	Restaurants and bars, as		involved
Weekend use	well as independent		Number and diversity of
Number of 'indicator'	businesses)		people who show up to
users such as families,	Direct (salaries), indirect		community meetings (how
older people, or racial or ethnic mix	(eg chair vendors),		many repeat attendees?)
	Induced (general raise in		Value of in-kind donations
Transit usage stats (bike and transit)	spending based on increase in local HH		Diversity and geographic
Occupied buildings	income) spending		range of financial supporters
Number of public events	Property values		Diversity and geographic
Behavior mapping	Increased tax revenue		range of users of public
Timelapse photography	Change in adjacent		place
Population	business retail sales		Mental maps of residents'
Walkscore	Number of businesses		perceived "territory"
Building conditions (e.g.	Increase in premium in		Number of friends on the streets
façade scores)	property sales (what people are willing to pay	Crime statistics	Number of congregation
How much mentioned in	over the typical in the	Sanitation rating	points on the streets
the press?	area)	Air quality	Most significant change
Online reputation,	Commercial and	Decibel levels	technique
hashtags, Flickr keywords	residential occupancy	Traffic speed	Changes in legislation
Sale and retail adds naming public place as	rates	Traffic counts	Surveys - do you know
amenity ("proximity to")	Increase in median area wages	Baseline public health data: asthma rates, life	neighbors name,
Security perception	Tax liens on buildings or	expectancy, etc.	neighbors pet, how comfortable do you feel
survey	properties in	Living crashes/injury data	disciplining a
User satisfaction survey	adjudication	for pedestrians cars, bikes	neighborhood child, etc

This table lists various indicators that can be used to evaluate placemaking.

Best Practices

The following principles should be applied when selecting transportation performance indicators (Hart 1997; Jeon 2007; Litman 2007; Marsden, et al. 2007; Renne 2009; FHWA 2011):

- *Comprehensive* Indicators should reflect various economic, social and environmental impacts, and various transport activities (such as both personal and freight transport).
- Quality Data collection practices should reflect high standards to insure that information is accurate and consistent.
- Comparable Data collection should be clearly defined and standardized to facilitate comparisons between various jurisdictions, times and groups. For example, "Number of people with good access to food shopping" should specify 'good access' and 'food shopping.'
- *Understandable* Indicators must understandable to decision-makers and the general public. The more information condensed into an index the less meaning it has for specific decisions.
- Accessible and transparent Indicators (and the raw data they are based on) and analysis details should be available to all stakeholders.
- Cost effective Indicators should be cost effective to collect.
- Net effects Indicators should differentiate between net (total) impacts and shifts of impacts to different locations and times.
- Functional select indicators suitable for establishing usable performance targets.

Indicators should be designed to promote behavior and results that are consistent with the desired outcomes. There are different types of indicators: **inputs** (such as per capita public transit service or active transport funding), **outputs** (such as changes in vehicle ownership and use, and mode share) and **outcomes** (such as per capita energy consumption, pollution emissions and accident deaths). It is usually best to include some of each: inputs indicate how well policies and organizations support sustainable transport strategies, output indicate whether programs are effective, and outcomes indicate whether they are overall successful at achieving goals. Avoid indicators that may be biased or manipulated. For example, indicators should generally be reported per capita to avoid favoring larger, smaller, growing or contracting jurisdictions.

Inputs		Outputs		Outcomes
(infrastructure, service and		(Changes in per capita vehicle		(Changes in travel time, fuel
funding levels, such as per	→	ownership and use, and travel	→	consumption, pollution
capita transit service)		activity)		emissions, accidents, etc.)

The table below lists recommended indicator sets grouped into *Most Important* (should usually be used), *Helpful* (should be used if possible) and *Specialized* (should be used to reflect particular needs or objectives). Much of the data required for these indicators may be available through existing sources, such as censuses and consumer surveys, travel surveys and other reports. Some data can be collected during regular planning activities. For example, travel surveys and traffic counts can be modified to better account for alternative modes, and to allow comparisons between different groups (e.g., surveys can include questions to categorize respondents). Some indicators require special data that may require additional resources to collect.

Table 35 Recommended Indicator Sets

Table 35	Recommended Indicator Sets				
	Economic	Social	Environmental		
	Personal mobility (annual person-kilometers and trips) and vehicle travel (annual vehicle-kilometers), by mode	Trip-to-school mode share (nonmotorized travel is desirable)			
Most Important	(nonmotorized, automobile and public transport).	Per capita traffic crash and fatality rates.	Per capita energy consumption, by fuel and		
(Should usually be used)	Freight mobility (annual tonne- kilometers) by mode (truck, rail, ship and air).	Quality of transport for disadvantaged people (disabled, low incomes, children, etc.).	mode. Energy consumption per freight ton-mile.		
	Land use density (people and jobs per unit of land area).	Affordability (portion of household budgets devoted to	Climate change emissions.		
	Average commute travel time and reliability.	transport, or combined transport and housing).	Air pollution emissions (various types), by mode.		
	Average freight transport	Overall transport system satisfaction rating (based on	Air and noise pollution exposure and health impacts.		
	speed and reliability. Per capita congestion costs.	objective user surveys). Universal design (transport	Land paved for transport facilities (roads, parking, ports		
	Total transport expenditures (vehicles, parking, roads and	system quality for people with disabilities and other special	and airports). Stormwater management		
	transit services).	needs).	practices.		
Helpful (Should be used if possible)	Quality (availability, speed, reliability, safety and prestige) of non-automobile modes (walking, cycling, ridesharing and public transit).	Portion of residents who walk or bicycle sufficiently for health (15 minutes or more daily). Portion of children walking or cycling to school.	Community livability ratings. Water pollution emissions. Habitat preservation in transport planning. Use of renewable fuels.		
	Number of public services within 10-minute walk, and job opportunities within 30-minute commute of residents.	Degree cultural resources are considered in transport planning. Housing affordability in	Transport facility resource efficiency (such as use of renewable materials and energy efficient lighting).		
	Portion of households with internet access.	accessible locations. Transit affordability.	Impacts on special habitats and environmental resources.		
	-	nificant impacts, using best currer			
Planning Process	Inclusive (substantial involvement disadvantaged and vulnerable gr	nt of affected people, with special roups are involved).	efforts to insure that		
	Based on accessibility rather tha	n mobility (considers land use and	other accessibility factors).		
	Portion of total transportation c	osts that are efficiently priced.			
Market Efficiency	Neutrality (public policies do not taxes, planning, investment, etc.	arbitrarily favor a particular mode Applies <i>least cost planning</i> .	e or group) in transport pricing,		

This table identifies various sustainable transport indicators ranked by importance and type. For equity analysis these indicators can be disaggregated by demographic group and geographic location.

Some indicators may overlap. For example, several may indicate transport diversity (quality and quantity of travel options, mode share, quality of nonmotorized transport, amount of non-motorized transport, etc.), and cost-based pricing (the degree to which prices reflect full costs) is considered both an economic efficiency and equity/fairness indicator. It may be best to use just one such indicator, or if several similar indicators are used, give each a smaller weight.

Some indicators lack specific performance standards for evaluation. For example, there may be no suitable performance standards for stormwater management or universal design. In that case, input or process indicators may be used which measure how well best stormwater management and universal design practices are included in the planning process.

Indicators can be disaggregated by demographic (income, employment, gender, age, physical ability, minority status, etc.) and geographic factors (urban, suburban, rural, etc.), time (peak and off-peak, day and night), and by mode (walking, cycling, transit, etc.) and trip (commercial, commuting, tourism, shopping, etc.). For equity analysis, special consideration should be given to transport service quality and cost burdens for disadvantaged people (people with disabilities, low incomes, children, etc.). For example, transport system affordability, user satisfaction, safety and pollution exposure can be compared between people with and without disabilities, lower and higher income quintiles, and various age groups. Similarly, special analysis can be applied to *basic access* (transport that society considers high value, such as access to medical services, education, employment, etc.) by measuring how often people are unable to make such trips.

Comprehensive, lifecycle analysis should be used, taking into account all costs and resources used, including production, distribution and disposal. The analysis should indicate if costs are shifted to other locations, times and groups.

These data can be presented in various ways to show trends, differences between groups and areas, comparison with peer jurisdictions or agencies, and levels compared with recognized standards. Overall impacts should generally be evaluated *per capita*, rather than per unit of travel (e.g., per vehicle-mile) in order to take into account the effects of changes in the amount of travel that occurs.

These indicators can be used to establish specific performance targets and contingency-based plans (for example, a particularly emission reduction policy or program is to be implemented if pollution levels reach a specific threshold, or a community will receive a reward for achieving a particular rating or award if it achieves a particular mode shift).

It may be appropriate to use a limited set of indicators which reflect the scale, resources and responsibilities of a particular sector, jurisdiction or agency. For example, a transportation agency might only measure transportation impacts involving the modes, clients and geographic area it serves. Special sustainability analysis and indicators may be applied to freight or aviation sectors.

It is important that users understand the perspectives, assumptions and limitations in different types of indicators and indicator data. Indicators should reflect different levels of impacts, from the decision-making processes; travel effects; intermediate impacts; and ultimate outcomes that affect people and the environment.

Data Quality and Availability

An important consideration in selecting performance indicators is the quality and cost of data. Currently, most jurisdictions collect some transportation-related statistics, such as:

- Person travel (by distance, demographic group and travel type)
- Vehicle ownership (by type)
- Vehicle travel (by type, purpose and location)
- Mode share
- Crashes and casualties (by type)
- Travel speeds and congestion delay
- Land use factors (development density and mix)

- Roadway length and condition
- Railroad length and condition
- Airports
- Transport facility expenditures
- Public transit service quality
- Walking & cycling facility length and condition
- Transport system connectivity (transferability between modes)

- Energy consumption
- Pollution emissions
- Traffic and aircraft noise exposure
- Household transport expenditures
- Mobility options for non-drivers

There is currently little consistency or quality control of these statistics (Boeing, et al. 2022; Bullock 2006; ESCAP 2017b; STI 2008). To be useful, jurisdictions should collect the same statistics, using consistent definitions, and meet minimum data quality standards, so results can be compared between jurisdictions and over time. High quality data reflects the following features:

- Comprehensiveness. An adequate range of statistics should be collected to allow various types of
 analysis. This should be disaggregated in various ways, including by geographic area (particularly
 by urban region), mode and vehicle type and demographic group.
- *Consistency.* The range of statistics, their definitions and collection methodologies should be suitably consistent between different jurisdictions, modes and time periods.
- Accuracy. The methods used to collect statistics are suitably accurate.
- Transparency. The methods used to collect statistics must be accessible for review.
- Frequency. Data should be collected regularly, which may be quarterly, annually, or ever several years, depending on type.
- Availability. Statistics should be readily available to users. As much as possible, data sets should be available free on the Internet in spreadsheet or database format.

Table 34 indicates U.S. indicator data sources. Here is the key to table references:

APTA = American Public Transportation Association Transit Statistics (www.apta.com/research/stats)

BLS = Bureau of Labor Statistics, Consumer Expenditure Survey (www.bls.gov)

BTS = Bureau of Labor Statistics, Transportation Statistics Annual Report (www.bts.gov)

Census = U.S. Census Bureau (www.census.gov)

FHWA = Highway Statistics (www.fhwa.dot.gov/ohim)

HTAI = Housing and Transportation Affordability Index (http://htaindex.cnt.org)

LTS = Local Travel Surveys (www.surveyarchive.org)

NHTSA = National Highway Traffic Safety Administration (www.nhtsa-tsis.net)

NTIA = National Telecommunications and Information Administration (<u>www.ntia.doc.gov</u>)

ORNL = Oak Ridge National Laboratories, *Transportation Energy Book* (www-cta.ornl.gov/data)

TTI = Texas Transportation Institute's Urban Mobility Report (http://mobility.tamu.edu/ums)

Walkscore (www.walkscore.com).

Table 36 Data Sources

ludicates	Data Caurage
Indicator	Data Sources
Economic	
Personal mobility (annual person-kilometers and trips)	
and vehicle travel (annual vehicle-kilometers), by mode	
(nonmotorized, automobile and public transport).	BTS, FHWA and LTS.
Freight mobility (annual tonne-kilometers) by mode	
(truck, rail, ship and air).	BTS, FHWA and LTS.
Land use density (people and jobs per unit of land	
area).	Census
Average commute travel time and reliability.	Census, LTS and TTI
	BTS, FHWA and LTS. See FHWA, 2006 for more
Average freight transport speed and reliability.	discussion of freight performance indicators.
	TTI. (Per capita costs should be used rather than the
Per capita congestion costs.	Congestion Index)
-	BLS (vehicle and transit expenditures), APTA (transit
Total transport expenditures (vehicles, parking, roads	expenditures). Other sources needed for tolls, parking
and transit services).	and other expenditures.
Quality (availability, speed, reliability, safety and	LTS and APTA. Other sources needed to improve
prestige) of non-automobile modes (walking, cycling,	multi-modal performance indicators, particularly for
ridesharing and public transit).	non-motorized modes (walking and cycling).
Number of services within 10-minute walk, and job	, , , ,
opportunities within 30-minute commute of residents.	Walkscore, Census, LTS and regional GIS analysis.
Portion of households with internet access.	Census, NTIA
Social	
Trip-to-school mode share (nonmotorized preferred)	LTS. This may require special survey questions.
Per capita traffic crash and fatality rates.	FHWA, NHTSA, APTA
Quality of transport for disadvantaged people (disabled,	
low incomes, children, etc.).	LTS. This generally requires special survey questions.
Affordability (portion of household budgets devoted to	<u> </u>
transport, or combined transport and housing).	BLS, HTAI, LTS
Overall transport system satisfaction rating (based on	
objective user surveys).	LTS. This generally requires special survey questions.
Universal design (transport system quality for people	, , , , , , , , , , , , , , , , , , , ,
with disabilities and other special needs).	LTS. This generally requires special survey questions.
Portion of residents who walk or bicycle sufficiently for	
health (15 minutes or more daily).	LTS. This generally requires special survey questions.
Portion of children walking or cycling to school.	LTS. This generally requires special survey questions.
Degree cultural resources are considered in transport	
planning.	Requires special analysis of planning process.
Housing affordability in accessible locations.	HTAI, Local GIS analysis
·	
Transit affordability.	APTA, LTS

Environmental	
Per capita energy consumption, by fuel and mode.	FHWA, LTS. Requires special analysis of fares.
Energy consumption per freight ton-mile.	ORNL, FHWA
Climate change emissions.	ORNL, LTS, local, regional or state energy data.
Air pollution emissions (various types), by mode.	LTS, with local, regional or state emission data.
Air and noise pollution exposure and health impacts.	Local, regional or state air quality data.
Land paved for transport facilities (roads, parking, ports and airports).	Special GIS Analysis. See Woudsma, Litman and Weisbrod (2006) for methodology.
Stormwater management practices.	Requires special analysis.
	Requires special analysis. See examples of community
Community livability ratings.	livability and quality ratings in this report.
Water pollution emissions.	Local, regional or state water quality data.
Habitat preservation in transport planning.	Requires special analysis of planning process.
Use of renewable fuels.	ORNL, LTS, local, regional or state fuel data.
Transport facility resource efficiency (such as use of	
renewable materials and energy efficient lighting).	Requires special analysis.
Impacts on special habitats and environmental	
resources.	Requires special analysis.

This table indicates potential sources of sustainable transportation indicators data in the U.S.

This indicates that data are available for most sustainable transportation indicators. Some indicators require special questions to be incorporated into local travel surveys (LTS), data at new geographic scales (such as more local or regional reporting), or special analysis of available data, but only a few indicators require totally new data collection. This indicates that with improved planning and coordination (for example, establishing standardized definitions and survey questions, and making data available at a finer geographic scale), sustainable transportation performance evaluation will require few additional costs, and can help improve the overall quality of transportation related statistics, that is, it will provide value to many types of transportation and land use planning, regardless of whether it is intended for sustainable transport planning.

Outside the U.S., transport-related statistics are generally more limited and less standardized (ESCAP 2017b). Some international data sets are listed below, but none are as comprehensive, consistent, frequent or available as those in the U.S.

International Road Federation (www.irfnet.org)

Millennium Cities and Mobility In Cities Database (www.uitp.org/publications/MCD2-order)

National Transit Database (www.ntdprogram.gov)

OECD Transport Statistics (www.oecd.org)

International Transport Forum (www.internationaltransportforum.org)

International Association of Public Transport (www.uitp.org).

Some organizations, such as the OECD (www.sourceoecd.org/factbook) and the European Union (http://ec.europa.eu/energy/publications/statistics/statistics en.htm) provide international transportation-related data, and a few countries, particularly the United Kingdom (www.dft.gov.uk/transtat) and Australia (www.btre.gov.au) collect and make available data sets, but they are often unsuited to comparisons between different jurisdictions and countries.

Examples

AARP Livability Index (https://livabilityindex.aarp.org)

The American Association of Retired Persions' (AARP) Livability Index is a web-based tool to measure community livability. Users can search the Index by address or community to find an overall livability score, which is based on seven major livability categories: housing, neighborhood, transportation, environment, health, engagement, and opportunity. Users also can customize the Index to place higher or lower emphasis on these livability features. The Livability Index website provides resources to help consumers and policymakers use livability scores to effect change in their communities.

The index incorporates the following factors:

- · Housing Affordability and access
- Neighborhood Proximity and Security
- Transportation Safety and Convenience
- Environment Clean Air and Water
- Engagement Civic and Social Involvement
- Health Prevention, Access and Quality
- Opportunity Inclusion and Possibilities

Growing GreenLITES (www.nysdot.gov/programs/greenlites)

Greenlites (Green Leadership In Transportation Environmental Sustainability) is a self-certification program developed by the New York State Department of Transportation that distinguishes transportation projects and operations based on the extent to which they incorporate sustainability and livability objectives. NYSDOT project designs and operations are evaluated for sustainable practices and based on the total credits received, an appropriate certification level is assigned. The rating system recognizes varying certification levels, with the highest level going to designs and operational groups that clearly advance the state of sustainable transportation solutions. It uses a detailed spreadsheet that rates individual projects according to a wide variety of best practices.

Best Walking and Cycling Communities

Various organizations publish rankings such as the "Ten Most Walkable Cities" or "Ten Most Bikable Cities." These can be useful if they encourage communities to improve walking and bicycling conditions. However, such ratings are often incomplete or biased, based on easily available information or recent media coverage. They can also be counter-productive – for example, if large cities like New York and San Franciso rank highest, many people will think, "Our community cannot be successful." Rather than identifying "best" communities it is often better to rate "most improved," recognizing that even relatively disadvantaged areas can often improve. Ratings should generally be based on comparisons with peer communities; for example, large cities compared with large cities, college towns with other college towns, and suburbs with suburbs.

A balanced index includes some *inputs* (e.g., the quality of pedestrian and bicycle planning); some *outputs* (the degree to which the plans are implemented), and some *outcomes* (per capita walking and cycling trips, growth in the use of these modes, reductions in VMT, changes in pedestrian and cycling casualty rates, etc.). It is also useful to include a *leadership* category which recognizes innovative policies and programs.

Table 37 Walkable and Bikeable Community Indicators

Indicator	How Measured
Pedestrian Plan	Does the jurisdiction have a plan? What quality? How well is it being implemented?
Bike Plan	Does the jurisdiction have a plan? What quality? How well is it being implemented?
Multi-Modal transport planning	Does the jurisdiction apply multi-modal evaluation to all transport planning decisions? Does it use multi-modal level-of-service ratings?
Active transport funding	How does pedestrian and bicycle program funding compare with active transport mode share targets. For example, if the target is 15% of trips by walking and cycling, is 15% of the total transport budget devoted to improving these modes?
Complete streets policies	Does the jurisdiction have complete streets policies which insure that walking and cycling are considered in all roadway planning? How well are they being implemented?
Smart growth policies	Does the jurisdiction have complete streets policies which encourages more compact, walkable development? How well are they being implemented?
Affordable- accessible housing	Does the jurisdiction encourage the development of affordable housing in walkable, bikeable, transit-oriented neighborhoods?
Active mode shares	What portion of total trips in the region are by walking and cycling, and is this growing.
Active mode safety	What portion of crash casualties are pedestrians and cyclists, and is this declining?
Leadership	What innovative policies and programs is the jurisdiction implementing.

Various indicators should be used to rate and compare a community for walkability and bikability.

Oregon Sustainability Plan (www.oregon.gov/ODOT/SUS)

In 2000, Oregon Governor Kitzhaber enacted an Executive Order that promoted sustainability in state government operations. In 2001, the state legislature passed the Oregon Sustainability Act, which set objectives for state agencies in conducting their internal operations and external missions and created the Oregon Sustainability Board to provide oversight to sustainability efforts in the state. Subsequent executive orders have expanded the scope of state agency sustainability planning and initiatives and encouraged sustainability practices in universities, local governments and the private sector.

As a result, the Oregon Department of Transportation developed a Sustainability Plan which responds to these mandates and to the challenges facing ODOT's internal operations and Oregon's transportation system. It includes short-term goals to be achieved by 2012 and long-term goals to be achieved by 2030. Based on this analysis framework, the Plan concludes that:

- The state's primary opportunity to sustain and improve access to goods, services, activities, and destinations is in strategically developing the multimodal transportation system while at the same time optimizing the highway system and supporting clean, efficient, alternative-fueled vehicles to use it. The emphasis should be on meeting people's and businesses' needs in the most efficient way. The state should improve ways to achieve accessibility and ensure that when travel is necessary, it is as efficient and sustainable as possible.
- As the state agency responsible for providing a safe, efficient transportation system in the state, ODOT
 has a key role in responding to the transportation challenges and in considering sustainable
 transportation solutions. ODOT directly controls some solutions such as traffic signal timing and access
 management on state highways, and funds some projects that meet sustainable transportation
 objectives such as bicycle and pedestrian facilities and public transportation for the elderly and
 disabled. Other projects require partnering with other state agencies, regional and local governments
 or the private sector. For example, ODOT partners with local governments to support public
 transportation, bicycle and pedestrian facilities intercity passenger bus and rail services.

Sustainable Mobility Support (Arguello, de Sousa and Jimenez 2020)

This research defines a set of indicators, grouped in different dimensions, as a tool for the assessment of sustainability in mobility systems suitable for emerging cities. These include indicators of environmental quality, human health, economy, social goals, operational efficiency, governance, mobility system effectiveness, and land use impacts.

CalTrans Strategic Management Plan 2015-2020

The <u>CalTrans Strategic Management Plan 2015-2020</u> (CalTrans 2015) includes detailed performance indicators in the following categories:

- Safety and Health: Provide a safe transportation system for workers and users and promote health through active transportation and reduced pollution in communities. The safety of our workers and the users of California's transportation system is our number one priority. The most important attribute of a transportation system is that it is safe for users and can be planned, designed, built, maintain and operated safely. Our transportation system has measurable effects on the health of Californians. This is manifest by the impact of emissions from the transportation system, and the health benefits of active transportation programs.
- Stewardship and Efficiency: Money counts. Responsibly manage California's transportationrelated assets. As stewards of a transportation system that is vital to the economy and livability of our state, Caltrans is committed to the most effective and efficient use of every transportation dollar. Caltrans will keep California's transportation system in the best condition possible and advocate for adequate resources.
- Sustainability, Livability and Economy: Make long-lasting, smart mobility decisions that
 improve the environment, support a vibrant economy, and build communities, not sprawl.
 Sustainability is a central element of our new Mission. Caltrans has chosen to define
 sustainability as the consideration of these three areas:
 - People fostering community health and vitality,
 - Planet preserving and restoring environmental and ecological systems,
 - Prosperity promoting economic development. Over time, sustainability elements will be incorporated into all Caltrans programs, policies, processes, projects, plans, and procedures.
- System Performance: Utilize leadership, collaboration, and strategic partnerships to develop
 an integrated transportation system that provides reliable and accessible mobility for
 travelers. A transportation system must be safe, well-maintained, and high-performing.
 System Performance is managed on a regional and corridor basis. We must work with our
 partners to ensure the State's transportation system is contributing to an efficient and
 interconnected network.
- Organizational Excellence: Be a national leader in delivering quality service through excellent employee performance, public communication, and accountability. A world-class transportation system requires a worldclass staff to plan, design, build, maintain, operate, and manage it. Significant achievements can, and will, be accomplished with a capable, educated, welltrained, and motivated workforce equipped with the right tools and resources.
 Caltrans is committed to providing its staff with these tools and resources.

The table below summarizes the Plan's sustainability, livability and economy performance indicators.

Table 38 Sustainability, Livability and Economy Performance Indicators

	bility, Livability and Economy Pe Performance Measures	
Strategic Objectives	Performance Measures	Targets
PEOPLE: Improve the quality of life for all Californians by providing mobility choice, increasing accessibility to all modes of transportation and creating transportation corridors not only for conveyance of people, goods, and services, but also as livable public spaces.	Percentage increase of non-auto modes for: Bicycle Pedestrian Transit Accessibility Score. (To be determined considering e.g., multimodal transportation proximity to jobs, disadvantaged communities, housing services, transit-oriented communities, etc.)	By 2020, increase non-auto modes: • Triple bicycle; • Double pedestrian; and • Double transit. (2010-12 California Household Travel survey is baseline.) By December 2016, develop and adopt Caltrans Accessibility Score.
	Livability Score. (To be determined considering, e.g., quality of life, noise, safety, localized emissions, environmental justice, etc.) Percentage of top 25 priority corridor	By December 2016, develop and adopt Caltrans Livability Score.
	system master plans completed to enhance sustainability of transportation system. (Priority corridors to be determined considering: mobility, freight, highways, transit, rail, bike, pedestrian, aviation, etc.)	By 2017, complete corridor system plans for all State routes. By 2020, complete top 25 corridor system management plans.
PLANET: Reduce environmental impacts from the transportation system with emphasis on supporting a statewide reduction of greenhouse gas emissions to achieve 80% below 1990 levels by 2050.	Per capita vehicle miles traveled. (Reported statewide by District.) Percent reduction of transportation system-related air pollution for: • Greenhouse gas (GHG) emissions • Criteria pollutant emissions Percent reduction of pollutants from Caltrans design, construction, operation, and maintenance of transportation infrastructure and building for: • Greenhouse gas (GHG) emissions • Criteria air emissions • Water pollution Percent increase in transportation	By 2020, achieve 15% reduction (3% per year) of statewide per capita VMT relative to 2010 levels reported by District. 15% reduction (from 2010 levels) of GHG to achieve 1990 levels by 2020. 85% reduction (from 2000 levels) in diesel particulate matter emissions statewide by 2020. 80% reduction (from 2010 levels) in NOx emissions in South Coast Air Basin by 2023. By 2020, reduce Caltrans' internal operational pollutants by District from 2010 levels (from planning, project delivery, construction, operations, maintenance, equipment, and buildings) including: 15% reduction by 2015 and 20% reduction by 2020 of Caltrans' GHG emissions per EO-B-18-12. 10% reduction in water pollutants. By 2020, 85% reduction (from 2000 levels) in diesel particulate matter emissions statewide. By 2023, 80% reduction (from 2010 levels) in NOx emissions in South Coast Air Basin.
	projects that include green infrastructure. Weighting mechanism to be developed.	incorporating green infrastructure into transportation projects relative to 2010 levels.

PROSPERITY: Improve economic prosperity of the State and local communities through a resilient and integrated transportation system	Prosperity score. Score to be determined considering, e.g., gross State/ regional product, freight system competitiveness, transportation system efficiency, return on transportation investment, etc	By 2016, develop and adopt Caltrans prosperity score.
	Freight System Efficiency. Improve freight system efficiency to enhance freight competitiveness and support a sustainable, low emissions freight system.	By 2020, 10% increase in freight system efficiency.
	Resiliency Score for: Climate change resiliency (e.g., vulnerability to flood, sea level rise, etc.) System resiliency (e.g., adaptability from emergencies, disasters, etc.) Financial resiliency (e.g., ensure funding considering maintenance, operations, modernization, disasters, financial stability, etc.) Resiliency Score to be determined considering, e.g., asset management, emergency and risk management, climate change, sea level rise, vulnerability, adaptation, etc.) Reduction of resource consumption	By December 2017, develop and adopt Caltrans Resiliency Score.
	by: • Reduction of materials taken to landfills (reduction of virgin materials used, reuse of existing materials for construction, recycling of building, construction, and roadside trash) • Reduction of potable water use	By 2020, reduce resource consumption from 2010 levels by District: • 15% reduction of materials taken to landfills • 15% reduction of potable water use

The CalTrans Strategic Management Plan 2015-2020 includes these sustainability, livability and economy performance indicators

Bicycling and Walking in the U.S.: Benchmarking Reports (AWB 2014)

The U.S. Alliance for Biking & Walking recognized the inadequacy of comprehensive and accessible data on active transportation (walking and cycling) activity and conditions. In response it has produced bi-annual <u>Bicycling and Walking in the U.S.: Benchmarking Reports</u> which include detailed information on the amount of walking and cycling that occurs in various geographic areas (cities, states, for the U.S. overall, plus some international data for comparision), government planning and funding practices, costs and benefits, and examples of successful active transportation development programs.

State Highway Corridor Planning (Zhang 2013)

The Maryland State Highway Administration developed a Model Of Sustainability and Integrated Corridors (MOSAIC) to evaluate the mobility, safety, socioeconomic and environmental stewardship impacts of various highway improvement options (adding general purpose lanes, converting at grade intersections to grade separated interchanges, high occupancy vehicle lane, high occupancy toll lane, bus rapid transit/bus-only lane, light rail transit,

truck-only lane, express toll lane, and lane removal) on U.S. 29. The analysis quantified various impacts which were aggregated into scores for mobility, safety, socioeconomics, natural resources, energy and fuel, and implementation costs.

Transportation Agency Practices (Booz Allen Hamilton 2014)

The report, Sustainability as an Organizing Principle for Transportation Agencies, describes how sustainability can be incorporated into transportation agency practices. It discusses various definitions of sustainability, trends in sustainable transportation analysis, and their implications for transport planning. The figure below summarizes various levels of transportation evaluation which culminate in comprehensive sustainability planning.




Figure 4 Scope of Sustainability Analysis

According to this analsyis, transportation agencies must expand their goals and scope of analysis in order to help support a more sustainable society.

Transport Emission Evaluation (Robertson, Jägerbrand and Tschan (2015)

This report investigate the needs and gaps in developing country's ability to measure, report and verify the emission reductions of transportation policies and projects. The study reviewed the general and transportation-specific data availability, requirements and methodologies used by national and international organizations for evaluating the emission impacts of transportation policies and projects in developing countries.

The study concludes that traffic and transportation impact evaluation is a complex and demanding process, and the potential for misinterpretation of results is significant. Furthermore, it seems the project-based evaluations often apply excessively short analysis periods. Other challenges relate to institutional roles and responsibilities, the availability of personal and financial resources, and the knowledge and perspectives applied. Based on these findings the report recommends further development of transport-related climate mechanisms towards a more sectoral and transformational perspective.

Conclusions

Indicators are things we measure to evaluate progress toward goals and objectives. Such indicators have many uses: they can help identify trends, predict problems, assess options, set performance targets, and evaluate a particular jurisdiction or organization. Indicators are equivalent to senses (sight, hearing, touch, smell, taste) – they can help determine how problems are defined and which impacts receive attention. An activity or option may seem good and desirable when evaluated using one set of indicators, but harmful when evaluated using another. It is therefore important to carefully select indicators that reflect overall goals. It is also important to be realistic when selecting indicators, taking into account data availability, understandability and usefulness in decision-making.

Although there are many possible definitions of sustainability, sustainable development and sustainable transport, experts increasingly agree that these refer to balancing economic, social and environmental goals. Comprehensive and sustainable transport planning therefore requires a set of indicators that reflects appropriate economic, social and environmental goals and impacts. An indicator set that focuses too much on one impact category can result in suboptimal decisions. It is important that users understand the perspectives, assumptions and limitations of each indicator. Sustainable transportation indicators can include:

- Planning process the quality of analysis used in planning decisions.
- Options and incentives whether consumers have adequate travel options and incentives to use the most efficient option for each trip.
- Travel behavior Vehicle ownership, vehicle travel, mode share, etc.
- Physical impacts pollution emission and crash rates, land consumption, etc.
- Human and environmental impacts illnesses and deaths, environmental degradation, etc.
- Economic effects monetized estimates of economic costs, reduced productivity, etc.
- Performance targets degree to which stated targets are achieved.

There is tension between convenience and comprehensiveness when selecting indicators. A smaller index using easily available data is more convenient to use, but may overlook important impacts and therefore distort planning decisions. A larger set can be more comprehensive but have unreasonable data collection costs and be difficult to interpret.

Although there are currently no standardized sustainable transport data or indicator sets, considerable progress is being made in defining how indicators should be defined and selected. Individual jurisdiction and organization should choose indicators based on their specific needs and abilities. It will be useful for major planning and professional organizations to standardize transportation data collection practices and established recommended sustainable transport indicator sets suitable for various planning applications.

The table below summarizes sustainable transport goals, objectives and performance indicators.

Table 39 Key Sustainable Transport Goals, Objectives and Indicators

Table 39 Key Si Sustainability Goals	ustainable Transport Goals, Obje Objectives	Performance Indicators	
Sustainability Goals	<u> </u>		
	I. Econom		
		Per capita GDP and income. Parties of budgets deveted to the parties.	
	Transport system efficiency.	Portion of budgets devoted to transport.	
	Transport system integration.	Per capita congestion delay. Ffficient pricing (road position incompany final atc)	
Face and a second continue.	Maximize accessibility.	Efficient pricing (road, parking, insurance, fuel, etc). Efficient pricing in the string of the string o	
Economic productivity	Efficient pricing and incentives.	Efficient prioritization of facilities (roads and parking).	
Farmania davalannant	Francis and business development	Access to education and employment opportunities.	
Economic development	Economic and business development	Support for local industries.	
	Minimize energy costs, particularly	Per capita transport energy consumption	
Energy efficiency	petroleum imports.	Per capita use of imported fuels.	
		Availability and quality of affordable modes.	
	All residents can afford access to basic	Portion of low-income households that spend more	
Affordability	(essential) services and activities.	than 45% of budgets on housing and transport.	
		Performance audit results.	
Efficient transport	Efficient operations and asset management	Service delivery unit costs compared with peers.	
operations	maximizes cost efficiency.	Service quality.	
	II. Social		
	Transport system accommodates all users,	Transport system diversity.	
	including those with disabilities, low	Portion of destinations accessible by people with	
Equity / fairness	incomes, and other constraints.	disabilities and low incomes.	
		 Per capita traffic casualty (injury and death) rates. 	
		Traveler crime and assault rates.	
	Minimize risk of crashes and assaults, and	Human exposure to harmful pollutants.	
Safety, security and health	support physical fitness.	Portion of travel by walking and cycling.	
	Help create inclusive and attractive	Land use mix.	
	communities. Support community	Walkability and bikability	
Community development	cohesion.	Quality of road and street environments.	
Cultural heritage	Respect and protect cultural heritage.	 Preservation of cultural resources and traditions. 	
preservation	Support cultural activities.	Responsiveness to traditional communities.	
	III. Environmen	tal	
	Reduce global warming emissions		
Climate protectin	Mitigate climate change impacts	• Global air pollution emissions (CO ₂ , CFCs, CH ₄ , etc.).	
	Reduce air pollution emissions	• Local air pollution emissons (PM, VOCs, NOx, CO, etc.).	
Prevent air pollution	Reduce exposure to harmful pollutants.	Air quality standards and management plans.	
Prevent noise pollution	Minimize traffic noise exposure	Traffic noise levels	
Protect water quality and		Per capita fuel consumption.	
minimize hydrological	Minimize water pollution.	Management of used oil, leaks and stormwater.	
damages	Minimize impervious surface area.	Per capita impervious surface area.	
	Minimize transport facility land use.	 Per capita land devoted to transport facilities. 	
Openspace and	Encourage compact development.	Support for smart growth development.	
biodiversity protection	Preserve high quality habitat.	Policies to protect high value farmlands and habitat.	
IV. Governance and Planning			
		Clearly defined goals, objectives and indicators.	
	Planning process efficiency.	Availability of planning information and documents.	
	Integrated and comprehensive analysis.	Portion of population engaged in planning decisions.	
	Strong citizen engagement.	Range of objectives, impacts and options considered.	
Integrated, comprehensive	Lease-cost planning (the most beneficial	Transport funds can be spent on alternative modes	
and inclusive planning	projects are implemented).	and demand management if most beneficial overall.	

This table summarizes sustainability goals, objectives and performance indicators.

Acknolwedgments

Thanks to Marc Brenman, and members of the TRB Sustainable Transportation Indicators Subcommittee for valuable contributions and feedback on this report.

References and Resources

AARP Livability Index (https://livabilityindex.aarp.org), developed by the American Association of Retired Persions (AARP) Public Policy Institute calculates an overall livability score for U.S. communities based on seven major livability categories: housing, neighborhood, transportation, environment, health, engagement, and opportunity.

ABW (2014), *Bicycling and Walking in the U.S.: Benchmarking Reports*, Alliance for Biking & Walking (www.peoplepoweredmovement.org); at www.peoplepoweredmovement.org/benchmarking.

ACEEE (2010), Where Has All the Data Gone?, American Council for an Energy-Efficient Economy (www.aceee.org); at http://aceee.org/pubs/e101.htm.

APHA (2010), *The Hidden Health Costs of Transportation: Backgrounder*, American Public Health Association (www.apha.org); at www.apha.org/advocacy/reports/reports.

Juan Camilo Medina Arguello, Jorge Pinho de Sousa and Edgar Ramiro Jimenez (2020), "Defining and Prioritizing Indicators to Assess the Sustainability of Mobility Systems in Emerging Cities," in book: Advances in Mobility-as-a-Service Systems (DOI: 10.1007/978-3-030-61075-3_60). Also see, A Decision Support System for Policy Design and Assessment of Sustainable Mobility in Emerging Cities (https://repositorio-aberto.up.pt/handle/10216/129564).

ASLA (2009), *Guidelines and Performance Benchmarks*, The Sustainable Sites Initiative, American Society of Landscape Architects (www.sustainablesites.org); at www.sustainablesites.org/report/The%20Case%20for%20Sustainable%20Landscapes 2009.pdf and www.sustainablesites.org/report/Guidelines%20and%20Performance%20Benchmarks 2009.pdf

ATC (2009), The Way Forward: Australian Transportation Data Action Network Strategic Research And Technology Working Group, Australian Transport Council (www.atcouncil.gov.au); draft at www.ntc.gov.au/filemedia/Publications/StratImportTransportDataRepMar09.pdf.

Stefan Bakker, Mark Zuidgeest, Heleen de Coninck and Cornie Huizenga (2014), "Transport, Development and Climate Change Mitigation: Towards an Integrated Approach," *Transport Reviews*, www.tandfonline.com/doi/full/10.1080/01441647.2014.903531.

Philip Barham, Samantha Jones and Maja van der Voet (2012), *State of the Art of Urban Mobility Assessment*, Quality Management tool for Urban Energy Efficient Sustainable Transport (QUEST), Executive Agency for Competitiveness and Innovation, European Commission (https://ec.europa.eu/energy/intelligent/projects/en/projects/quest.

Timothy Beatley (1995), "The Many Meanings of Sustainability," *Journal of Planning Literature*, Vol. 9, No. 4, May, pp. 339-342.

Binghamton University (2016), "Economic Concerns Drive Sustainability In American Cities, Towns," *ScienceDaily*; at www.sciencedaily.com/releases/2016/04/160425143304.htm.

Geoff Boeing, et al. (2022), "Using Open Data and Open-Source Software to Develop Spatial Indicators of Urban Design and Transport Features for Achieving Healthy and Sustainable Cities," *The Lancet Global Health*, Vol. 10, No. 6 (www.thelancet.com/pdfs/journals/langlo/PIIS2214-109X(22)00072-9.pdf.

Daniel Bongardt, Dominik Schmid, Cornie Huizenga and Todd Litman (2011), *Sustainable Transport Evaluation: Developing Practical Tools for Evaluation in the Context of the CSD Process*, Commission on Sustainable Development, United Nations Department Of Economic And Social Affairs (www.un.org); at www.un.org/esa/dsd/resources/res_pdfs/csd-19/Background%20Paper%2010%20-%20transport.pdf.

Booz Allen Hamilton (2014), Sustainability as an Organizing Principle for Transportation Agencies, Strategic Issues Facing Transportation Volume 4, NCHRP 750, TRB (www.trb.org/Environment/Blurbs/170762.aspx.

Loeiz Bourdic, Serge Salat and Caroline Nowacki (2012), "Assessing Cities: A New System of Cross-Scale Spatial Indicators," *Building Research & Information, Special Issue: Spatial And Temporal Scales In Sustainability*, Vol. 40, Issue 5, pp. 592-605 (DOI: 10.1080/09613218.2012.703488).

Graham Bullock (2006), Stakeholders and the Development of National Environmental Indicators: Case Studies from the Sustainable Roundtables, EPA, and Heinz Center, Kennedy School of Government Environment; at http://tinyurl.com/jvv8hpf.

CalTrans (2008), *Transportation System Performance Measures* (TSPM), California Department of Transportation (www.dot.ca.gov/hq/tsip/index.php).

CalTrans (2015), *CalTrans Strategic Management Plan 2015-2020*, California Department of Transportation (www.dot.ca.gov); at www.dot.ca.gov/perf/library/pdf/Caltrans Strategic Mgmt Plan 033015.pdf.

Cambridge Systematics (2009), *Performance Measurement Framework for Highway Capacity Decision Making*, Strategic Highway Research Program Report S2-C02-RR, TRB (www.trb.org); at http://onlinepubs.trb.org/onlinepubs/shrp2/shrp2 S2-C02-RR.pdf.

CCAP (2010), *Data & Capacity Needs for Transportation NAMAs*, Center for Clean Air Policy (www.ccap.org/index.php?component=programs&id=35.

Report 1: Data Availability (http://tinyurl.com/kegop5a)

Report 2: Data Selection (www.ccap.org/docs/resources/972/Transport NAMA Data Selection.pdf)

Report 3: Capacity-Building Needs (http://tinyurl.com/k76c4xy).

CE Delft (2006), Transport and Environment: Facing a Dilemma: TERM 2005: Indicators Tracking Transport and Environment in the European Union, European Environment Agency (http://reports.eea.eu.int/eea_report_2006_3/en/term_2005.pdf).

Center of Excellence for Sustainable Development (<u>www.sustainable.doe.gov</u>) is a US Department of Energy program that supports more resource efficient development.

Centre for Sustainable Transportation (CST) (<u>www.centreforsustainabletransportation.org</u>) is a Canadian research institute dedicated to encouraging more sustainable transportation policy.

Center for Sustainability (www.c4s.info), Transportation Research Laboratory (www.trl.co.uk).

Center for Transportation Excellence (http://environment.transportation.org) is an AASHTO program that supports more environmentally responsible and sustainable transport planning.

Clifford Cobb, Ted Halstead and Jonathan Rowe (1999), *The Genuine Progress Indicator*, Redefining Progress (<u>www.rprogress.org</u>).

COST 356 (2005), *Towards a Measurable Environmentally Sustainable Transport* (http://cost356.inrets.fr) developed indicators for environmentally sustainable transport.

Criterion Planners (2014), A Global Survey of Urban Sustainability Rating Tools, presented at the Global Symposium on Urban Sustainability Rating Tools; at http://crit.com/wp-content/uploads/2014/09/criterion planners sustainability ratings tool.pdf.

CST (2005), *Defining Sustainable Transportation*, Centre for Sustainable Transportation (http://cst.uwinnipeg.ca); at http://cst.uwinnipeg.ca/documents/Defining Sustainable 2005.pdf.

Herman Daly and John Cobb (1989), For the Common Good, Beacon (www.beacon.org).

Shreyashi Dasgupta and Annemiek Prins (2023), "City Liveability Rankings Tell a Biased Story – Our Research in Dhaka Explains Why," *The Conversation* (https://theconversation.com); at https://theconversation.com/city-liveability-rankings-tell-a-biased-story-our-research-in-dhaka-explains-why-208262.

Distillate (www.distillate.ac.uk) is a project to develop practical sustainability evaluation tools.

DFID (various years), *Social Benefits in Transport Planning*, UK Department for International Dev. (www.transport-links.org/transport_links/projects/projects_document_page.asp?projectid=322), includes documents on comprehensive transport project evaluation.

Frank Dixon (2004), Gross National Happiness: Improving Unsustainable Western Economic Systems, GNH Conference in Thimphu, Centre for Science and Environment (www.cseindia.org)

Frederick C. Dock, Ellen Greenberg and Mark Yamarone (2012), "Multimodal and Complete Streets Performance Measures in Pasadena, California," *ITE Journal* (www.ite.org), Vol. 82/1, pp. 33-37; at www.ite.org/membersonly/itejournal/pdf/2012/JB12AA33.pdf.

Richard Dowling, et al. (2008), *Multimodal Level Of Service Analysis For Urban Streets*, NCHRP Report 616, Transportation Research Board (www.trb.org); at https://trb.org/news/blurb_detail.asp?id=9470.

Dowling (2010), *CompleteStreetsLOS: Multi-Modal Level-of-Service Toolkit*, Dowling Associates (www.dowlinginc.com/completestreetslos.php).

Brian Dudson (1998), "When Cars are Clean and Clever: A Forward-looking View of Sustainable and Intelligent Automobile Technologies," *Transportation Quarterly*, Vol. 52, No. 3, pp. 103-120.

George C. Eads (2003), *Indicators of Sustainable Mobility*, World Business Council for Sustainable Development (www.wbcsd.org).

EC (2020), Sustainable Urban Mobility Indicators (SUMI), European Commission (https://ec.europa.eu); at https://ec.europa.eu/transport/themes/urban/urban_mobility/sumi_en. Sustainable Urban Mobility Indicators (SUMIs) are a comprehensive set of practical and reliable indicators developed by the European Commission to help cities evaluate their mobility system and measure improvements that result from new mobility practices or policies.

ECMT (2004), Assessment and Decision Making for Sustainable Transport, European Conference of Ministers of Transportation and the OECD (www.oecd.org); at http://internationaltransportforum.org/pub/pdf/04Assessment.pdf.

EDRG (2007), Monetary Valuation Per Dollar Of Investment In Different Performance Measures, American Association of State Highway and Transportation Officials (AASHTO) Standing Committee on Planning (www.transportation.org); at http://tinyurl.com/ooblqpf.

EEA (2001), Indicators Tracking Transport and Environment Integration in the European Union, European Environment Agency (http://reports.eea.eu.int/term2001/en/term2001.pdf), 2001.

EEA (2002), Are We Moving In The Right Direction?: Indicators On Transport And Environment Integration In The EU, European Environment Agency (www.eea.europa.eu); at http://tinyurl.com/nkanjxj.

Environmental National Sustainability Index (<u>www.yale.edu/esi</u>), Environmental Performance Measurement Project.

EPA (2003), *Green Community Checklist*, U.S. Environmental Protection Agency (www.epa.gov/region03/greenkit/gccheck.htm).

ESCAP (2017), Monograph Series on Sustainable and Inclusive Transport: Assessment of Urban Transport Systems, Report 2795, Economic and Social Commission for Asia and the Pacific (www.unescap.org); at https://bit.ly/2DKIKuQ.

ESCAP (2017b), Sustainable Urban Transport Index: Data Collection Guideline, Economic and Social Commission for Asia and the Pacific (www.unescap.org); at https://bit.ly/2WofTCK.

EU Mobility and Transport (https://ec.europa.eu/transport/facts-fundings/statistics_en) provides statistical information and research reports on transportation facilities, funding, activity and impacts for European Union countries. The EU Transport Scorecard (http://ec.europa.eu/transport/facts-fundings/scoreboard) provides information for comparing and evaluating transport system performance for each country.

Lisa Fabish and Peter Haas (2011), "Measuring the Performance of Livability Programs," *Transportation Research Record 2242*, Transportation Research Board (<u>www.trb.org</u>), pp. 45-54; at http://trid.trb.org/view.aspx?id=1092254.

FDOT (2002), *Quality/Level of Service Handbook*, Florida Department of Transportation (www11.myflorida.com/planning/systems/sm/los/los_sw2.htm).

FDOT (2012), Expanded Transportation Performance Measures to Supplement Level of Service (LOS) for Growth Management and Transportation Impact Analysis, Florida Department of Transportation (www.dot.state.fl.us/research-center/Completed Proj/Summary PL/FDOT BDK77 977-14 rpt.pdf.

Federal Statistical Office Germany (2005), Sustainable Development Indicators And Accounting: Two Separate Worlds Or A Dialogue Process By Statisticians, Politicians And Modellers? Statistics Division, Department Of Economic And Social Affairs, United Nations (http://unstats.un.org/unsd/envAccounting/ceea/meetings/prelim7.pdf).

FHWA (2002), *Environmental Performance Measures Report* US Department of Transportation (wwwcf.fhwa.dot.gov/environment/perform/index.htm).

FHWA (2004), *Environmental Guidebook*, Federal Highway Administration (http://environment.fhwa.dot.gov/guidebook/index.htm).

FHWA (2006), Freight Performance Measurement: Travel Time in Freight-Significant Corridors, Office of Freight Management and Operations, Federal Highway Administration, USDOT at http://ops.fhwa.dot.gov/freight/freight analysis/perform meas/fpmtraveltime/index.htm#2005data.

FHWA (2010), Sustainable Highways Self-Evaluation Tool, U.S. Federal Highway Administration (www.fhwa.dot.gov); at www.sustainablehighways.org.

FHWA (2010), *Livability in Transportation Guidebook: Planning Approaches that Promote Livability*, FHWA-HEP-10-028, Federal Highway Administration. USDOT (www.fhwa.dot.gov); at www.fhwa.dot.gov/livability/case studies/guidebook.

FHWA (annual reports), *Highway Statistics*, FHWA, USDOT (www.fhwa.dot.gov/policy/ohpi/hss/hsspubs.cfm).

FHWA (2011), *Transportation Planning for Sustainability Guidebook*, Federal Highway Administration (www.fhwa.dot.gov); at www.fhwa.dot.gov/hep/climate/resources.htm#sustain.

FHWA and FTA (2002), *Transportation & Environmental Justice: Effective Practices*, Federal Highway Administration, Federal Transit Administration, FHWA-EP-02-016 (www.fhwa.dot.gov/environment/ej2.htm).

Gerardo W. Flintsch (2008), "Sustainable Transportation Infrastructure Management," Environmentally Conscious Transportation (Myer Kutz, Ed.), Wiley Series in Environmentally Conscious Engineering (www.wiley.com), pp. 257-282.

David J. Forkenbrock and Glen E. Weisbrod (2001), *Guidebook for Assessing the Social and Economic Effects of Transportation Projects*, NCHRP Report 456, TRB, (www.trb.org).

HUD-DOT-EPA (2010), *Interagency Partnership for Sustainable Communities*, U.S. Housing and Urban Development, Department of Transportation and Environmental Protection Agency (www.epa.gov/dced/partnership/index.html).

Daniel Gilbert (2006), Stumbling on Happiness, Vintage Press.

Richard Gilbert, Neal Irwin, Brian Hollingworth and Pamela Blais (2003), Sustainable Transportation Performance Indicators, Centre for Sustainable Transportation (http://cst.uwinnipeg.ca).

Billie Giles-Corti, et al. (2022), "Creating Healthy and Sustainable Cities: What Gets Measured, Gets Done, *The Lancet*, Vo. 10/6, pp. E782-E785 (https://doi.org/10.1016/S2214-109X(22)00070-5).

Global City Indicators (<u>www.cityindicators.org</u>) provides an established set of city indicators with a globally standardized methodology that allows for global comparability of city performance and knowledge sharing.

Global Reporting Initiative (<u>www.globalreporting.org</u>) is an international organization to develop, promote, and disseminate standard framework for sustainability reporting.

Global Footprint Network (www.footprintnetwork.org) supports use of Ecological Footprint analysis to evaluate human demands on nature and nature's capacity to meet these demand.

GPI (2008), *GPI Transportation Accounts: Sustainable Transportation in Halifax Regional Municipality*, GPI Atlantic (www.gpiatlantic.org); at www.gpiatlantic.org/pdf/transportation/hrmtransportation.pdf.

Greenroads (www.greenroads.org) is a sustainability rating system for roadway design and construction, suitable new, reconstruction and rehabilitation and bridge projects. It is a collection of sustainability best practices, called *credits*. Achieving credits earns points toward an overall project score that indicates the roadway's sustainability.

GRI (2006), Sustainable Reporting Guidelines, Global Reporting Initiative (www.globalreporting.org).

Paul Michael Grimley (2006), *Indicators of Sustainable Development in Civil Aviation*, Dissertation, Loughborough University (http://dspace.lboro.ac.uk/dspace/handle/2134/2755).

Chris A. Hale (2011), "New Approaches To Strategic Urban Transport Assessment," *Australian Planner*, Vol. 48/3, 173-182; abstract at http://dx.doi.org/10.1080/07293682.2011.592505.

Henrik Gudmundsson (2001), *Indicators and Performance Measures for Transportation, Environment and Sustainability in North America*, National Environmental Research Institute, Roskilde, Denmark (www.dmu.dk/1_viden/2_Publikationer/3_arbrapporter/default.asp).

Henrik Gudmundsson (2003), "Making Concepts Matter: Sustainable Mobility And Indicator Systems In Transport Policy" *International Social Science Journal* (www.blackwell-synergy.com/rd.asp?code=issj&goto=journal), Vol. 55, No. 2, Issue 176, June 2003, pp. 199-217.

Evan Gwee, Graham Currie and John Stanley (2008), "Evaluating Urban Railway Development Projects – An International Comparison," *Australian Transport Research Forum* (www.patrec.org); at www.patrec.org/web docs/atrf/papers/2008/1677 ATRF08%201-1%20Gwee.pdf.

Ralph Hall (2006), *Understanding and Applying the Concept of Sustainable Development to Transportation Planning and Decision-Making in the U.S.*, PhD Dissertation, Massachusetts Institute of Technology (http://esd.mit.edu/students/esdphd/dissertations/hall_ralph.pdf).

Ralph P. Hall and Joseph M. Sussman (2007), *Promoting the Concept of Sustainable Transportation Within The Federal System – The Need To Reinvent the U.S. DOT*, TRB Annual Meeting (www.trb.org); at http://esd.mit.edu/wps/esd-wp-2006-13.pdf.

Happy Planet Index (<u>www.happyplanetindex.org</u>). This indicator system developed by Friends of the Earth multiplies indicators of *Life Satisfaction* times *Life Expectancy*, dividing by *Ecological Footprint* (resource consumption) to indicate overall resource efficiency.

Daniel Hardy (2011), "Sustainability 101: A Primer for ITE Members," *ITE Journal* (www.ite.org/itejournal), Vol. 81, No. 4, April, pp. 28-34.

Maureen Hart (1997), Evaluating Indicators: A Checklist for Communities, Johnson Foundation (www.johnsonfdn.org/spring97/indicators.html).

Maureen Hart (1999), *Guide to Sustainable Community Indicators*, Sustainable Measures (www.sustainablemeasures.com).

David T. Hartgen, Claire G. Chadwick and M. Gregory Fields (2008), *Transportation Performance of the Canadian Provinces*, Fraser Institute (www.fraserinstitute.org); at www.fraserinstitute.org/researchandpublications/publications/6266.aspx.

HDR (2012), Sustainable Return on Investment (SROI) Model, HDR Decision Economics (www.hdrinc.com); at www.transpotohealthlink.com/sustainable-return-on-investment.html.

Jim Helmer and Jim Gough (2010), "Best Practices in Sustainable Transportation," *ITE Journal* (www.ite.org), Vol. 80. No. 3, pp. 26-35.

Theunis F. P. Henning, Sugandree Muruvan, Wanhua A. Feng and Roger C.Dunn (2011), "The Development of a Benchmarking Tool for Monitoring Progress Towards Sustainable Transportation in New Zealand," *Transport Policy*, Vol. 18, pp. 480–488 (www.sciencedirect.com/science/article/pii/S0967070X10001368).

Wolfgang S. Homberger, et al. (2001), *Fundamentals of Traffic Engineering*, Institute of Transportation Studies, University of California, Berkeley (www.its.berkeley.edu); at www.its.berkeley.edu/publications/fundamentals.html.

I-CE (2009), Towards People Oriented Indicators For Accessibility, Road Safety And Environment, Contribution to UNEP's Share the Road project, Interface for Cycling Expertise (www.cycling.nl).

Ubaid Illahi and Mohammad Shafi Mir (2020), "Development of Indices for Sustainability of Transportation Systems: A Review of State-of-the-art," *Ecological Indicators*, Vo. 118(7):106760 (DOI: 10.1016/j.ecolind.2020.106760)

Institute for Sustainable Infrastructure (www.sustainableinfrastructure.org) is a non-profit corporation founded to develop and deliver a civil engineering infrastructure sustainability rating systems.

International Society for Ecological Economics (http://kabir.umd.edu/ISEE/ISEEhome.html) is a professional organization.

ISC (1997), What is a Sustainable Community?, Institute for Sustainable Communities (www.iscvt.org); at www.iscvt.org/what we do/sustainable community.

ITE (1999), Transportation Planning Handbook, ITE (<u>www.ite.org</u>).

ITE (2023), VMT as a Metric for Sustainability, Institute of Transportation Engineers (www.ite.org); at https://ecommerce.ite.org/imis/ItemDetail?iProductCode=IR-154-E.

ITF (2016), Safer City Streets: Methodology for Developing the Database and Network, International Transport Forum (www.itf-oecd.org); at www.itf-oecd.org/node/20527.

Jansson, et al (1994), *Investing in Natural Capital: The Ecological Economics Approach to Sustainability*, International Society for Ecological Economics, Island Press (www.islandpress.org).

Christy Mihyeon Jeon, Adjo A. Amekudzi and Jorge Vanegas (2006), "Transportation System Sustainability Issues in High-, Middle-, and Low-Income Economies: Case Studies from Georgia, U.S., South Korea, Colombia, and Ghana," *Journal of Urban Planning and Development*, Vol. 132, No. 3, 1 September; at http://knowledge.fhwa.dot.gov/cops/pm.nsf/B/KMMM6TH69J.

Christy Jeon, Adjo Amekudzi and Randall Guensler (2008), *Sustainability Assessment at the Transportation Planning Level: Performance Measures and Indexes*, TRB (www.trb.org) Annual Meeting.

Christy Mihyeon Jeon (2007), *Incorporating Sustainability Into Transportation Planning And Decision Making: Definitions, Performance Measures, And Evaluation*, PhD Dissertation, School of Civil and Environmental Engineering, Georgia Institute of Technology; at http://etd.gatech.edu/theses/available/etd-11132007-195934/unrestricted/jeon_mihyeon_c_200712_phd.pdf.

Robert A. Johnston (2008), "Indicators for Sustainable Transportation Planning," *Transportation Research Record 2067*, Transportation Research Board (www.trb.org), pp. 146 – 154; at http://pubs.its.ucdavis.edu/publication_detail.php?id=1260.

Robert Journard and Henrik Gudmundsson (2010), *Indicators Of Environmental Sustainability In Transport: An Interdisciplinary Approach To Methods*, INRETS (http://cost356.inrets.fr/pub/reference/reports/Indicators EST May 2010.pdf.

Robert Joumard, Henrik Gudmundsson and Lennart Folkeson (2011), "Framework for Assessing Indicators of Environmental Impacts in the Transport Sector," *Transportation Research Record 2242*, Transportation Research Board (www.trb.org), pp. 55-63; summary at https://trid.trb.org/view.aspx?id=1091651.

Matthew Karlaftis and Konstantinos Kepaptsoglou (2012), *Performance Measurement in the Road Sector: A Cross-Country Review of Experience*, International Transport Forum (www.internationaltransportforum.org): at http://internationaltransportforum.org/jtrc/DiscussionPapers/DP201210.pdf.

Jeffrey Kenworthy (2008), "Transport Heaven and Hell," *ITS Magazine*, February; at www.industry.siemens.de/traffic/EN/NEWS/ITSMAGAZINE/HTML/0802/fokus_1.html.

Kaydee Kirk, et al. (2010), Framework for Measuring Sustainable Regional Development for the Twin Cities Region, University of Minnesota Center for Urban & Regional Affairs and Center for Transportation Studies (www.cts.umn.edu); at www.cts.umn.edu/Publications/ResearchReports/pdfdownload.pl?id=1328.

KOTI (2011), *Toward an Integrated Green Transportation System in Korea*, Korea Transport Institute (http://english.koti.re.kr); at http://english.koti.re.kr/board/report/download.asp?code=koti&record idx=10&type=normal

Lisa Kraus and Heike Proff (2021), "Sustainable Urban Transportation Criteria and Measurement—A Systematic Literature Review," *Sustainability*, Vo. 13(13):7113 (DOI: 10.3390/su13137113).

Todd Litman (1999), "Reinventing Transportation; Exploring the Paradigm Shift Needed to Reconcile Sustainability and Transportation Objectives," *Transportation Research Record 1670*, Transportation Research Board (www.trb.org), pp. 8-12; at www.vtpi.org/reinvent.pdf.

Todd Litman (2003), "Measuring Transportation: Traffic, Mobility and Accessibility," *ITE Journal* (www.ite.org), Vol. 73, No. 10, October 2003, pp. 28-32, at Victoria Transport Policy Institute website (www.vtpi.org/measure.pdf.

Todd Litman (2004a), Efficient Vehicles Versus Efficient Transportation: Comparing Emission Reduction Strategies, VTPI (www.vtpi.org); at www.vtpi.org/cafe.pdf.

Todd Litman (2004), *Socially Optimal Transport Prices and Markets*, VTPI (<u>www.vtpi.org</u>); at www.vtpi.org/sotpm.pdf.

Todd Litman (2006a), *Community Cohesion as a Transport Planning Objective*, Victoria Transport Policy Institute (www.vtpi.org/tca); at www.vtpi.org/cohesion.pdf.

Todd Litman (2006b), *Mobility as a Positional Good: Implications for Transport Policy and Planning*, VTPI (www.vtpi.org); at www.vtpi.org/prestige.pdf.

Todd Litman (2007), "Developing Indicators for Comprehensive and Sustainable Transport Planning," *Transportation Research Record 2017*, TRB (www.trb.org), pp. 10-15; at www.vtpi.org/sus-tran-ind.pdf.

Todd Litman (2008), A Good Example of Bad Transportation Performance Evaluation: Critique of, "Transportation Performance of the Canadian Provinces", Victoria Transport Policy Institute (www.vtpi.org); at www.vtpi.org/per_ind.pdf.

Todd Litman (2009), *Evaluating Transportation-Related Data Quality*, Paper P09-1327, Presented at the Transportation Research Board Annual Meeting (<u>www.trb.org</u>).

Todd Litman (2009), Transportation Cost and Benefit Analysis, VTPI (www.vtpi.org/tca).

Todd Litman (2010), "Resource Consumption Externalities," *Transportation Cost and Benefit Analysis*, Victoria Transport Policy Institute (www.vtpi.org/tca/tca/512.pdf.

Todd Litman (2010), Sustainability and Livability: Summary of Definitions, Goals, Objectives and Performance Indicators, Victoria Transport Policy Institute (www.vtpi.org); at www.vtpi.org/sus_liv.pdf.

Todd Litman (2013a), "The New Transportation Planning Paradigm," *ITE Journal* (<u>www.ite.org</u>), Vol. 83, June, pp. 20-28; at <u>www.vtpi.org/paradigm.pdf</u>.

Todd Litman (2013b), *Safer Than You Think! Revising the Transit Safety Narrative*, Paper 13-4357, Transportation Research Board 2013 Annual Meeting (www.trb.org); at www.vtpi.org/safer.pdf.

Todd Litman (2013c), *Toward More Comprehensive and Multi-modal Transport Evaluation, JOURNEYS* (www.ltaacademy.gov.sg/journeys.htm), September 2013, pp. 50-58; at www.vtpi.org/comp_evaluation.pdf.

Todd Litman (2021), *Our World Accelerated: How 120 Years of Transportation Progress Affects Our Lives and Communities*, Victoria Transport Policy Institute (www.vtpi.org); at https://vtpi.org/TIEI.pdf.

Todd Litman (2022), *Evaluating Transportation Equity*, Victoria Transport Policy Institute (www.vtpi.org); at www.vtpi.org/equity.pdf.

Todd Litman (2023), *Are Vehicle Travel Reduction Targets Justified?*, Victoria Transport Policy Institute (www.vtpi.org); at www.vtpi.org/vmt_red.pdf.

Todd Litman and David Burwell (2006), "Issues in Sustainable Transportation," *International Journal of Global Environmental Issues*, Vol. 6, No. 4, pp. 331-347; at www.vtpi.org/sus iss.pdf.

Todd Litman and Tom Rickert (2005), Evaluating Public Transit Accessibility: 'Inclusive Design' Performance Indicators For Public Transportation In Developing Countries, Victoria Transport Policy Institute (www.vtpi.org).

Greg Marsden (2007), *Defining and Measuring Progress Towards a Sustainable Transport System*, TRB Annual Meeting, University of Leeds; at www.vtpi.org/sustain/Marsden_STI.pdf.

Greg Marsden, Mary Kimble, Charlotte Kelly and John Nellthorp (2007), *Appraisal of Sustainability in Transport*, Institute for Transport Studies, University of Leeds (www.its.leeds.ac.uk); at www.its.leeds.ac.uk/projects/sustainability/project outputs.htm.

Greg Marsden, Mary Kimble, John Nellthorp, Charlotte Kelly and Karen Lucas (2007), *Progress In Assessing the Sustainability of Transport Strategies*, 11th World Conference on Transport Research, Berkeley, California (www.wctrs.org).

Anthony Dormer May and Mary Crass (2007), Sustainability in Transport: Implications for Policy Makers, *Transportation Research Record 2017* (www.trb.org), pp. 1-9.

Anthony May, et al. (2008), *Improving The Collection And Monitoring Of Urban Travel Data: An International Review*, Transportation Research Board Annual Meeting (www.trb.org).

Voula Mega and Jørn Pedersen (1998) *Urban Sustainability Indicators*, European Foundation For The Improvement Of Living And Working Conditions (http://eurofound.europa.eu/pubdocs/1998/07/en/1/ef9807en.pdf.

Wendy Mendes, Clare Mochrie and Meg Holden (2007), *Resource Guide On Social Sustainability For Municipalities & Their Partners*, Sustainable Region Initiative (www.metrovancouver.org/about/sri); at www.rvu.ca/2007/06/01/municipal-engagement-strategy-on-social-sustainability.

Michael D. Meyer (2005), "Use of Performance Measures for Surface Transportation in Different Institutional and Cultural Contexts: Cases of Australia, Japan and New Zealand," *Transportation Research Record* 1924, TRB (www.trb.org), pp. 163-174.

John Miller (2008), *Potential Performance Measures to Assess Transportation and Land Use Coordination*, Transportation Research Board 87th Annual Meeting (www.trb.org).

NAS (2016), *Pathways To Urban Sustainability Challenges and Opportunities for the United States*, Committee on Pathways to Urban Sustainability, National Academy of Sciences (www.nas.org); at www.nap.edu/catalog/23551/pathways-to-urban-sustainability-challenges-and-opportunities-forthe-united.

NARC (2012), *Livability Literature Review: A Synthesis of Current Practice*, National Association of Regional Councils (www.narc.org) and the U.S. Department of Transportation; at http://narc.org/wp-content/uploads/Livability-Report-FINAL.pdf.

National Center for Sustainable Transportation (http://ncst.ucdavis.edu), at the University of California, Davis, funded by the U.S. Department of Transportation, performs research on sustainable transportation policies and technologies.

Natural Step (<u>www.naturalstep.org</u>) uses a science-based, systems framework to help organizations and communities work toward sustainability.

NEF (2009), The Happy Planet Index 2.0: Why Good Lives Don't Have to Cost the Earth, New Economics Foundation (www.happyplanetindex.org/learn/download-report.html.

NRDC (2009), *Smarter Cities*, National Resources Defense Council (<u>www.nrdc.org</u>); at http://smartercities.nrdc.org/rankings/scoring-criteria.

J. P. Nicolas, P. Pochet and H. Poimboeuf (2003), "Towards Sustainable Mobility Indicators: Application to the Lyons Conurbation," *Transport Policy*, Vol. 10 (www.elsevier.com/locate/tranpol), pp. 197-208.

NRTEE (1996), *Draft Canadian Government Sustainable Transportation Principles*, National Round Table on Environment and Economy, presented at the OECD International Conference, Vancouver Canada, 24-27 March 1996; at www.ecoplan.org/vancouvr/stprincp.htm.

NRTEE (2001), *Environment and Sustainable Development Indicators Initiative*, National Round Table on the Environment and Economy (www.nrtee-transportation.com/ (<a hr

OECD (1998), Environmentally Sustainable Transport: Report on Phase II of the OECD Project: Volume 1 Synthesis Report Organization of Economic Coordination and Development (www.oecd.org).

OECD (2000), *Project on Environmentally Sustainable Transport (EST)*, Organization of Economic Coordination and Development (www.oecd.org/env/trans), produced *EST Guidelines*, www.oecd.org/env/ccst/est).

OECD (2001), OECD Environmental Indicators 2001: Towards Sustainable Development, Organization of Economic Coordination and Development (www.oecd.org).

ODOT (2008), *Sustainability Plan*, Oregon Department of Transportation (www.oregon.gov/ODOT); at www.oregon.gov/ODOT/SUS/docs/Sustain Plan Volume1.pdf.

OECD (2015), *The Metropolitan Century: Understanding Urbanisation and its Consequences*, Organization for Economic Cooperation and Development (www.oecd.org); at http://dx.doi.org/10.1787/9789264228733-en.

PCT (2011), Measuring Transportation Investments: The Road to Results, Pew Charitable Trusts and The Rockefeller Foundation (www.pewtrusts.org); at www.pewtrusts.org/uploadedFiles/www.pewtrustsorg/Reports/State_policy/Transportation_Report_2011.pdf.

Pembina Institute (2001), Alberta GPI Blueprint Report, Pembina Institute (www.pembina.org).

Jürgen Perschon (2012), Sustainable Mobility: Recommendations for Future-Proof Transport Strategies, Development and Peace Foundation (www.sef-bonn.org); at http://cleanairinitiative.org/portal/sites/default/files/slocat/SEF_Paper_Perschon_English_0.pdf.

Post Opening Project Evaluation (POPE) of Major Schemes (www.highways.gov.uk/our-road-network/post-opening-project-evaluation-pope/post-opening-project-evaluation-pope-of-major-schemes) is a UK Highway Agency program that evaluates the extent to which major projects achieve their intended objectives, and identify lessons learnt which can inform future planning.

PROSPECTS (2001), *Cities' Decision-Making Requirements*, Procedures for Recommending Sustainable Planning for European Cities and Transport Systems (www-ivv.tuwien.ac.at/projects/prospects/Deliverables/pr del 1.pdf).

PSUTA (2006), *Indicators of Sustainable Transport*, Partnership for Sustainable Urban Transport in Asia (www.cleanairnet.org); at www.cleanairnet.org/caiasia/1412/article-60110.html.

John Pucher and Ralph Buehler (2009), "Sustainable Transport that Works: Lessons from Germany," World Transport Policy and Practice, Vol. 15, No. 1, May, pp. 13-46 (www.eco-logica.co.uk/pdf/wtpp15.1.pdf).

Tara Ramani (2009), Developing Sustainable Transportation Performance Measures for TxDOT's Strategic Plan – Technical Report, Texas Transportation Institute (http://tti.tamu.edu) for the Texas Department of Transportation; at http://tti.tamu.edu/documents/0-5541-1.pdf.

Tara Ramani, Josias Zietsman, Henrik Gudmundsson, Ralph P. Hall and Greg Marsden (2011), "Framework for Sustainability Assessment by Transportation Agencies," *Transportation Research Record 2242*, Transportation Research Board (www.trb.org), pp. 9-18; summary at http://trb.metapress.com/content/q66g57v31l4w3460.

D. Rees, E. Masari and S. Appleton-Dyer (2020), *Transport Impacts on Wellbeing and Liveability: Literature Summary*, Research Report 669, NZ Transport Agency (www.nzta.govt.nz); at www.nzta.govt.nz/resources/research/reports/669.

REFIT (http://refit.bouw.tno.nl/intro.htm) (REFinement and test of sustainability Indicators and Tools), is a European program to provide information on sustainable transport evaluation tools.

Revision (http://revision.lewis.ucla.edu/?mc_cid=6d7654de44&mc_eid=b8e4b2304e) is a regional mapping, analysis and visualization program integrates a range of public and private data and performance indicators suitable for sustainable community evaluation.

John Renne (2009), "Evaluating Transit-Oriented Development Using a Sustainability Framework: Lessons from Perth's Network City," in *Planning Sustainable Communities*, Sasha Tsenkova, ed., University of Calgary, pp. 115-148; at www.vtpi.org/renne_tod.pdf.

Kerstin Robertson, Annika K. Jägerbrand and Georg F. Tschan (2015), *Evaluation of Transport Interventions in Developing Countries*, Report 855A, VTI (www.vti.se); at www.vti.se/en/publications/pdf/evaluation-of-transport-interventions-in-developing-countries.pdf.

Caroline Rodier and Margot Spiller (2012), *Model-based Transportation Performance: A Comparative Framework and Literature Synthesis*, Report 11-09, Mineta Transportation Institute (www.transweb.sjsu.edu/PDFs/research/2805-Model-based-transportation-performance.pdf.

Collin Roughton, et al. (2012), *Creating Walkable and Bikeable Communities: A User Guide to Developing Pedestrian and Bicycle Master Plans*, Center for Transportation Studies at Portland State University (www.ibpi.usp.pdx.edu); at www.ibpi.usp.pdx.edu/media/IBPI%20Master%20Plan%20Handbook%20FINAL%20(7.27.12).pdf.

RP (2006), The Community Indicators Handbook, Redefining Progress (www.rprogress.org).

Stuart Sambert, Alon Bassok and Shawna Holman (2011), "Method for Evaluation of Sustainable Transportation," *Transportation Research Record 2242*, Transportation Research Board (www.trb.org), pp. 1-8; at http://amonline.trb.org/12kiju/1.

Philipp Schepelmann, Yanne Goossens and Arttu Makipaa (2010), *Towards Sustainable Development: Alternatives to GDP for Measuring Progress*, Wuppertal Institute (www.wupperinst.org); at www.wupperinst.org/en/publications/entnd?beitrag id=1313.

Bethany Schilleman and Jim Gough (2012), "Sustainability in Your Words," *ITE Journal* (<u>www.ite.org</u>), Vol. 82, No. 5, May, pp. 20-24; at www.ite.org/membersonly/itejournal/pdf/2012/JB12EA20.pdf.

Bethany L. Schilleman, James W. Gough and Daniel K. Hardy (2013), *Sustainable Transportation: State of Practice Review; Informational Report*, Institute of Transportation Engineers (www.ite.org).

Lee Schipper, Herbert Fabian and James Leather (2009), *Transport and Carbon Dioxide Emissions:* Forecasts, Options Analysis, and Evaluation, Asian Development Bank (www.adb.org); at www.adb.org/documents/papers/adb-working-paper-series/ADB-WP09-Transport-CO2-Emissions.pdf.

SCN (2007), *Measuring Progress*, Smart Communities Network (www.smartcommunities.ncat.org/measuring/mparttoc.shtml).

Susan Shaheen, et al. (2016), Moving Toward a Sustainable California: Exploring Livability, Accessibility & Prosperity, UC Berkeley Transportation Sustainability Research Center (http://innovativemobility.org) for the California Department of Transportation; at http://innovativemobility.org/wp-content/uploads/Caltrans-Scores-White-Paper-Final.pdf.

Susan Silberberg, Katie Lorah, Rebecca Disbrow and Anna Muessig (2013), *Places in the Making: How Placemaking Builds Places And Communities*, Department of Urban Studies and Planning, Massachusetts Institute of Technology; at http://dusp.mit.edu/cdd/project/placemaking.

SLOCAT (2021), An Urgent Call for Radical Transport Climate Action to Accelerate Implementation of Sustainable Development Goal 13, Sustainable Low Carbon Transportation (SLOCAT) Partnership (https://slocat.net/slocat.net/an-urgent-call-for-radical-transport-climate-action-to-accelerate-implementation-of-sdg-13.

Sperlings Best Places (www.bestplaces.net) evaluates communities based on various attributes.

STAR Community Index (www.icleiusa.org/sustainability/star-community-index) is a strategic planning and performance management system that offers local governments guidance for improving community sustainability.

StatsCan (2005), Canadian Environmental Sustainability Indicators, Statistics Canada (www.statcan.ca/english/freepub/16-251-XIE/16-251-XIE2005000.htm).

Alex Steffen (2009), "Smarter Cities and Flawed Rankings," World Changing, 16 July 2009 (www.worldchanging.com/archives/010154.html.

STI (2008), Sustainable Transportation Indicators: A Recommended Program to Define a Standard Set of Indicators for Sustainable Transportation Planning, Sustainable Transportation Indicators Subcommittee (ADD40 [1]), TRB (www.trb.org); at www.vtpi.org/sustain/sti.pdf.

Brad Strader (2012), "Performance Metrics for Plans, Projects, and Planners," *ITE Journal* (www.ite.org), Vol. 82/1, pp. 31-32; www.ite.org/membersonly/itejournal/pdf/2012/JB12AA31.pdf.

Robert Steuteville (2016), "What is a Livable Community, Anyway?," *Pubic Square*, Congress for New Urbanism (www.cnu.org/publicsquare/2016/10/25/what-livable-community-anyway.

SUM4all (2017), *Global Mobility Report 2017*, Sustainable Mobility for All (http://sum4all.org/publications/global-mobility-report-2017.

SUM4all (2019), Global Roadmap of Action Toward Sustainable Mobility, Sustainable Mobility for All (http://sum4all.org); at https://sum4all.org/gra.

SM4All (2021), Sustainable Mobility: Policy Making for Data Sharing, Sustainable Mobility for All (www.sum4all.org); at https://bit.ly/3rDFu9d.

SUMMA (SUstainable Mobility Measures and Assessment) (www.SUMMA-EU.org) is a European Commission (DG-TREN) sponsored project to define and operationalize sustainable mobility and transit, develop indicators, assess the scale of sustainability problems associated with transport, and identify policy measures to promote sustainable transport.

SUMMA (2005), *SUMMA: Final Publishable Report*, Deliverable 8, SUMMA (<u>www.tmleuven.be/project/summa/home.htm</u>); at <u>www.tmleuven.be/project/summa/summa-d3.pdf</u>.

Sustainability Research Network (www.sustainablehealthycities.org) is a US National Science Foundation program that coordinates researchers and practitioners working to build better cities through infrastructure design, technology and policy innovations.

Sustainable City pLAn (https://performance.lacity.org/sustainability) uses a dashboard of sustainability metrics indicating progress toward the Plan's goals.

Sustainable Development Indicators Website (<u>www.sdi.gov</u>) provides information on various environmental and sustainable development data and indicators.

Sustainable Measures (<u>www.sustainablemeasures.com</u>) is an Internet site with information on various sustainability indicators.

Sustainable Mobility Project (www.wbcsdmobility.org) by the World Business Council for Sustainable Development (WBCSD) provides information on Sustainable Mobility.

SustainLane (2008), US City Rankings, SustainLane (www.sustainlane.com/us-city-rankings).

John Talberth, Clifford Cobb, and Noah Slattery (2006), *The Genuine Progress Indicator*, Redefining Progress (www.rprogress.org); at www.rprogress.org/publications/2007/GPI%202006.pdf.

TERM (2008), Climate for a Transport Change. TERM 2007: Indicators Tracking Transport and Environment in the European Union, European Environment Agency (http://reports.eea.europa.eu/eea report 2008 1/en).

TØI (2009), *Indicators for Sustainable Urban Transport – State Of The Art*, Norwegian Public Roads Administration (<u>www.toi.no</u>); at <u>www.toi.no</u>/article27829-29.html.

TRANSECON (Urban Transport and Local Socio-Economic Development), European Commission, The Fifth Framework Programme (www.boku.ac.at/verkehr/trans r.htm).

TRB (1997), Toward a Sustainable Future; Addressing the Long-Term Effects of Motor Vehicle Transportation on Climate and Ecology, Committee for a Study on Transportation and a Sustainable Environment, National Academy Press (www.trb.org).

TRB (2005), *Integrating Sustainability into the Transportation Planning Process: July 11–13, 2004 Conference Report*, TRB (www.trb.org/publications/conf/CP37.pdf).

TRB (2010), *Highway Capacity Manual*, Transportation Research Board (<u>www.trb.org</u>); at <u>www.trb.org/Main/Blurbs/Highway Capacity Manual 2010 164718.aspx</u>.

TRB (2011), A Guidebook for Sustainability Performance Measurement for Transportation Agencies, NCHRP Report 708, Transportation Research Board (www.trb.org/Main/Blurbs/166313.aspx.

Transport Knowledge Base (https://slocat.net/our-work/knowledge-and-research/trakb), Sustainable Low Carbon Transportation (SLOCAT). The SLOCAT Transport and Climate Change Global Status Report aims to capture data and trends from the period between 2018 and early 2021. Throughout the report, the most recent publicly accessible data were used. These data are also provided in the Transport and Knowledge Base (TraKB), an open-source database that has been curated by SLOCAT over the years. It unites all existing datasets collected by SLOCAT (e.g. Biennial (Update) Reports, National Communications, Voluntary National Reviews, climate-finance instrument projects) as well as valuable data from various external sources (e.g. transport activity, emissions, air quality, road safety). All major mobility modes (e.g. aviation, high-speed rail, bus rapid transit, urban rail, cars, cycling, walking) are cover in the Excel-based database. TraKB gives users a one-click access to all major exclusive SLOCAT datasets. The TraKB is an Excel-based data platform which can be downloaded here. The current version as of June 2021 is Version 0.3.

UITP (2010), Report on Statistical Indicators of Public Transport Performance In Sub-Saharan Africa, International Association of Public Transport (www.uitp.org); at http://bit.ly/2c8jwXZ.

UNECE (2011), *Transport For Sustainable Development In The ECE Region*, United Nations Economic Commission for Europe (www.unece.org); at http://bit.ly/2chtZlo.

UNECD (2016), Key Performance Indicators for Smart Sustainable Cities to Assess the Achievement of Sustainable Development Goals, United Nations Economic Commission for Europe (www.unece.org); at http://bit.ly/2bUTzP1.

UNESCO (2006), *Indicators of Sustainability: Reliable Tools For Decision Making*, Policy Brief 1, UN Educational, Scientific and Cultural Organization (UNESCO), Scientific Committee on Problems of the Environment (www.icsu-scope.org); at <a href="ht

Heather Unger, et al. (2019), *Social and Economic Sustainability Performance Measures for Public Transportation*, Pre-publication draft of TCRP Research Report 205, Transportation Research Board (www.trb.org); at www.nap.edu/download/25461.

UN Habitat (2016), *Urbanization and Development; Emerging Futures*, World Cities Report 2016, United Nations Human Settlements Programme (http://wcr.unhabitat.org); at http://wcr.unhabitat.org/wp-content/uploads/sites/16/2016/05/WCR-%20Full-Report-2016.pdf.

Paul J. Upham and Julia N. Mills (2003), *Environmental and Operational Sustainability of Airports: Core Indicators and Stakeholder Communication*, Tyndall Centre for Climate Change Research, UMIST, Manchester (www.tyndall.ac.uk).

Urban Transport Benchmarking (www.transportbenchmarks.org) is an effort to develop practical methods for evaluating urban transportation quality, applied in 45 participating European Cities.

USEPA (2008), *Indicator Development for Estuaries Manual*, U.S. Environmental Protection Agency (www.usepa.gov); at www.epa.gov/owow/estuaries/indicators/pdf/indicators manual.pdf.

USEPA (2011), *Guide To Sustainable Transportation Performance Measures*, U.S. Environmental Protection Agency (www.usepa.gov); at http://bit.ly/1jfkflc.

USEPA (2014), Sustainability Concepts in Decision-Making: Tools and Approaches for the US Environmental Protection Agency, U.S. Environmental Protection Agency (www.usepa.gov); at <a hr

VTPI (2008), Online TDM Encyclopedia, VTPI (www.vtpi.org).

WCED (1987), *Our Common Future*, World Commission on Environment and Development, Brundtland Commission (http://ringofpeace.org/environment/brundtland.html).

E.O.D. Waygood, T. Chatterton and E. Avineri (2012), *Leaders and Laggards in Low Transport CO2 Emissions: The Challenges and Outcomes of Benchmarking Sustainable Urban Transport Systems across Europe*, University Transport Studies Group (UTSG) Annual Conference, Aberdeen, Scotland, Jan. 4-5, 2012, at www.carbonaware.eu/resources.html.

WBCSD (2020), *Sustainable Urban Mobility (SiMPlify)*, World Business Council for Sustainable Development (www.wbcsd.org); at https://bit.ly/3awA9LT. Also see, *Methodology and indicator calculation method for Sustainable Urban Mobility* at https://docs.wbcsd.org/2015/03/Mobility_indicators.pdf.

John Whitelegg (2008), *Integrating Sustainability into Transport*, Eco-logica (www.eco-logica.co.uk); at www.eco-logica.co.uk/pdf/Integrating Sustainability Transport.pdf.

Wikipedia, Environmental Accounting (http://en.wikipedia.org/wiki/Environmental accounting).

E. O. Wilson (1998), Consilience, Alfred Knopf (New York).

Clarence Woudsma, Todd Litman, and Glen Weisbrod (2006), A Report On The Estimation Of Unit Values Of Land Occupied By Transportation Infrastructures In Canada, Transport Canada (www.tc.gc.ca/pol/en/aca/fci/transmodal/menu.htm).

WSDOT (2008), *Performance Measurement Library*, Washington State Department of Transportation (<u>www.wsdot.wa.gov</u>); at <u>www.wsdot.wa.gov</u>/Accountability/Publications/Library.htm.

WSDOT (2011), Ten Years of Transparency: The Role of Performance Reporting at WSDOT, Washington State Department of Transportation (www.wsdot.wa.gov); at http://tinyurl.com/mlzgyme.

WTI (2012), Livability for Montana Transportation, Western Transportation Institute, Montana State University, for the Montana Department of Transportation (www.mdt.mt.gov); at www.mdt.mt.gov/other/research/external/docs/research proj/benchmarks/final report apr12.pdf.

York Region (2009), "Transportation Sustainability Principles" *Transportation Master Plan* (www.york.ca/Services/Regional+Planning/Infrastructure/TMP_Reports.htm); summarized in Jim Helmer and Jim Gough (2010), "Best Practices in Sustainable Transportation," *ITE Journal* (www.ite.org), Vol. 80. No. 3, March 2010, pp. 26-35.

Lei Zhang (2013), Comprehensive Highway Corridor Planning With Sustainability Indicators, MD-13-SP109B4Q, University of Maryland, Maryland State Highway Administration (www.roads.maryland.gov); at http://tinyurl.com/m4h4o65.

Jason Zheng, et al. (2011), "Quantifying the Economic Domain of Transportation Sustainability," *Transportation Research Record 2242*, TRB (<u>www.trb.org</u>), pp. 19-28; at <u>http://amonline.trb.org/12koec/12koec/1</u>.

Run Zhao, Martin de Jong and Jurian Edelenbos (2023), "Will the True Inclusive City Rise? Mapping the Strengths and Weaknesses of the City Ranking Systems," *Cities*, Vo. 143 (https://doi.org/10.1016/j.cities.2023.104617).

Josias Zietsman, William Knowles, Tara Ramani, Jae Su Lee and Brian Bochner (2008), "Sustainability Enhancement Tool for State Departments of Transportation Using Performance Measurement," *Journal of Transportation Engineering*, Vol. 137/6; at http://tinyurl.com/nj64gkq.

Josias Zietsman and Tara Ramani (2011), Sustainability Performance Measures for State DOTs and Other Transportation Agencies, Project 08-74, National Cooperative Highway Research Program, Transportation Research Board (www.trb.org); at http://tinyurl.com/oqcon8t.

www.vtpi.org/wellmeas.pdf